American Heart Journal

An international publication for the study of the circulation

George E. Burch *Editor*

Thomas D. Giles *Assistant Editor*

International Editorial Board

R. P. Ahlquist, *Augusta*
James K. Alexander, *Houston, Texas*
Giorgio Baroldi, *Milan, Italy*
Lotfy L. Basta, *Tulsa, Okla.*
Thomas M. Blake, *Jackson, Miss.*
S. Gilbert Blount, Jr., *Denver*
Bernardo Boskis, *Argentina*
Agustin Castellanos, Jr., *Miami*
Eugenii I. Chazov, *Moscow, U.S.S.R.*
Henri Chevalier, *Paris*
J. M. Criley, *Torrance, Calif.*
James A. Cronvich, *New Orleans*
Anthony N. Damato, *Staten Island, N. Y.*
Arthur C. DeGraff, *New York*
Lewis Dexter, *Boston*
Charles Dubost, *Paris*
Jesse E. Edwards, *St. Paul*
Mary Allen Engle, *New York*
Harvey Feigenbaum, *Indianapolis*
Alvan R. Feinstein, *New Haven, Conn.*
M. Irené Ferrer, *New York*
Charles Fisch, *Indianapolis*
Nancy C. Flowers, *Louisville*
Julian Frieden, *New Rochelle, N. Y.*
Peter C. Gazes, *Charleston*
Jacques Genest, *Montreal, Canada*
Mervyn S. Gotsman, *Jerusalem, Israel*
Robert L. Grissom, *Omaha*
Rolf M. Gunnar, *Chicago*
E. William Hancock, *Stanford, Calif.*
A. Sidney Harris, *Carmel, Calif.*
Frantisek Herles, *Prague, Czechoslovakia*
Herbert N. Hultgren, *Palo Alto, Calif.*
Mohamed Ibrahim, *Cairo, Egypt*
Thomas N. James, *Birmingham, Ala.*
L. E. January, *Iowa City*
James N. Karnegis, *Minneapolis*
John A. Kastor, *Philadelphia*
Nodar N. Kipshidze, *Tbilisi, U.S.S.R.*
Richard Langendorf, *Chicago*
John H. Laragh, *New York*
J. Lequime, *Brussels, Belgium*
Maurice Lev, *Chicago*
R. J. Linden, *Leeds*
F. Loogen, *Dusseldorf, Germany*
Hugh A. McAllister, Jr., *Washington, D.C.*
Rashid A. Massumi, *Davis, Calif.*
Gordon K. Moe, *Utica, N. Y.*
Clifford V. Nelson, *Portland, Me.*
Eckhardt G. J. Olsen, *London*
Victor Parsonnet, *Newark*
Morton Lee Pearce, *Los Angeles*
Joseph K. Perloff, *Philadelphia*
Alfred Pick, *Chicago*
Hubert V. Pipberger, *Washington, D. C.*
Ray Pryor, *Denver, Colo.*
E. W. Reynolds, *Madison, Wisc.*
David Scherf, *New York*
Peter J. Schwartz, *Milano*
Ralph C. Scott, *Cincinnati*
Ewald E. Selkurt, *Indianapolis*
J. P. Shillingford, *London*
Louis A. Soloff, *Philadelphia*
Madison S. Spach, *Durham*
David H. Spodick, *Worcester, Mass.*
Borys Surawicz, *Lexington*
Tadasu Takatsu, *Osaka*
John Thomas, *Nashville, Tenn.*
Jack L. Titus, *Houston, Texas*
Myron W. Wheat, Jr., *Louisville*

VOLUME 93

JANUARY-JUNE 1977

VOLUME 93
COPYRIGHT © 1977 BY
THE C.V. MOSBY COMPANY
All rights reserved

Printed in the United States of America

Author index*

A

ABER, CLIVE P. (*See* Kushnir et al.), 261 (Annot.)
ABLETT, M. (*See* Jacob, Ablett, and Stark), 623
AGOSTI, JULIO. (*See* Maroñas et al.), 316
AHLQUIST, RAYMOND P. Present state of alpha and beta adrenergic drugs III. Beta blocking agents, 117
AINTABLIAN, AGOP. (*See* Hamby et al.), 9
——. (*See* Hamby et al.), 306
ALLEN, JOHN W., HARRISON, EARL C., CAMP, JOHN C., BORSARI, ALLAN, TURNIER, EDGARD, AND LAU, FRANCIS Y. K. The role of serial echocardiography in the evaluation and differential diagnosis of pericardial disease, 560
ALLEN, RICHARD D. (*See* Aravindakshan, Surawicz, and Allen), 706
ALOSILLA, CARLOS. (*See* Lichstein et al.), 723
ALPERT, J. S. (*See* Thompson et al.), 375
ALTSCHULER, HAROLD. (*See* Fisher et al.), 658
AMAT-Y-LEON, FERNANDO, DEEDWANIA, PRAKASH, MILLER, RONALD H., DHINGRA, RAMESH C., AND ROSEN, KENNETH M. A new approach for indirect recording of anterior left atrial activation in man, 408 (Annot.)
AMSTERDAM, EZRA A. (*See* Miller et al.), 222
ANDERSON, WARREN T. (*See* Brundage et al.), 687
ANGELINI, PAOLO. (*See* Orzan et al.), 501
APPLEFELD, MARK M., BILLINGSLEY, LYNN M., TUCKER, HAROLD J., AND FISET, PAUL. Q fever endocarditis—A case occurring in the United States, 669 (Annot.)
APSTEIN, CARL S., KLINE, SUSAN A., LEVIN, DAVID C., BALTAXE, HAROLD A., AND KILLIP, THOMAS. Left ventricular performance and graft patency after coronary artery-saphenous vein bypass surgery: Early and late follow-up, 547
ARAVINDAKSHAN, V., SURAWICZ, BORYS, AND ALLEN, RICHARD D. Electrocardiographic exercise test in patients with abnormal T waves at rest, 706
ARBEL, EMANUEL R. (*See* Feola, Glick, and Arbel), 82
ARNETT, ERNEST N., KASTL, DAVID G., GARVIN, A. JULIAN, AND ROBERTS, WILLIAM C. A conversation on prosthetic valve endocarditis, 610
ATSMON, ABRAHAM. (*See* Blum and Atsmon), 802 (Annot.)
ATSUCHI, YOSHIHIKO, NAGAI, YASUO, KOMATSU, YUKIO, NAKAMURA, KENJI, SHIBUYA, MINORU, AND HIROSAWA, KOSHICHIRO. Echocardiographic manifestations of annulo-aortic ectasia: Its "paradoxical" motion of the aorta and premature systolic closure of the aortic valve, 428

B

BALDONE, JAMES C., JR. (*See* Eddleman et al.), 450
BALTAXE, HAROLD A. (*See* Apstein et al.), 547
BANCROFT, WILLIAM H., JR. (*See* Eddleman et al.), 450
BARDET, JEAN, MASQUET, CHRISTIANE, KAHN, JEAN-CLAUDE, GOURGON, RENÉ, BOURDARIAS, JEAN-PIERRE, MATHIVAT, ANDRÉ, AND BOUVRAIN, YVES. Clinical and hemodynamic results of intra-aortic balloon counterpulsation and surgery for cardiogenic shock, 280
BASHOUR, F. A. (*See* Parker, Downey, and Bashour), 66
BASTA, LOTFY L. (*See* Pitts, Crosby, and Basta), 321
BEAZELL, JAMES W. (*See* Fishbein et al.), 73
BENCHIMOL, ALBERTO, AND DESSER, KENNETH B. The fourth heart sound in patients without demonstrable heart disease, 298
——, ——, AND RAIZADA, VEENA. Effects of amyl nitrite on phasic aortocoronary bypass graft blood velocity in man, 592
BERMAN, NEIL D. (*See* McLaughlin et al.), 327
BERSON, ALAN S., LAU, FRANCIS Y. K., WOJICK, JOHN M., AND PIPBERGER, HUBERT V. Distortions in infant electrocardiograms caused by inadequate high-frequency response, 730
BETHEA, CHARLES F. (*See* Warren et al.), 189
BIDDLE, THEODORE L. (*See* Ehrich et al.), 274
BIGGER, J. THOMAS, JR., WENGER, THOMAS L., AND HEISSENBUTTEL, ROBERT H. Limitations of the Lown grading system for the study of human ventricular arrhythmias, 727
BILLINGSLEY, LYNN M. (*See* Applefeld et al.), 669 (Annot.)
BLACKWELL, BARRY. Hypertension: Medicate or meditate? 262 (Annot.)
BLANC, J. J. (*See* Penther et al.), 302
BLOXHAM, DON D. (*See* Thompson and Bloxham), 266 (Letter to Editor)
BLUM, ILANA, AND ATSMON, ABRAHAM. Hypertension complicating treatment with beta-adrenergic blocking drugs, 802 (Annot.)
BOGATSKAYA, LIDIJA N. (*See* Frolkis et al.), 334
BORSARI, ALLAN. (*See* Allen et al.), 560
BOURDARIAS, JEAN-PIERRE. (*See* Bardet et al.), 280
BOUVRAIN, YVES. (*See* Bardet et al.), 280
BOWER, P. JEFFREY. (*See* Finn and Bower), 626
BROOKS, HAROLD. (*See* Pashkow, Holland, and Brooks), 349
BROWN, J. J. (*See* Rosei et al.), 124 (Annot.)
BRUNDAGE, BRUCE H., ANDERSON, WARREN T., DAVIA, JAMES E., CHEITLIN, MELVIN D., AND DECASTRO, CARLOS M. Determinants of left ventricular function following aorto-coronary bypass surgery, 687
BRUNNER, HANS H., STEIGER, ULRICH, GOEBEL, NORBERT H. J., AND KRAYENBUEHL, HANS P. Left ventricular contractile function in aortic stenosis evaluated by isovolumic and ejection phase indexes, 147
BUCHANAN, N., AND VAN DER WALT, L. A. Warfarin binding in kwashiorkor, 128 (Letters to the Editor)
BULKLEY, BERNADINE H., HUMPHRIES, J. O'NEAL, AND HUTCHINS, GROVER M. Purulent pericarditis with asymmetric cardiac tamponade: A cause of death months after coronary artery bypass surgery, 776
BURCH, G. E. A spray for pain, 411 (Letter to Editor)
——. Changing concepts in cardiovascular therapy—A quarter century perspective, 413
——. Heart disease and pregnancy, 104
——. Of cardiac output and congestive heart failure, 673 (Annot.)
——. Of chronic adhesive pericarditis, 535 (Annot.)
——. Of clinical data, 807 (Annot.)
——. Of home cardiac care, 125 (Annot.)
——. Of rate of pacing old hearts, 410 (Annot.)
——. Of what much of this is about, 265 (Annot.)
BURCH, PHILIP R. J. Coronary heart disease. Tests of etiological hypotheses, 805 (Annot.)

*January, pp. 1-136; February, pp. 137-270; March, pp. 271-412; April, pp. 413-542; May, pp. 543-678; June, pp. 679-838.

C

CALDWELL, JAMES H., AND KENNEDY, J. WARD. Programmed left ventricular contrast injection. A method to minimize left ventricular irritability during angiography, 141

CAMILLERI, J. P. (*See* Deloche et al.), 358

CAMP, JOHN C. (*See* Allen et al.), 560

CARPENTIER, A. (*See* Deloche et al.), 358

CHADDA, KUL D. (*See* Lichstein et al.), 723

CHEITLIN, MELVIN D. (*See* Brundage et al.), 687

CHENG, TSUNG O. (*See* Meyer et al.), 3

CHESLEY, LEON C. The remote prognosis of eclamptic women, 407 (Annot.)

CHIPPERFIELD, BARBARA, AND CHIPPERFIELD, J. R. Magnesium and the heart, 679

CHIPPERFIELD, J. R. (*See* Chipperfield and Chipperfield), 679

CHMIELEWSKI, CHESTER A., RILEY, RAYMON S., MAHENDRAN, ALEXANDER, AND MOST, ALBERT S. Complete heart block as a cause of syncope in asymmetric septal hypertrophy, 91

COBBS, B. WOODFIN, JR., AND KING, SPENCER B., III. Ventricular buckling: A factor in the abnormal ventriculogram and peculiar hemodynamics associated with mitral valve prolapse, 741

COHEN, HOWARD L. (*See* Fisher et al.), 658

COHN, PETER F. (*See* Graboys and Cohn), 683

COLLIS, J. LEIGH. (*See* Kalloor, Singh, and Collis), 235

COOLEY, DENTON A. (*See* Orzan et al.), 501

CRAWFORD, MICHAEL H. (*See* LeWinter et al.), 202

CRILEY, J. MICHAEL. (*See* Fishbein et al.), 73

CROSBY, WARREN M. (*See* Pitts, Crosby, and Basta), 321

CUMMING, GORDON R. Comparison of treadmill and bicycle ergometer exercise in middle-aged males, 261 (Annot.)

——. Hemodynamics of supine bicycle exercise in "normal" children, 617

D

DAHL, CHARLES F. (*See* Thomas et al.), 463

DALE, JON. Arterial thromboembolic complications in patients with Björk-Shiley and Lillehei-Kaster aortic disc valve prostheses, 715

DAS GUPTA, RAMANUJA. (*See* Gulotta et al.), 19

DAVIA, JAMES E. (*See* Brundage et al.), 687

DE CAPRIO, VINCENT. (*See* Furman, Hurzeler, and De Caprio), 794

DECASTRO, CARLOS M. (*See* Brundage et al.), 687

DEEDWANIA, PRAKASH. (*See* Amat-y-Leon et al.), 408 (Annot.)

DELOCHE, A., FABIANI, J. N., CAMILLERI, J. P., RELLAND, J., JOSEPH, D., CARPENTIER, A., AND DUBOST, CH. The effect of coronary artery reperfusion on the extent of myocardial infarction, 358

DEMARIA, ANTHONY N. (*See* Miller et al.), 272

DESSER, KENNETH B. (*See* Benchimol and Desser), 298

——. (*See* Benchimol, Desser, and Raizada), 592

DESILVA, REGIS A., AND SHUBROOKS, SAMUEL J. Mitral valve prolapse with atrioventricular and sinoatrial node abnormalities of long duration, 772

DESNICK, ROBERT J. (*See* Mehta et al.), 699

DHINGRA, RAMESH C. (*See* Amat-y-Leon et al.), 408 (Annot.)

DOWNEY, H. FRED. (*See* Parker, Bashour, and Downey), 66

DREIFUS, LEONARD S. (*See* Ogawa, Watanabe, and Dreifus), 767

DUBOIS, EDMUND L. (*See* Walts and Dubois), 378

DUBOST, CH. (*See* Deloche et al.), 358

E

EDDLEMAN, E. E., JR., SWATZELL, ROY H., JR., BANCROFT, WILLIAM H., JR., BALDONE, JAMES C., JR., AND TUCKER, MARJORIE S. The use of the systolic time intervals for predicting left ventricular ejection fraction in ischemic heart disease, 450

EHRICH, DENNIS A., BIDDLE, THEODORE L., KRONENBERG, MARVIN W., AND YU, PAUL N. The hemodynamic response to intra-aortic balloon counterpulsation in patients with cardiogenic shock complicating acute myocardial infarction, 274

ELLIS, F. R., AND SANDERS, T. A. B. Angina and vegan diet, 803 (Annot.)

ESCHER, DORIS J. W. (*See* Fisher et al.), 658

EWY, GORDON A. (*See* Thomas et al.), 463

——, AND HORAN, WILLIAM J., Effectiveness of direct current defibrillation: role of paddle electrode size: II, 674 (Letter to Editor)

EWY, M. DALE (*See* Thomas et al.), 463

F

FABIANI, J. N. (*See* Deloche et al.), 358

FARALDO, ANTHONY R. (*See* Yeh et al.), 610

FEINSTEIN, ALVAN R., AND WELLS, CAROLYN K. A new clinical taxonomy for rating change in functional activities of patients with angina pectoris, 172

FELNER, JOEL M. (*See* Story, Felner, and Schlant), 575

FENOGLIO, JOHN J., JR. (*See* Harvey et al.), 239

FEOLA, MARIO, ARBEL, EMANUEL R., AND GLICK, GERALD. Attenuation of cardiac sympathetic drive in experimental myocardial ischemia in dogs, 82 With the technical assistance of Ellis, Anthony

FERLINZ, JACK, AND GORLIN, RICHARD. Reply, 130 (Letters to the Editor)

FIESELMANN, JOHN. (*See* Kerber, Fieselmann, and Mischler), 506

FIGUERA, DIEGO. (*See* Maroñas et al.), 316

FINN, MICHAEL C., AND BOWER, P. JEFFREY. Severe papillary muscle dysfunction substantiated by atrial pacing during cardiac catheterization, 626

FISET, PAUL. (*See* Applefeld et al.), 669 (Annot.)

FISHBEIN, MICHAEL C., TAN, KIE S., BEAZELL, JAMES W., SCHULMAN, JOSEPH H., HIROSE, FRANK M., AND CRILEY, J. MICHAEL. Cardiac pathology of transvenous pacemakers in dogs, 73

FISHER, JOHN D., COHEN, HOWARD L., MEHRA, RAHUL, ALTSCHULER, HAROLD, ESCHER, DORIS J. W. AND FURMAN, SEYMOUR. Cardiac pacing and pacemakers II. Serial electrophysiologic-pharmacologic testing for control of recurrent tachyarrhythmias, 658

FISHER, RUSSELL S. (*See* Maron and Fisher), 762

FITZGERALD, JOHN W. (*See* Winkle et al.), 422

FIXLER, DAVID E., MONROE, GEORGE A., AND WHEELER, JAMES M. Hemodynamic alterations during septal or right ventricular ischemia in dogs, 210

FLORA, JARIUS D. (*See* Santinga et al.), 197

FÖLDI, M. Prelymphatic-lymphatic drainage of the brain, 121 (Annot.)

FOLGER, GORDON M., JR. Further observations on the syndrome of idiopathic infantile hypercalcemia associated with supravalvular aortic stenosis, 455

FOX, K. M. (*See* Kushnir et al.), 261 (Annot.)

FRANK, JEFFREY. (*See* Meyer et al.), 3

FRASER, R. (*See* Rosei et al.), 124 (Annot.)

FRATANTONI, JOSEPH C. Thrombolytic therapy, 271

FROLKIS, VLADIMIR V., BOGATSKAYA, LIDIJA N., STUPINA, ALEXANDRA S., AND SHEVCHUK, VICTOR G. Experimental analysis of development of cardiac insufficiency in old age, 334

FURMAN, SEYMOUR. Inhibition of a ventricular synchronous pacemaker, 581

——. Cardiac pacing and pacemakers I. Indications for pacing bradyarrhythmias, 523

——. Cardiac pacing and pacemakers II. (*See* Fisher et al.), 658

——, HURZELER, PHILIP, AND DE CAPRIO, VINCENT. Cardiac pacing and pacemakers III. Sensing the cardiac electrogram, 794

G

GARVIN, A. JULIAN. (*See* Arnett et al.), 610

GENTSCH, THOMAS O. (*See* Yeh et al.), 610
GERBAUX, A. (*See* Penther et al.), 302
GILLILAN, RONALD E., MONDELL, BRIAN, AND WARBASSE, J. RICHARD. Quantitative evaluation of vitamin E in the treatment of angina pectoris, 444
GIMBEL, KENNETH S. Left ventricular posterior wall motion in patients with the Wolff-Parkinson-White syndrome, 160
——. (*See* Lynch et al.), 645
GLASSER, STEPHEN P. (*See* McCarty and Glasser), 496
GLICK, GERALD. (*See* Feola, Arbel, and Glick), 82
GOEBEL, NORBERT H. J. (*See* Brunner et al.), 147
GOLDBERG, EMANUEL. Mechanical factors and the electrocardiogram, 629
GOLDBERG, SAMUEL. (*See* Meyer et al.), 3
GOODMAN, DANIEL J. (*See* Winkle et al.), 422
GOSSELIN, ARTHUR J. (*See* Yeh et al.), 610
GOSSELIN, BERNARD. (*See* Thery et al.), 735
GOURGON, RENÉ. (*See* Bardet et al.), 280
GRABOYS, THOMAS B., AND COHN, PETER F. The prevalence of angina pectoris and abnormal coronary arteriograms in severe aortic valvular disease, 683
GRAHAM, IAN M. (*See* Mulcahy et al.), 556
GREEN, WILLIAM M. (*See* Reiffel et al.), 533 (Annot.)
GROSS, GARRETT J., WARLTIER, DAVID C., HARDMAN, HAROLD F., AND SOMANI, PITAMBAR. The effect of ouabain on nutritional circulation and regional myocardial blood flow, 487
GULOTTA, STEPHEN J., DAS GUPTA, RAMANUJA, PADMANABHAN, VELLORE T., AND MORRISON, JOHN. Familial occurrence of sinus bradycardia, short PR interval, intraventricular conduction defects, recurrent supraventricular tachycardia, and cardiomegaly, 19
GUNTHEROTH, WARREN G. Sudden infant death syndrome (crib death), 784
GUPTA, PREM K. (*See* Lichstein et al.), 723

H

HAGAN, A. D. (*See* Thompson et al.), 375
HALL, R. J. C. (*See* Miller, Hall, and Paneth), 568
HAMBY, ROBERT I., AINTABLIAN, AGOP, WISOFF, B. GEORGE, AND HARTSTEIN, MARVIN L. Effects of contrast medium on left ventricular pressure and volume with emphasis on coronary artery disease, 9
——, ——, ——, AND ——. Comparative study of the postoperative flow in the saphenous vein and internal mammary artery bypass grafts, 306
HAN, JAOK. (*See* Yoon et al.), 60
HANCOCK, E. WILLIAM. Aortic stenosis, angina pectoris, and coronary artery disease, 382
HANSSON, LENNART, AND WERKÖ, LARS. Beta-adrenergic blockade in hypertension, 394
HANSTEEN, VIGGO. (*See* Storstein et al.), 434
HARDMAN, HAROLD F. (*See* Gross et al.), 487
HARKEY, IRA. An appeal for data, 537 (Letter to Editor)
HARRISON, DONALD C. (*See* Winkle et al.), 422
HARRISON, EARL C. (*See* Allen et al.), 560
HARTSTEIN, MARVIN L. (*See* Hamby et al.), 9
——. (*See* Hamby et al.), 306
HARVEY, JOHN COLLINS. (*See* Harvey et al.), 239
HARVEY, W. PROCTOR, HARVEY, JOHN COLLINS, FENOGLIO, JOHN J., JR., AND MACALLISTER, HUGH A., JR. Clinical pathologic conference, 239
HATLE, LIV. (*See* Storstein et al.), 434
HAYWARD, R. D., AND O'REILLY, G. V. A. Computerized tomography and intracerebral hemorrhage, 126 (Annot.)
HEISSENBUTTEL, ROBERT H. (*See* Bigger, Wenger, and Heissenbuttel), 727
HICKEY, N. (*See* Mulcahy et al.), 556
HILLESTAD, LEIF. (*See* Storstein et al.), 434
HIROSAWA, KOSHICHIRO. (*See* Atsuchi et al.), 428
HIROSE, FRANK M. (*See* Fishbein et al.), 73
HOLLAND, ROGER (*See* Pashkow, Holland, and Brooks), 349
HOOD, WILLIAM B., JR. (*See* Madias and Hood), 603
HOOD, WILLIAM P., JR. (*See* Sutton, Hood, and Koch), 289
HORAN, WILLIAM J. (*See* Ewy and Horan), 674 (Letter to Editor)
HORTON, CAROLINE, AND SPODICK, DAVID H. Survival after aortic valve replacement, 537 (Letter to Editor)
HORWITZ, SIMÓN. (*See* Lupi-Herrera et al.), 94
HUMPHREY, C. B. (*See* Thompson et al.), 375
HUMPHRIES, J. O'NEAL. (*See* Bulkley, Humphries, and Hutchins), 776
HURZELER, PHILIP. (*See* Furman, Hurzeler, and De Caprio, 794
HUTCHINS, GROVER M. (*See* Ridolfi and Hutchins), 468
——. (*See* Bulkley, Humphries, and Hutchins), 776

J

JACOB, T., ABLETT, M., AND STARK, J. Transposition of the great arteries, primum atrial septal defect, azygos continuation of the inferior vena cava, bilateral superior venae cavae and dextrocardia with centrally placed liver, 623
JACOBSON, EUGENE D. Reply, 266 (Letter to Editor)
JAMES, I. M. Failure of autonomic control of cerebral vessels in hypertension—the cause of stroke? 671 (Annot.)
JEFFERS, T. A. (*See* Petrie Jeffers, and Webster), 407 (Annot.)
JORDAN, JAY, YAMAGUCHI, IWAO, MANDEL, WILLIAM J., AND MCCULLEN, AVILE E. Comparative effects of overdrive on sinus and subsidiary pacemaker function, 367
JOSEPH, D. (*See* Deloche et al.), 358
JULIENNE, J. L. (*See* Penther et al.), 302

K

KAHN, JEAN-CLAUDE. (*See* Bardet et al.), 280
KALLOOR, G. J., SINGH, S. P., AND COLLIS, J. LEIGH. Cardiac arrhythmias on swallowing, 235
KARLINER, JOEL S. (*See* LeWinter et al.), 202
KASTL, DAVID G. (*See* Arnett et al.), 610
KATO, HIDENORI. (*See* Yasui et al.), 40
KATZ, A., UNDERDOWN, B. J., MINTA, J. O., AND LEPOW, I. H. IgA nephritis unassociated with systemic disease, 670 (Annot.)
KENNEDY, J. WARD (*See* Caldwell and Kennedy), 141
KERBER, RICHARD E., FIESELMANN, JOHN, AND MISCHLER, NICHOLAS. Inferior vena cava tumor thrombus extending into the right atrium and mimicking right atrial myxoma: Angiographic differentiation, 506
KERIN, NICHOLAS. (*See* Levy, Mori, and Kerin), 183
KILLIP, THOMAS. (*See* Apstein et al.), 547
KING, DONALD L. (*See* Reiffel et al.), 533 (Annot.)
KING, SPENCER B., III. (*See* Cobbs and King), 741
KINSLEY, R. H. The narrow aortic annulus: A technique for inserting a larger prosthesis, 759
KLINE, SUSAN A. (*See* Apstein et al.), 547
KLOTH, HOWARD H. Acute rheumatic fever and viral carditis, 133 (Letters to the Editor)
KOCH, GARY G. (*See* Sutton, Hood, and Koch), 289
KOCH, GÜNTER. Acute hemodynamic effects of an alpha- and beta-receptor blocking agent (AH 5158) on the systemic and pulmonary circulation at rest and during exercise in hypertensive patients, 585
KOMATSU, YUKIO. (*See* Atsuchi et al.), 428
KONG, YIHONG. (*See* Warren et al.), 189
KRAYENBUEHL, HANS P. (*See* Brunner et al.), 147
KROHN, BERNARD G. Interchangeability of left ventriculograms, 130 (Letters to the Editor)
KRONENBERG, MARVIN W. (*See* Ehrich et al.), 274
KUSHNIR, B., FOX, K. M., PORTAL, R. W., AND ABER, CLIVE P. Factors influencing the resumption of work, sexual activity, and driving following acute myocardial infarction, 261 (Annot.)

L

LANDMAN, A. D., AND LAVELLE, C. L. B. High resistance of women to heart disease, 129 (Letter to the Editor)

LANGFORD, HERBERT G., WATSON, ROBERT L., AND THOMAS, JEANNE GOURAS. Salt intake and the treatment of hypertension, 531 (Annot.)
LARSEN, PARRY B. (*See* Yeh et al.), 610
LASKIN, OSCAR L., ROMANKIEWICZ, JOHN A., AND REIDENBERG, MARCUS M. Changing digitalis glycosides in an average-size adult, 266 (Letter to Editor)
LAU, FRANCIS Y. K. (*See* Allen et al.), 560
——. (*See* Berson et al.), 730
LAVELLE, C. L. B. (*See* Landman and Lavelle), 129 (Letters to the Editor)
LEACHMAN, ROBERT D. (*See* Orzan et al.), 501
LEHMANN, E. (*See* Weitzman, Margulis, and Lehmann), 89
LEKIEFFRE, JEAN. (*See* Thery et al.), 735
LEPOW, I. H. (*See* Katz et al.), 670 (Annot.)
LEVER, A. F. (*See* Rosei et al.), 124 (Annot.)
LEVI, G. F., PROTO, C., QUADRI, A., AND RATTI, S. Coxsackie virus heart disease and cardiomyopathy, 419
LEVIN, DAVID C. (*See* Apstein et al.), 547
LEVISMAN, JORGE A. Echocardiographic diagnosis of mitral regurgitation in congestive cardiomyopathy, 33
LEVY, MATTHEW N., MORI, ISAO, AND KERIN, NICHOLAS. Two variants of concealed trigeminy, 183
LEWINTER, MARTIN M., CRAWFORD, MICHAEL H., O'ROURKE, ROBERT A., AND KARLINER, JOEL S. The effects of oral propranolol, digoxin and combination therapy on the resting and exercise electrocardiogram, 202
LICHSTEIN, EDGAR, ALOSILLA, CARLOS, CHADDA, KUL D., AND GUPTA, PREM K. Significance and treatment of nocturnal angina preceding myocardial infarction, 723
LICHTENSTEIN, ANIELA. Soup—The right recipe, 267 (Letter to Editor)
LIGHTFOOT, PAUL R. Intermittent parasystole with concealed extrasystolic bigeminy during myocardial infarction, 229
LISS, JOSEPH P., JR. Risks of treadmill exercise testing, 411 (Letter to Editor)
LOPES, MARIO G. (*See* Winkle et al), 422
LOUIS-GUSTAVE, ALAIN. Concerning rheumatic fever and rheumatic heart disease, 536 (Letter to Editor)
LUPI-HERRERA, EULO, SÁNCHEZ-TORRES, GUSTAVO, MARCUSHAMER, JORGE, MISPIRETA, JORGE, HORWITZ, SIMÓN, AND VELA, JORGE ESPINO. Takayasu's arteritis. Clinical study of 107 cases, 94
LYNCH, JAMES J., PASKEWITZ, DAVID A., GIMBEL, KENNETH S., AND THOMAS, SUE A. Psychological aspects of cardiac arrhythmia, 645

M

MACAIRT, J. (*See* Mulcahy et al.), 556
MCALLISTER, HUGH A., JR. (*See* Harvey et al.), 239
MCCARTY, RICHARD J., AND GLASSER, STEPHEN P. The arrhythmogenic effect of static electricity on the dog heart, 496
MCCULLEN, AVILE E. (*See* Jordan et al.), 367
MCLAUGHLIN, PETER R., BERMAN, NEIL D., MORTON, BRIAN C., SCHWARTZ, LEONARD, AND MORCH, JOHN E. Long-term angiographic assessment of the influence of coronary risk factors on native coronary circulation and saphenous vein aortocoronary grafts, 327
MADIAS, JOHN E., AND HOOD, WILLIAM B., JR. Precordial ST-segment mapping 3. Stability of maps in the early phase of acute myocardial infarction, 603
——. ST-T segments in ischemic heart disease, 808 (Letter to Editor)
MAHENDRAN, ALEXANDER. (*See* Chmielewski et al.), 91
MANDEL, WILLIAM J. (*See* Jordan et al.), 367
MANNI, CHRISTINA. (*See* Reiffel et al.), 533 (Annot.)
MARCUSHAMER, JORGE. (*See* Lupi-Herrera et al.), 94
MARGULIS, G. (*See* Weitzman, Lehmann, and Margulis), 89
MARKS, PETER, AND THURSTON, J. G. B. Sinus bradycardia with hiatus hernia, 30
MARON, BARRY J., AND FISHER, RUSSELL S. Sudden infant death syndrome (SIDS): Cardiac pathologic observations in infants with SIDS, 762
MARÔNAS, JOSÉ M., RUFILANCHAS, JUAN J., VILLAGRA, FERNANDO, TELLEZ, GABRIEL, AGOSTI, JULIO, AND FIGUERA, DIEGO. Reoperation for dysfunction of the Björk-Shiley mitral disc prosthesis, 316
MASON, DEAN T. (*See* Miller et al.), 222
MASQUET, CHRISTIANE. (*See* Bardet et al.), 280
MATHIVAT, ANDRÉ. (*See* Bardet et al.), 280
MEHRA, RAHUL. (*See* Fisher et al.), 658
MEHTA, JAWAHAR, TUNA, NAIP, MOLLER, JAMES H., AND DESNICK, ROBERT J. Electrocardiographic and vectorcardiographic abnormalities in Fabry's disease, 699
MEYER, JERRY F., FRANK, JEFFREY, GOLDBERG, SAMUEL, AND CHENG, TSUNG O. Systolic mitral flutter, and echocardiographic clue to the diagnosis of ruptured chordae tendineae, 3
MILLER, G. A. H., HALL, R. J. C., AND PANETH, M. Pulmonary embolectomy, heparin, and streptokinase: Their place in the treatment of acute massive pulmonary embolism 568
MILLER, RICHARD R., OLSON, HAROLD G., VERA, ZAKAUDDIN, DEMARIA, ANTHONY N., AMSTERDAM, EZRA A., AND MASON, DEAN T. Clinical evaluation of the enhancement of vagal tone in acute myocardial infarction by edrophonium hydrochloride: Effects on ventricular arrhythmias, His bundle electrography, and left ventricular function, 222
MILLER, RONALD H. (*See* Amat-y-Leon et al.), 408 (Annot.)
MINTA, J. O. (*See* Katz et al.), 670 (Annot.)
MISCHLER, NICHOLAS. (*See* Kerber, Fieselmann, and Mischler), 506
MISPIRETA, JORGE. (*See* Lupi-Herrera et al), 94
MIYAMOTO, ALFONSO TADAOMI. (*See* Yasui et al.), 40
MOLLER, JAMES H. (*See* Mehta et al.), 699
MONDELL, BRIAN. (*See* Gillilan, Mondell, and Warbasse), 444
MONROE, GEORGE A. (*See* Fixler, Monroe, and Wheeler), 210
MORCH, JOHN E. (*See* McLaughlin et al.), 327
MORI, ISAO. (*See* Levy, Mori, and Kerin), 183
MORIN, J. F. (*See* Penther et al.), 302
MORRISON, JOHN. (*See* Gulotta et al.), 19
MORTON, BRIAN C. (*See* McLaughlin et al.), 327
MORTON, J. J. (*See* Rosei et al.), 124 (Annot.)
MOST, ALBERT S. (*See* Chmielewski et al.), 91
MULCAHY, R., HICKEY, N., GRAHAM, IAN M., AND MACAIRT, J. Factors affecting the 5 year survival rate of men following acute coronary heart disease, 556

N

NAGAI, YASUO. (*See* Atsuchi et al.), 428
NAKAMURA, KENJI. (*See* Atsuchi et al.), 428
NEILL, WILLIAM A. Proper management of acute coronary insufficiency—the burden of proof, 532 (Annot.)
NEWMAN, WALTER H. A depressed response of left ventricular contractile force to isoproterenol and norepinephrine in dogs with congestive heart failure, 216

O

OGAWA, SATOSHI, WATANABE, YOSHIO, AND DREIFUS, LEONARD S. Double ventricular parasystole: Intermittency and its relation to re-entrant premature beats, 767
OGLIETTI, JORGE. (*See* Orzan et al.), 501
OLDHAM, H. NEWLAND. (*See* Warren et al.), 189
OLSON, HAROLD G. (*See* Miller et al.), 222
O'REILLY, G. V. A. (*See* Hayward and O'Reilly), 126 (Annot.)
O'ROURKE, ROBERT A. (*See* LeWinter et al.), 202

ORZAN, FULVIO, ANGELINI, PAOLO, OGLIETTI, JORGE, LEACHMAN, ROBERT D., AND COOLEY, DENTON A. Horseshoe lung: Report of two cases, 501

P

PADMANABHAN, VELLORE T. (*See* Gulotta et al.), 19
PANETH, M. (*See* Miller, Hall, and Paneth), 568
PARKER, PAUL E., BASHOUR, F. A., AND DOWNEY, H. FRED. Coronary reperfusion: Effects of vasodilators (papaverine and adenosine), 66
PASHKOW, FREDERIC, HOLLAND, ROGER, AND BROOKS, HAROLD. Early changes in contractility and coronary blood flow in the normal areas of the ischemic porcine heart, 349
PASKEWITZ, DAVID A. (*See* Lynch et al.), 645
PAUKER, STEPHEN G. Surgical therapy for coronary artery disease: *Caveat emptor*, 543
PENNER, JOHN A. (*See* Santinga et al.), 197
PENTHER, PH., GERBAUX, A., BLANC, J. J., MORIN, J. F., AND JULIENNE, J. L. Myocardial infarction and rupture of the heart: A macroscopic pathologic study, 302
PETRIE, J. C., JEFFERS, T. A., AND WEBSTER, J. Atenolol in hypertension, 407 (Annot.)
PIPBERGER, HUBERT V. (*See* Berson et al.), 730
PITTS, JEAN A., CROSBY, WARREN M., AND BASTA, LOTFY L. Eisenmenger's syndrome in pregnancy, 321
PONKA, JOSEPH L. Arteriosclerotic heart disease and surgical risk, 1 (Editorial)
PORTAL, R. W. (*See* Kushnir et al.), 261 (Annot.)
PROTO, C. (*See* Levi et al.), 419

Q

QUADRI, A. (*See* Levi et al.), 419

R

RAIZADA, VEENA. (*See* Benchimol, Desser, and Raizada), 592
RATHNAM, ALLEN. TAPVC vital statistics: Ethics and moral values, 676 (Letter to Editor)
RATTI, S. (*See* Levi et al.), 419
REIDENBERG, MARCUS M. (*See* Laskin, Romankiewicz, and Reidenberg), 266 (Letter to Editor)
REIFFEL, JAMES A., GREEN, WILLIAM M., KING, DONALD L., AND MANNI, CHRISTINA. Augmentation of auscultatory and echocardiographic mitral valve prolapse by atrial premature depolarizations, 533 (Annot.)
RELLAND, J. (*See* Deloche et al.), 358
RHEE, JAI J. (*See* Zoneraich, Zoneraich, and Rhee), 596
RIDOLFI, REN L., AND HUTCHINS, GROVER M. The relationship between coronary artery lesions and myocardial infarcts: Ulceration of atherosclerotic plaques precipitating coronary thrombosis, 468
RILEY, RAYMON S. (*See* Chmielewski et al.), 91
ROBERTS, DOUGLAS, AND YU, PAUL N. Reply, 538 (Letter to Editor)
ROBERTS, WILLIAM C. (*See* Arnett et al.), 610
ROBERTSON, J. I. S. (*See* Rosei et al.), 124 (Annot.)
ROE, CHARLES R. (*See* Warren et al.), 189
ROGERS, ROSALYN. (*See* Yoon et al.), 60
ROMANKIEWICZ, JOHN A. (*See* Laskin, Romankiewicz and Reidenberg), 266 (Letter to Editor)
ROSEI, E. AGABITI, FRASER, R., MORTON, J. J., BROWN, J. J., LEVER, A. F., ROBERTSON, J. I. S., AND TRUST, P. M. Labetalol, an α- and β-adrenergic blocking drug in the treatment of hypertension, 124 (Annot.)
ROSEN, KENNETH M. (*See* Amat-y-Leon et al.), 408 (Annot.)
RUFILANCHAS, JUAN J. (*See* Maroñas et al.), 316
RUNGE, THOMAS M. Clinical implications of differences in pharmacodynamic action of polar and nonpolar cardiac glycosides, 248
RUSH, JOHN B. (*See* Santinga et al.), 197

S

SÁNCHEZ-TORRES, GUSTAVO. (*See* Lupi-Herrera et al.), 94
SANDERS, T. A. B. (*See* Ellis and Sanders), 803 (Annot.)
SANTINGA, JOHN T., FLORA, JARIUS D., RUSH, JOHN B., PENNER, JOHN A., AND WILLIS, PARK W., III. The effect of propranolol on hemolysis in patients with an aortic prosthetic valve, 197
SCHLANT, ROBERT C. (*See* Story, Felner, and Schlant), 575
SCHOENFELD, MYRON R. Short preceptorships for postgraduate training in new techniques, 676 (Letter to Editor)
SCHROEDER, JOHN S. (*See* Winkle et al.), 422
SCHULMAN, JOSEPH H. (*See* Fishbein et al.), 73
SCHWARTZ, LEONARD. (*See* McLaughlin et al.), 327
SEELY, STEPHEN. Reply, 128 (Letter to Editor) Reply to Torok's letter
——. Reply, 129 (Letter to Editor) Reply to Landman's and Lavelle's letter
SHAH, PREDIMAN K. Ventricular unloading in the management of heart disease: Role of vasodilators. Part I, 256
——. Ventricular unloading in the management of heart disease: Role of vasodilators. Part II, 403
SHEVCHUK, VICTOR G. (*See* Frolkis et al.), 334
SHIBUYA, MINORU. (*See* Atsuchi et al.), 428
SHUBROOKS, SAMUEL J. (*See* DeSilva and Shubrooks), 772
SINGH, S. P. (*See* Kalloor, Singh, and Collis), 235
SOMANI, PITAMBAR. (*See* Gross et al.), 487
SPODICK, DAVID H. Perception of binary events associated with the first heart sound, 137
——. (*See* Horton and Spodick), 537 (Letter to Editor)
STARK, J. (*See* Jacob, Ablett, and Stark), 623
STEIGER, ULRICH. (*See* Brunner et al.), 147
STERN, SHLOMO. Reply, 808 (Letter to Editor)
STORSTEIN, LIV. (*See* Storstein et al.), 434
STORSTEIN, OLE, HANSTEEN, VIGGO, HATLE, LIV, HILLESTAD, LEIF, AND STORSTEIN, LIV. Studies on digitalis XIII. A prospective study of 649 patients on maintenance treatment with digitoxin, 434
STORY, WILLIAM E., FELNER, JOEL M., AND SCHLANT, ROBERT C. Echocardiographic criteria for the diagnosis of mitral-semilunar valve continuity, 575
STUPINA, ALEXANDRA S. (*See* Frolkis et al.), 334
SUGENOYA, JUNICHI. (*See* Sugiyama et al.), 51
SUGIYAMA, SATORU, WADA, MASATOSHI, SUGENOYA, JUNICHI, TOYOSHIMA, HIDEAKI, TOYAMA, JUNJI, AND YAMADA, KAZUO. Experimental study of myocardial infarction through the use of body surface isopotential maps: Ligation of the anterior descending branch of the left coronary artery, 51
SURAWICZ, BORYS. (*See* Aravindakshan, Surawicz, and Allen), 706
SUTTON, RICHARD, HOOD, WILLIAM P., JR., AND KOCH, GARY G. Noninvasive assessment of left ventricular function in chronic heart disease, 289
SWATZELL, ROY H., JR. (*See* Eddleman et al.), 450
SWAYE, PAUL S. (*See* Yeh et al.), 610
SYMBAS, PANAGIOTIS N. Great vessels injury, 518

T

TAKEDA, YASUO. (*See* Yasui et al.), 40
TAN, KIE S. (*See* Fishbein et al.), 73
TASAKI, HAKARU. (*See* Yasui et al.), 40
TELLEZ, GABRIEL. (*See* Maroñas et al.), 316
THERY, CLAUDE, GOSSELIN, BERNARD, LEKIEFFRE, JEAN, AND WAREMBOURG, HENRI. Pathology of sinoatrial node. Correlations with electrocardiographic findings in 111 patients, 735

THIENE, GAETANO. Truncus Arteriosus Communis: eleven years later, 809 (Letter to Editor)
THOMAS, EVAN D., EWY, GORDON A., DAHL, CHARLES F., AND EWY, M. DALE. Effectiveness of direct current defibrillation: Role of paddle electrode size, 463
THOMAS, JEANNE GOURAS. (*See* Langford, Watson, and Thomas), 531 (Annot.)
THOMAS, SUE A. (*See* Lynch et al.), 645
THOMPSON, S. I., VIEWEG, W. V. R., ALPERT, J. S., HUMPHREY, C. B., AND HAGAN, A. D. Mediastinal teratoma masquerading as idiopathic enlargement of the right atrium, 375
THOMPSON, W. LEIGH, AND BLOXHAM, DON D. Dopamine and blood flow, 266 (Letter to Editor)
THURSTON, J. G. B. (*See* Marks and Thurston), 30
TOKUNAGA, KOUICH. (*See* Yasui et al.), 40
TOMOIKE, HITONOBU. (*See* Yasui et al.), 40
TÖRÖK, ESZTER. Venesection, 128 (Letters to the Editor)
TOYAMA, JUNJI. (*See* Sugiyama et al.), 51
TOYOSHIMA, HIDEAKI. (*See* Sugiyama et al.), 51
TRAAD, ERNEST A. (*See* Yeh et al.), 610
TRUST, P. M. (*See* Rosei et al.), 124 (Annot.)
TSE, WARREN W. (*See* Yoon et al.), 60
TUCKER, HAROLD J. (*See* Applefeld et al.), 669 (Annot.)
TUCKER, MARJORIE S. (*See* Eddleman et al.), 450
TUNA, NAIP. (*See* Mehta et al.), 699
TURNIER, EDGARD. (*See* Allen et al.), 560

U

UNDERDOWN, B. J. (*See* Katz et al.), 670 (Annot.)

V

VAN DER WALT, L. A. (*See* Buchanan and Van der Walt), 128 (Letters to the Editor)
VAN PRAAGH, RICHARD. Reply, 810 (Letter to Editor)
VELA, JORGE ESPINO. (*See* Lupi-Herrera et al.), 94
VERA, ZAKAUDDIN. (*See* Miller et al.), 222
VIEWEG, W. V. R. (*See* Thompson et al.), 375
VILLAGRA, FERNANDO. (*See* Maroñas et al.), 316

W

WADA, MASATOSHI. (*See* Sugiyama et al.), 51
WAGNER, GALEN S. (*See* Warren et al.), 189
WALTS, ANN E., AND DUBOIS, EDMUND L. Acute dissecting aneurysm of the aorta as the fatal event in systemic lupus erythematosus, 378
WARBASSE, J. RICHARD. (*See* Gillilan, Mondell, and Warbasse), 444
WARD, C. Reply, 134 (Letters to the Editor)
WAREMBOURG, HENRI. (*See* Thery et al.), 735
WARLTIER, DAVID C. (*See* Gross et al.), 487
WARREN, STAFFORD G., WAGNER, GALEN S., BETHEA, CHARLES F., ROE, CHARLES R., OLDHAM, H. NEWLAND, AND KONG, YIHONG. Diagnostic and prognostic significance of electrocardiographic and CPK isoenzyme changes following coronary bypass surgery: Correlation with findings at one year, 189
WATANABE, YOSHIO. (*See* Ogawa, Watanabe, and Dreifus), 767
WATSON, ROBERT L. (*See* Langford, Watson, and Thomas), 531 (Annot.)
WEBSTER, J. (*See* Petrie, Jeffers, and Webster), 407 (Annot.)
WEITZMAN, S., MARGULIS, G., AND LEHMANN, E. Uncommon cardiovascular manifestations and high catecholamine levels due to "black widow" bite, 89
WELLS, CAROLYN K. (*See* Feinstein and Wells), 172
WENGER, THOMAS L. (*See* Bigger, Wenger, and Heissenbuttel), 727
WERKÖ, LARS. (*See* Hansson and Werkö), 394
WHEELER, JAMES M. (*See* Fixler, Monroe, and Wheeler), 210
WILLIAMS, ADRIAN. Radiographic assessment of cardiac enlargement, 536 (Letter to Editor)
WILLIS, PARK W., III. (*See* Santinga et al.), 197
WINKLE, ROGER A., LOPES, MARIO G., GOODMAN, DANIEL J., FITZGERALD, JOHN W., SCHROEDER, JOHN S., AND HARRISON, DONALD C. Propranolol for patients with mitral valve prolapse, 422
WISOFF, B. GEORGE. (*See* Hamby et al.), 9
——. (*See* Hamby et al.), 306
WOJICK, JOHN M. (*See* Berson et al.), 730

Y

YAMADA, KAZUO. (*See* Sugiyama et al.), 51
YAMAGUCHI, IWAO. (*See* Jordan et al.), 367
YASUI, HISATAKA, YOSHITOSHI, MOCHIKAZU, MIYAMOTO, ALFONSO TADAOMI, KATO, HIDENORI, TAKEDA, YASUO, TOKUNAGA, KOUICH, TASAKI, HAKARU, AND TOMOIKE, HITONOBU. Ventricular septal defect: Selection of patients and timing for surgery, 40
YEH, BILLY K. GOSSELIN, ARTHUR J., SWAYE, PAUL S., LARSEN, PARRY B., GENTSCH, THOMAS O., TRAAD, ERNEST A., AND FARALDO, ANTHONY R. Sodium nitroprusside as a coronary vasodilator in man. I. Effect of intracoronary sodium nitroprusside on coronary arteries, angina pectoris, and coronary blood flow, 610
YOON, MYUNG S., HAN, JAOK, TSE, WARREN W., AND ROGERS, ROSALYN. Effects of vagal stimulation atropine, and propranolol on fibrillation threshold of normal and ischemic ventricles, 60
YOSHITOSHI, MOCHIKAZU. (*See* Yasui et al.), 40
YOUNG, DENNISON. Noisy floppy mitral valve, 130 (Letters to the Editor)
YU, PAUL N. (*See* Ehrich et al.), 274
——. (*See* Roberts and Yu), 538 (Letter to Editor)

Z

ZONERAICH, OLGA. (*See* Zoneraich, Zoneraich, and Rhee), 596
ZONERAICH, SAMUEL, ZONERAICH, OLGA, AND RHEE, JAI J. Echocardiographic evaluation of septal motion in patients with artificial pacemakers: Vectorcardiographic correlations, 596

Subject index*

A

Abnormal coronary arteriograms and angina pectoris in severe aortic valvular disease, prevalence of (Graboys and Cohn), 683
T waves at rest, electrocardiographic exercise test in patients with (Aravindakshan, Surawicz, and Allen), 706
ventriculogram and peculiar hemodynamics associated with mitral valve prolapse, a factor in: ventricular buckling (Cobbs and King), 741
Abnormalities of long duration, mitral valve prolapse with atrioventricular and sinoatrial node (DeSilva and Shubrooks), 772
in Fabry's disease, electrocardiographic and vectorcardiographic (Mehta et al.), 699
About, of what much of this is (Burch), 265 (Annot.) *Money in medicine*
Acoustic events, binary, associated with the first heart sound, perception of (Spodick), 137
Activation in man, anterior left atrial, new approach for indirect recording of (Amat-y-Leon et al.), 408 (Annot.)
Acute coronary heart disease, factors affecting the 5 year survival rate of men following (Mulcahy et al.), 556
insufficiency, proper management of—the burden of proof (Neill), 532 (Annot.)
dissecting aneurysm of the aorta as the fatal event in systemic lupus erythematosus (Walts and Dubois), 378
hemodynamic effects of an alpha- and beta-receptor blocking agent (AH 5158) on the systemic and pulmonary circulation at rest and during exercise in hypertensive patients (Koch), 585
massive pulmonary embolism, treatment of, the place of pulmonary embolectomy, heparin, and streptokinase in (Miller, Hall, and Paneth), 568
myocardial infarction, clinical evaluation of enhancement of vagal tone in by edrophonium hydrochloride: effects on ventricular arrhythmias, His bundle electrography, and left ventricular function (Miller et al.), 222
factors influencing resumption of work, sexual activity, and driving following (Kushnir et al.), 261 (Annot.)
hemodynamic response to intra-aortic balloon counterpulsation in patients with cardiogenic shock complicating (Ehrich et al.), 274
stability of maps in the early phase of. Precordial ST-segment mapping 3 (Madias and Hood), 603
rheumatic fever and viral carditis (Kloth), 133 (Letter to Editor)
Reply (Ward), 134
Adenosine and papaverine, effects of vasodilators in coronary reperfusion (Parker, Bashour, and Downey), 66
Adhesive pericarditis, of chronic (Burch), 535 (Annot.)
Adrenergic blocking drug, labetalol, an alpha- and beta, in the treatment of hypertension (Rosei et al.), 124 (Annot.)
drugs, alpha and beta, present state of III. Beta blocking agents (Ahlquist), 117
Adult, changing digitalis glycosides in an average-size (Laskin, Romankiewicz, and Reidenberg), 266 (Letter to Editor)
Agent(s), alpha- and beta-receptor blocking (AH 5158), acute hemodynamic effects of an on the systemic and pulmonary circulation at rest and during exercise in hypertensive patients (Koch), 585
beta blocking. Present state of alpha and beta adrenergic drugs III (Ahlquist), 117
(AH 5158) Alpha- and beta-receptor blocking agent, acute hemodynamic effects of an on the systemic and pulmonary circulation at rest and during exercise in hypertensive patients (Koch), 585
Alpha- and beta-adrenergic blocking drug, labetalol, in the treatment of hypertension (Rosei et al.), 124 (Annot.)
drugs, present state of III. Beta blocking agents (Ahlquist), 117
beta-receptor blocking agent (AH 5158), acute hemodynamic effects of an on the systemic and pulmonary circulation at rest and during exercise in hypertensive patients (Koch), 585
Alterations, hemodynamic, during septal or right ventricular ischemia in dogs (Fixler, Monroe, and Wheeler), 210
Amyl nitrite on phasic aortocoronary bypass graft blood velocity in man, effects of (Benchimol, Desser, and Raizada), 592
Aneurysm, acute dissecting, of the aorta as the fatal event in systemic lupus erythematosus (Walts and Dubois), 378
Angina and vegan diet (Ellis and Sanders), 803 (Annot.)
nocturnal, significance and treatment of preceding myocardial infarction (Lichstein et al.), 723
pectoris, a new clinical taxonomy for rating change in functional activities of patients with (Feinstein and Wells), 172
and abnormal coronary arteriograms in severe aortic valvular disease, prevalence of (Graboys and Cohn), 683
aortic stenosis, and coronary artery disease (Hancock), 382
coronary arteries, and coronary blood flow, effect of intracoronary sodium nitroprusside on. Sodium nitroprusside as a coronary vasodilator in man I. (Yeh et al.), 610

*January, pp. 1-136; February, pp. 137-270; March, pp. 271-412; April, pp. 413-542; May, pp. 543-678; June, pp. 679-838.

Angina pectoris—continued
quantitative evaluation of vitamin E in the treatment of (Gillilan, Mondell, and Warbasse), 444
Angiographic assessment of the influence of coronary risk factors on native coronary circulation and saphenous vein aortocoronary grafts, long-term (McLaughlin et al.), 327
differentiation of inferior vena cava tumor thrombus extending into the right atrium and mimicking right atrial myxoma (Kerber, Fieselmann, and Mischler), 506
Angiography, a method to minimize left ventricular irritability during. Programmed left ventricular contrast injection (Caldwell and Kennedy), 141
Announcements, 136, 270, 412, 542, 678
Annulo-aortic ectasia, echocardiographic manifestations of: its "paradoxical" motion of the aorta and premature systolic closure of the aortic valve (Atsuchi et al.), 428
Annulus, aortic, narrow: a technique for inserting a larger prosthesis (Kinsley), 759
Anterior descending branch of the left coronary artery, ligation of: experimental study of myocardial infarction through the use of body surface isopotential maps (Sugiyama et al.), 51
left atrial activation in man, new approach for indirect recording of (Amat-y-Leon et al.). 408 (Annot.)
Aorta, acute dissecting aneurysm of as the fatal event in systemic lupus erythematosus (Walts and Dubois), 378
"paradoxical" motion of, and premature systolic closure of the aortic valve in echocardiographic manifestations of annulo-aortic ectasia (Atsuchi et al.), 428
Aortic annulus, narrow: a technique for inserting a larger prosthesis (Kinsley), 759
disc valve prostheses, Björk-Shiley and Lillehei-Kaster, arterial thromboembolic complications in patients with (Dale), 715
prosthetic valve, effect of propranolol on hemolysis in patients with an (Santinga et al.), 197
stenosis, angina pectoris, and coronary artery disease (Hancock), 382
left ventricular contractile function in evaluated by isovolumic and ejection phase indexes (Brunner et al.), 147
supravalvular, further observations on the syndrome of idiopathic infantile hypercalcemia associated with (Folger), 455
valve, premature systolic closure of, and "paradoxical" motion of the aorta in echocardiographic manifestations of annulo-aortic ectasia (Atsuchi et al.), 428
replacement, survival after (Horton and Spodick), 537 (Letter to Editor)
Reply (Roberts and Yu), 538
valvular disease, severe, prevalence of angina pectoris and abnormal coronary arteriograms in (Graboys and Cohn), 683
Aortocoronary bypass graft blood velocity in man, phasic, effects of amyl nitrite on (Benchimol, Desser, and Raizada), 592
surgery, determinants of left ventricular function following (Brundage et al.), 687
grafts, saphenous vein, long-term angiographic assessment of the influence of coronary risk factors on native coronary circulation and (McLaughlin et al.), 327
Appeal for data, an (Harkey), 537 (Letter to Editor)
Approach, new, for indirect recording of anterior left atrial activation in man (Amat-y-Leon et al.), 408 (Annot.)
Arrhythmia(s), cardiac, on swallowing (Kalloor, Singh, and Collis), 235
psychological aspects of (Lynch et al.), 645
ventricular, His bundle electrography, and left ventricular function, effects on: clinical evaluation of enhancement of vagal tone in acute myocardial infarction by edrophonium hydrochloride (Miller et al.), 222
Arrhythmias, ventricular—continued
human, limitations of the Lown grading system for the study of (Bigger, Wenger, and Heissenbuttel), 727
Arrhythmogenic effect of static electricity on the dog heart, the (McCarty and Glasser), 496
Arterial thromboembolic complications in patients with Björk-Shiley and Lillehei-Kaster aortic disc valve prostheses (Dale), 715
Arteriograms, coronary, abnormal, and angina pectoris in severe aortic valvular disease, prevalence of (Graboys and Cohn), 683
Arteriosclerotic heart disease and surgical risks (Ponka), 1
Arteriosus Communis, Truncus: eleven years later (Thiene), 809 (Letter to Editor)
Reply (Van Praagh), 810
Arteritis, Takayasu's. Clinical study of 107 cases (Lupi-Herrera et al.), 94
Artery(ies) bypass surgery, coronary, a cause of death months after: purulent pericarditis with asymmetric cardiac tamponade (Bulkley, Humphries, and Hutchins), 776 (CPC)
coronary, angina pectoris, and coronary blood flow, effect of intracoronary sodium nitroprusside on. Sodium nitroprusside as a coronary vasodilator in man I. (Yeh et al.), 610
left, ligation of the anterior descending branch of: experimental study of myocardial infarction through the use of body surface isopotential maps (Sugiyama et al.), 51
—saphenous vein bypass surgery, left ventricular performance and graft patency after: early and late follow-up (Apstein et al.), 547
disease, coronary, aortic stenosis, and angina pectoris (Hancock), 382
effects of contrast medium on left ventricular pressure and volume with emphasis on (Hamby et al.), 9
surgical therapy for: *caveat emptor* (Pauker), 543
great, transposition of the, primum atrial septal defect, azygos continuation of the inferior vena cava, bilateral superior venae cavae and dextrocardia with centrally placed liver (Jacob, Ablett, and Stark), 623
internal mammary, and saphenous vein bypass grafts, comparative study of the postoperative flow in the (Hamby et al.), 306
lesions, coronary, and myocardial infarcts, relationship between: ulceration of atherosclerotic plaques precipitating coronary thrombosis (Ridolfi and Hutchins), 468
reperfusion, coronary, effect of on the extent of myocardial infarction (Deloche et al.), 358
Artificial pacemakers, echocardiographic evaluation of septal motion in patients with: vectorcardiographic correlations (Zoneraich, Zoneraich, and Rhee), 596
A spray for pain (Burch), 411 (Letter to Editor)
Assessment, noninvasive, of left ventricular function in chronic heart disease (Sutton, Hood, and Koch), 289
of cardiac enlargement, radiographic (Williams), 536 (Letter to Editor)
of influence of coronary risk factors on native coronary circulation and saphenous vein aortocoronary grafts, long-term angiographic (McLaughlin et al.), 327
Asymmetric cardiac tamponade, purulent pericarditis with: a cause of death months after coronary artery bypass surgery (Bulkley, Humphries, and Hutchins), 776 (CPC)
septal hypertrophy, complete heart block as a cause of syncope in (Chmielewski et al.), 91
Atenolol in hypertension (Petrie, Jeffers, and Webster), 407 (Annot.)
Atherosclerotic plaques precipitating coronary thrombosis, ulceration of: relationship between coronary artery lesions and myocardial infarcts (Ridolfi and Hutchins), 468

Atrial activation in man, anterior left, new approach for indirect recording of (Amat-y-Leon et al.), 408 (Annot.)
myxoma, right, inferior vena cava tumor thrombus extending into the right atrium and mimicking: angiographic differentiation (Kerber, Fieselmann, and Mischler), 506
pacing during cardiac catheterization, severe papillary muscle dysfunction substantiated by (Finn and Bower), 626
premature depolarizations, augmentation of auscultatory and echocardiographic mitral valve prolapse by (Reiffel et al.), 533 (Annot.)
septal defect, primum, transposition of the great arteries, azygos continuation of the inferior vena cava, bilateral superior venae cavae and dextrocardia with centrally placed liver (Jacob, Ablett, and Stark), 623
Atrioventricular and sinoatrial node abnormalities of long duration, mitral valve prolapse with (DeSilva and Shubrooks), 772
Atrium, right, inferior vena cava tumor thrombus extending into the and mimicking right atrial myxoma: angiographic differentiation (Kerber, Fieselmann, and Mischler), 506
mediastinal teratoma masquerading as idiopathic enlargement of the (Thompson et al.), 375
Atropine, vagal stimulation, and propranolol on fibrillation threshold of normal and ischemic ventricles, effects of (Yoon et al.), 60
Attenuation of cardiac sympathetic drive in experimental myocardial ischemia in dogs (Feola et al.), 82
Augmentation of auscultatory and echocardiographic mitral valve prolapse by atrial premature depolarizations (Reiffel et al.), 533 (Annot.)
Auscultatory and echocardiographic mitral valve prolapse by atrial premature depolarizations, augmentation of (Reiffel et al.), 533 (Annot.)
Autonomic control of cerebral vessels in hypertension, failure of—the cause of stroke? (James), 671 (Annot.)
Azygos continuation of the inferior vena cava, transposition of the great arteries, primum atrial septal defect, bilateral superior venae cavae and dextrocardia with centrally placed liver (Jacob, Ablett, and Stark), 623

B

Balloon counterpulsation, intra-aortic, and surgery for cardiogenic shock, clinical and hemodynamic results of (Bardet et al.), 280
in patients with cardiogenic shock complicating acute myocardial infarction, hemodynamic response to (Ehrich et al.), 274
Beats, re-entrant premature, intermittency and its relation to: double ventricular parasystole (Ogawa, Watanabe, and Dreifus), 767
Beta-adrenergic blockade in hypertension (Hansson and Werkö), 394
blocking drugs, hypertension complicating treatment with (Blum and Atsmon), 802 (Annot.)
and alpha-adrenergic blocking drug, labetalol, in the treatment of hypertension (Rosei et al.), 124 (Annot.)
drugs, present state of III. Beta blocking agents (Ahlquist), 117
and alpha-receptor blocking agent (AH 5158), acute hemodynamic effects of an on the systemic and pulmonary circulation at rest and during exercise in hypertensive patients (Koch), 585
blocking agents. Present state of alpha and beta adrenergic drugs III (Ahlquist), 117
Bicycle and treadmill ergometer exercise in middle-aged males, comparison of (Cumming), 261 (Annot.)
Bigeminy, concealed extrasystolic, with intermittent parasystole during myocardial infarction (Lightfoot), 229
Bilateral superior venae cavae, transposition of the great arteries, primum atrial septal defect, azygos continuation of the inferior vena cava, and dextrocardia with centrally placed liver (Jacob, Ablett, and Stark), 623
Binary acoustic events associated with the first heart sound, perception of (Spodick), 137
Binding in kwashiorkor, warfarin (Buchanan and Van der Walt), 128 (Letter to Editor)
Bite, "black widow," uncommon cardiovascular manifestations and high catecholamine levels due to (Weitzman, Margulis, and Lehmann), 89
Björk-Shiley and Lillehei-Kaster aortic disc valve prostheses, arterial thromboembolic complications in patients with (Dale), 715
mitral disc prosthesis, reoperation for dysfunction of (Maroñas et al.), 316
Black widow bite, uncommon cardiovascular manifestations and high catecholamine levels due to (Weitzman, Margulis, and Lehmann), 89
Block, heart, complete, as a cause of syncope in asymmetric septal hypertrophy (Chmielewski et al.), 91 (Case report)
Blockade, beta-adrenergic, in hypertension (Hansson and Werkö), 394
Blocking agent(s), alpha- and beta-receptor (AH 5158), acute hemodynamic effects of an on the systemic and pulmonary circulation at rest and during exercise in hypertensive patients (Koch), 585
beta. Present state of alpha and beta adrenergic drugs III (Ahlquist), 117
drug(s), beta-adrenergic, hypertension complicating treatment with (Blum and Atsmon), 802 (Annot.)
labetalol, an alpha- and beta-adrenergic, in the treatment of hypertension (Rosei et al.), 124 (Annot.)
Blood flow and dopamine (Thompson and Bloxham), 266 (Letter to Editor)
Reply (Jacobson), 266
coronary, and contractility, early changes in in the normal areas of the ischemic porcine heart (Pashkow, Holland, and Brooks), 349
coronary arteries, and angina pectoris, effect of intracoronary sodium nitroprusside on. Sodium nitroprusside as a coronary vasodilator in man I. (Yeh et al.), 610
myocardial, regional, effect of ouabain on nutritional circulation and (Gross et al.), 487
velocity in man, phasic aortocoronary bypass graft, effects of amyl nitrite on (Benchimol, Desser, and Raizada), 592
Body surface isopotential maps, experimental study of myocardial infarction through the use of: ligation of the anterior descending branch of the left coronary artery (Sugiyama et al.), 51
Books received, 136, 269, 541, 677, 812
Book reviews, 135, 269, 412, 540, 677, 812
Bradyarrhythmias, pacing, indications for. Cardiac pacing and pacemakers I. (Furman), 523
Bradycardia, sinus, short PR interval, intraventricular conduction defects, recurrent supraventricular tachycardia, and cardiomegaly, familial occurrence of (Gulotta et al.), 19
with hiatus hernia (Marks and Thurston), 30
Brain, drainage of, prelymphatic-lymphatic (Földi), 121 (Annot.)
Branch of the left coronary artery, anterior descending, ligation of: experimental study of myocardial infarction through the use of body surface isopotential maps (Sugiyama et al.), 51
Buckling, ventricular: a factor in the abnormal ventriculogram and peculiar hemodynamics associated with mitral valve prolapse (Cobbs and King), 741
Bundle electrography, His, ventricular arrhythmias, and left ventricular function, effects on: clinical evaluation of enhancement of vagal tone in acute myocardial infarction by edrophonium hydrochloride (Miller et al.), 222

Bypass graft(s) blood velocity in man, aortocoronary, phasic, effects of amyl nitrite on (Benchimol, Desser, and Raizada), 592
comparative study of the postoperative flow in the saphenous vein and internal mammary artery (Hamby et al.), 306
surgery, aorto-coronary, determinants of left ventricular function following (Brundage et al.), 687
coronary artery, a cause of death months after: purulent pericarditis with asymmetric cardiac tamponade (Bulkley, Humphries, and Hutchins), 776 (CPC)
—saphenous vein, left ventricular performance and graft patency after: early and late follow-up (Apstein et al.), 547
diagnostic and prognostic significance of electrocardiographic and CPK isoenzyme changes following: correlation with findings at one year (Warren et al.), 189

C

Cardiac arrhythmia(s) on swallowing (Kalloor, Singh, and Collis), 235
psychological aspects of (Lynch et al.), 645
care, of home (Burch), 125 (Annot.)
catheterization, severe papillary muscle dysfunction substantiated by atrial pacing during (Finn and Bower), 626
electrogram, sensing the. Cardiac pacing and pacemakers III (Furman, Hurzeler, and De Caprio), 794
enlargement, radiographic assessment of (Williams), 536 (Letter to Editor)
glycosides, polar and nonpolar, clinical implications of differences in pharmacodynamic action of (Runge), 248
insufficiency in old age, experimental analysis of development of (Frolkis et al.), 334
output and congestive heart failure, of (Burch), 673 (Annot.)
pacing and pacemakers I. Indications for pacing bradyarrhythmias (Furman), 523
II. Serial electrophysiologic-pharmacologic testing for control of recurrent tachyarrhythmias (Fisher et al.), 658
III. Sensing the cardiac electrogram (Furman, Hurzeler, and De Caprio), 794
pathologic observations in infants with SIDS: sudden infant death syndrome (SIDS) (Maron and Fisher), 762
pathology of transvenous pacemakers in dogs (Fishbein et al.), 73
sympathetic drive in experimental myocardial ischemia in dogs, attenuation of (Feola et al.), 82
tamponade, asymmetric, purulent pericarditis with: a cause of death months after coronary artery bypass surgery (Bulkley, Humphries, and Hutchins), 776 (CPC)
Cardiogenic shock, clinical and hemodynamic results of intra-aortic balloon counterpulsation and surgery for (Bardet et al.), 280
complicating acute myocardial infarction, hemodynamic response to intra-aortic balloon counterpulsation in patients with (Ehrich et al.), 274
Cardiomegaly, sinus bradycardia, short PR interval, intraventricular conduction defects, and recurrent supraventricular tachycardia, familial occurrence of (Gulotta et al.), 19
Cardiomyopathy and Coxsackie virus heart disease (Levi et al.), 419
congestive, echocardiographic diagnosis of mitral regurgitation in (Levisman), 33
Cardiovascular manifestations, uncommon, and high catecholamine levels due to "black widow" bite (Weitzman, Margulis, and Lehmann), 89
Cardiovascular—continued
therapy, changing concepts in—A quarter century perspective (Burch), 413
Carditis, viral, acute rheumatic fever and (Kloth), 133 (Letter to Editor)
Reply (Ward), 134
Care, cardiac, of home (Burch), 125 (Annot.)
Catecholamine levels, high, and uncommon cardiovascular manifestations due to "black widow" bite (Weitzman, Margulis, and Lehmann), 89
Catheterization, cardiac, severe papillary muscle dysfunction substantiated by atrial pacing during (Finn and Bower), 626
Cause of stroke? Failure of autonomic control of cerebral vessels in hypertension (James), 671 (Annot.)
Cava tumor thrombus, vena, inferior, extending into the right atrium and mimicking right atrial myxoma: angiographic differentiation (Kerber, Fieselmann, and Mischler), 506
vena, inferior, azygos continuation of, transposition of great arteries, primum atrial septal defect, bilateral superior venae cavae and dextrocardia with centrally placed liver (Jacob, Ablett, and Stark), 623
Cavae, venae, bilateral superior, transposition of the great arteries, primum atrial septal defect, azygos continuation of the inferior vena cava, and dextrocardia with centrally placed liver (Jacob, Ablett, and Stark), 623
Caveat emptor (Let the buyer beware): surgical therapy for coronary artery disease (Pauker), 543
Centrally placed liver, dextrocardia with, transposition of the great arteries, primum atrial septal defect, azygos continuation of the inferior vena cava, bilateral superior venae cavae and (Jacob, Ablett, and Stark), 623
Cerebral vessels in hypertension, failure of autonomic control of—the cause of stroke? (James), 671 (Annot.)
Changing concepts in cardiovascular therapy—A quarter century perspective (Burch), 413
Chordae tendineae, ruptured, diagnosis of, systolic mitral flutter, an echocardiographic clue to (Meyer et al.), 3
Chronic adhesive pericarditis, of (Burch), 535 (Annot.)
heart disease, noninvasive assessment of left ventricular function in (Sutton, Hood, and Koch), 289
Circulation, native coronary, and saphenous vein aortocoronary grafts, long-term angiographic assessment of the influence of coronary risk factors on (McLaughlin et al.), 327
nutritional, and regional myocardial blood flow, effects of ouabain on (Gross et al.), 487
systemic and pulmonary at rest and during exercise in hypertensive patients, acute hemodynamic effects of an alpha- and beta-receptor blocking agent (AH 5158) on the (Koch), 585
Clinical and hemodynamic results of intra-aortic balloon counterpulsation and surgery for cardiogenic shock (Bardet et al.), 280
data, of (Burch), 807 (Annot.)
evaluation of the enhancement of vagal tone in acute myocardial infarction by edrophonium hydrochloride: effects on ventricular arrhythmias, His bundle electrography, and left ventricular function (Miller et al.), 222
implications of differences in pharmacodynamic action of polar and nonpolar cardiac glycosides (Runge), 248
pathologic conference (Harvey et al.), 235
A conversation on prosthetic valve endocarditis (Arnett et al.), 510
Purulent pericarditis with asymmetric cardiac tamponade: a cause of death months after coronary artery bypass surgery (Bulkley, Humphries, and Hutchins), 776
study of 107 cases of Takayasu's arteritis (Lupi-Herrera et al.), 94

Clinical—continued
taxonomy, a new, for rating change in functional activities of patients with angina pectoris (Feinstein and Wells), 172
Closure, premature systolic, of the aortic valve and "paradoxical" motion of the aorta in echocardiographic manifestations of annulo-aortic ectasia (Atsuchi et al.), 428
Clue, echocardiographic to the diagnosis of ruptured chordae tendineae: systolic mitral flutter (Meyer et al.), 3
Combination therapy, oral propranol and digoxin on the resting and exercise electrocardiogram, effects of (LeWinter et al.), 202
Communis, Truncus Arteriosus: eleven years later (Thiene), 809 (Letter to Editor)
Reply (Van Praagh), 810
Comparative effects of overdrive on sinus and subsidiary pacemaker function (Jordan et al.), 367
study of the postoperative flow in the saphenous vein and internal mammary artery bypass grafts (Hamby et al.), 306
Complete heart block as a cause of syncope in asymmetric septal hypertrophy (Chmielewski et al.), 91
Complications, arterial thromboembolic, in patients with Björk-Shiley and Lillehei-Kaster aortic disc valve prostheses (Dale), 715
Computerized tomography and intracerebral hemorrhage (Hayward and O'Reilly), 126 (Annot.)
Concealed extrasystolic bigeminy with intermittent parasystole during myocardial infarction (Lightfoot), 229
trigeminy, two variants of (Levy, Mori, and Kerin), 183
Concepts in cardiovascular therapy, changing—A quarter century perspective (Burch), 413
Concerning rheumatic fever and rheumatic heart disease (Louis-Gustave), 536 (Letter to Editor)
Conduction defects, intraventricular, sinus bradycardia, short PR interval, recurrent supraventricular tachycardia, and cardiomegaly, familial occurrence of (Gulotta et al.), 19
Conference, clinical pathologic (Harvey et al.), 235
A conversation on prosthetic valve endocarditis (Arnett et al.), 510
Purulent pericarditis with asymmetric cardiac tamponade: a cause of death months after coronary artery bypass surgery (Bulkley, Humphries, and Hutchins), 776
Congestive cardiomyopathy, echocardiographic diagnosis of mitral regurgitation in (Levisman), 33
heart failure, a depressed response of left ventricular contractile force to isoproterenol and norepinephrine in dogs with (Newman), 216
of cardiac output and (Burch), 673 (Annot.)
Continuation of the inferior vena cava, azygos, transposition of the great arteries, primum atrial septal defect, bilateral superior venae cavae and dextrocardia with centrally placed liver (Jacob, Ablett, and Stark), 623
Continuity, valve, mitral-semilunar, echocardiographic criteria for the diagnosis of (Story, Felner, and Schlant), 575
Contractile force, left ventricular, depressed response of to isoproterenol and norepinephrine in dogs with congestive heart failure (Newman), 216
function, left ventricular, in aortic stenosis evaluated by isovolumic and ejection phase indexes (Brunner et al.), 147
Contractility and coronary blood flow, early changes in in the normal areas of the ischemic porcine heart (Pashkow, Holland, and Brooks), 349
Contrast injection, programmed left ventricular. A method to minimize left ventricular irritability during angiography (Caldwell and Kennedy), 141
medium on left ventricular pressure and volume with emphasis on coronary artery disease, effects of (Hamby et al.), 9
Control of cerebral vessels, autonomic, failure of in hypertension—the cause of stroke? (James), 671 (Annot.)
Conversation on prosthetic valve endocarditis (Arnett et al.), 510 (Clinical pathologic conference)
Coronary arteriograms, abnormal, and angina pectoris in severe aortic valvular disease, prevalence of (Graboys and Cohn), 683
Coronary artery(ies), angina pectoris, and coronary blood flow, effect of intracoronary sodium nitroprusside on. Sodium nitroprusside as a coronary vasodilator in man I. (Yeh et al.), 610
bypass surgery, a cause of death months after: purulent pericarditis with asymmetric cardiac tamponade (Bulkley, Humphries, and Hutchins), 776 (CPC)
disease, aortic stenosis, and angina pectoris (Hancock), 382
effects of contrast medium on left ventricular pressure and volume with emphasis on (Hamby et al.), 9
surgical therapy for: *caveat emptor* (Pauker), 543
left, ligation of the anterior descending branch of: experimental study of myocardial infarction through the use of body surface isopotential maps (Sugiyama et al.), 51
lesions and myocardial infarcts, relationship between: ulceration of atherosclerotic plaques precipitating coronary thrombosis (Ridolfi and Hutchins), 468
reperfusion on the extent of myocardial infarction, effect of (Deloche et al.), 358
—saphenous vein bypass surgery, left ventricular performance and graft patency after: early and late follow-up (Apstein et al.), 547
blood flow and contractility, early changes in in the normal areas of the ischemic porcine heart (Pashkow, Holland, and Brooks), 349
coronary arteries, and angina pectoris, effect of intracoronary sodium nitroprusside on. Sodium nitroprusside as a coronary vasodilator in man I. (Yeh et al.), 610
bypass surgery, diagnostic and prognostic significance of electrocardiographic and CPK isoenzyme changes following: correlation with findings at one year (Warren et al.), 189
circulation, native, and saphenous vein aortocoronary grafts, long-term angiographic assessment of the influence of coronary risk factors on (McLaughlin et al.), 327
heart disease, acute, factors affecting the 5 year survival rate of men following (Mulcahy et al.), 556
Tests of etiological hypotheses (Burch), 805 (Annot.)
insufficiency, acute, proper management of—the burden of proof (Neill), 532 (Annot.)
reperfusion: effects of vasodilators (papaverine and adenosine) (Parker, Bashour, and Downey), 66
risk factors on native coronary circulation and saphenous vein aortocoronary grafts, long-term angiographic assessment of the influence of (McLaughlin et al.), 327
thrombosis, ulceration of atherosclerotic plaques precipitating: relationship between coronary artery lesions and myocardial infarcts (Ridolfi and Hutchins), 468
vasodilator in man, sodium nitroprusside as a I. Effect of intracoronary sodium nitroprusside on coronary arteries, angina pectoris, and coronary blood flow (Yeh et al.), 610
Counterpulsation, intra-aortic balloon, and surgery for cardiogenic shock, clinical and hemodynamic results of (Bardet et al.), 280
in patients with cardiogenic shock complicating acute myocardial infarction, hemodynamic response to (Ehrich et al.), 274
Coxsackie virus heart disease and cardiomyopathy (Levi et al.), 419
CPK isoenzyme changes and electrocardiographic changes following coronary bypass surgery, diagnostic and prognostic significance of: correlation with findings at one year (Warren et al.), 189
Crib death—sudden infant death syndrome (Guntheroth), 784

Criteria for the diagnosis of mitral-semilunar valve continuity, echocardiographic (Story, Felner, and Schlant), 575
Current defibrillation, direct, effectiveness of: role of paddle electrode size (Thomas et al.), 463
II (Ewy and Horan), 674 (Letter to Editor)

D

Data, an appeal for (Harkey), 537 (Letter to Editor)
clinical, of (Burch), 807 (Annot.)
Death, a cause of months after coronary artery bypass surgery: purulent pericarditis with asymmetric cardiac tamponade (Bulkley, Humphries, and Hutchins), 776 (CPC)
crib—sudden infant death syndrome (Guntheroth), 784
syndrome, sudden infant (crib death) (Guntheroth), 784
(SIDS): cardiac pathologic observations in infants with SIDS (Maron and Fisher), 762
Defect(s), intraventricular conduction, sinus bradycardia, short PR interval, recurrent supraventricular tachycardia, and cardiomegaly, familial occurrence of (Gulotta et al.), 19
primum atrial septal, transposition of the great arteries, azygos continuation of the inferior vena cava, bilateral superior venae cavae and dextrocardia with centrally placed liver (Jacob, Ablett, and Stark), 623
ventricular septal: selection of patients and timing for surgery (Yasui et al.), 40
Defibrillation, direct current, effectiveness of: role of paddle electrode size (Thomas et al.), 463
II (Ewy and Horan), 674 (Letter to Editor)
Demonstrable heart disease, fourth heart sound in patients without (Benchimol and Desser), 298
Depolarizations, atrial premature, augmentation of auscultatory and echocardiographic mitral valve prolapse by (Reiffel et al.), 533 (Annot.)
Depressed response of left ventricular contractile force to isoproterenol and norepinephrine in dogs with congestive heart failure (Newman), 216
Descending branch of the left coronary artery, anterior, ligation of: experimental study of myocardial infarction through the use of body surface isopotential maps (Sugiyama et al.), 51
Determinants of left ventricular function following aortocoronary bypass surgery (Brundage et al.), 687
Development of cardiac insufficiency in old age, experimental analysis of (Frolkis et al.), 334
Dextrocardia with centrally placed liver, transposition of the great arteries, primum atrial septal defect, azygos continuation of the inferior vena cava, bilateral superior venae cavae and (Jacob, Ablett, and Stark), 623
Diagnosis, differential, and evaluation of pericardial disease, role of serial echocardiography in (Allen et al.), 560
of mitral regurgitation in congestive cardiomyopathy, echocardiographic (Levisman), 33
—semilunar valve continuity, echocardiographic criteria for (Story, Felner, and Schlant), 575
of ruptured chordae tendineae, systolic mitral flutter, an echocardiographic clue to (Meyer et al.), 3
Diagnostic and prognostic significance of electrocardiographic and CPK isoenzyme changes following coronary bypass surgery: correlation with findings at one year (Warren et al.), 189
Diet, vegan, and angina (Ellis and Sanders), 803 (Annot.)
Differential diagnosis and evaluation of pericardial disease, role of serial echocardiography in (Allen et al.), 560
Digitalis glycosides in an average-size adult, changing (Laskin, Romankiewicz, and Reidenberg), 266 (Letter to Editor)
Digitalis—continued
studies on XIII. A prospective study of 649 patients on maintenance treatment with digitoxin (Storstein et al.), 434
Digitoxin, prospective study of 649 patients on maintenance treatment with. Studies on digitalis XIII (Storstein et al.), 434
Digoxin, oral propranol and combination therapy on the resting and exercise electrocardiogram, effects of (LeWinter et al.), 202
Direct current defibrillation, effectiveness of: role of paddle electrode size (Thomas et al.), 463
II (Ewy and Horan), 674 (Letter to Editor)
Disc prosthesis, mitral, Björk-Shiley, reoperation for dysfunction of (Maroñas et al.), 316
valve prostheses, aortic, Björk-Shiley and Lillehei-Kaster, arterial thromboembolic complications in patients with (Dale), 715
Disease, acute coronary heart, factors affecting the 5 year survival rate of men following (Mulcahy et al.), 556
aortic valvular, severe, prevalence of angina pectoris and abnormal coronary arteriograms in (Graboys and Cohn), 683
coronary artery, aortic stenosis, and angina pectoris (Hancock), 382
effects of contrast medium on left ventricular pressure and volume with emphasis on (Hamby et al.), 9
surgical therapy for: *caveat emptor* (Pauker), 543
heart. Tests of etiological hypotheses (Burch), 805 (Annot.)
Fabry's, electrocardiographic and vectorcardiographic abnormalities in (Mehta et al.), 699
heart, and pregnancy (Burch), 104
arteriosclerotic, and surgical risks (Ponka), 1
chronic, noninvasive assessment of left ventricular function in (Sutton, Hood, and Koch), 289
Coxsackie virus, and cardiomyopathy (Levi et al.), 419
demonstrable, fourth heart sound in patients without (Benchimol and Desser), 298
high resistance of women to (Landman and Lavelle), 129 (Letter to Editor)
Reply (Seely), 129
ischemic, ST-T segments in (Madias), 808 (Letter to Editor)
Reply (Stern), 808
use of the systolic time intervals for predicting left ventricular ejection fraction in (Eddleman et al.), 450
rheumatic, and rheumatic fever, concerning (Louis-Gustave), 536 (Letter to Editor)
ventricular unloading in the management of: role of vasodilators. Part I (Shah), 256
Part II. (Shah), 403
pericardial, role of serial echocardiography in the evaluation and differential diagnosis of (Allen et al.), 560
systemic, IgA nephritis unassociated with (Katz et al.), 670 (Annot.)
Dissecting aneurysm, acute, of the aorta as the fatal event in systemic lupus erythematosus (Walts and Dubois), 378
Distortions in infant electrocardiograms caused by inadequate high-frequency response (Berson et al.), 730
Dog(s), cardiac pathology of transvenous pacemakers in (Fishbein et al.), 73
experimental myocardial ischemia in, attenuation of cardiac sympathetic drive in (Feola et al.), 82
heart, arrhythmogenic effect of static electricity on the (McCarty and Glasser), 496
Dopamine and blood flow (Thompson and Bloxham), 266 (Letter to Editor)
Reply (Jacobson), 266
Double ventricular parasystole: intermittency and its relation to re-entrant premature beats (Ogawa, Watanabe, and Dreifus), 767
Drainage of the brain, prelymphatic-lymphatic (Földi), 121 (Annot.)

Drive, cardiac sympathetic, in experimental myocardial ischemia in dogs, attenuation of (Feola et al.), 82
Driving, work, and sexual activity following acute myocardial infarction, factors influencing resumption of (Kushnir et al.), 261 (Annot.)
Drug(s), adrenergic, alpha and beta, present state of III. Beta blocking agents (Ahlquist), 117
beta-adrenergic blocking, hypertension complicating treatment with (Blum and Atsmon), 802 (Annot.)
labetalol, an alpha- and beta-adrenergic blocking, in the treatment of hypertension (Rosei et al.), 124 (Annot.)
Duration, abnormalities of long, mitral valve prolapse with atrioventricular and sinoatrial node (DeSilva and Shubrooks), 772
Dysfunction of the Björk-Shiley mitral disc prosthesis, reoperation for (Maroñas et al.), 316
severe papillary muscle, substantiated by atrial pacing during cardiac catheterization (Finn and Bower), 626

E

E, vitamin, in the treatment of angina pectoris, quantitative evaluation of (Gillilan, Mondell, and Warbasse), 444
Early changes in contractility and coronary blood flow in the normal areas of the ischemic porcine heart (Pashkow, Holland, and Brooks), 349
Echocardiographic clue to the diagnosis of ruptured chordae tendineae: systolic mitral flutter (Meyer et al.), 3
criteria for the diagnosis of mitral-semilunar valve continuity (Story, Felner, and Schlant), 575
diagnosis of mitral regurgitation in congestive cardiomyopathy (Levisman), 33
evaluation of septal motion in patients with artificial pacemakers: vectorcardiographic correlations (Zoneraich, Zoneraich, and Rhee), 596
manifestations of annulo-aortic ectasia: its "paradoxical" motion of the aorta and premature systolic closure of the aortic valve (Atsuchi et al.), 428
mitral valve prolapse and auscultatory (examination), augmentation of by atrial premature depolarizations (Reiffel et al.) 533 (Annot.)
Echocardiography, serial, in the evaluation and differential diagnosis of pericardial disease, role of (Allen et al.), 560
Eclamptic women, the remote prognosis of (Chesley), 407 (Annot.)
Ectasia, annulo-aortic, echocardiographic manifestations of: its "paradoxical" motion of the aorta and premature systolic closure of the aortic valve (Atsuchi et al.), 428
Edrophonium hydrochloride, clinical evaluation of enhancement of vagal tone in acute myocardial infarction by: effects on ventricular arrhythmias, His bundle electrography, and left ventricular function (Miller et al.), 222
Effectiveness of direct current defibrillation: role of paddle electrode size (Thomas et al.), 463
II (Ewy and Horan), 674 (Letter to Editor)
Eisenmenger's syndrome in pregnancy (Pitts, Crosby, and Basta), 321
Ejection fraction, left ventricular, in ischemic heart disease, use of the systolic time intervals in predicting (Eddleman et al.), 450
phase indexes and isovolumic indexes, left ventricular contractile function in aortic stenosis evaluated by (Brunner et al.), 147
Electricity on the dog heart, static, arrhythmogenic effect of (McCarty and Glasser), 496
Electrocardiogram(s) and mechanical factors (Goldberg), 629
infant, distortions in caused by inadequate high-frequency response (Berson et al.), 730
Electrocardiogram(s)—continued
resting and exercise, effects of oral propranolol, digoxin and combination therapy on (LeWinter et al.), 202
Electrocardiographic and CPK isoenzyme changes following coronary bypass surgery, diagnostic and prognostic significance of: correlation with findings at one year (Warren et al.), 189
and vectorcardiographic abnormalities in Fabry's disease (Mehta et al.), 699
exercise test in patients with abnormal T waves at rest (Aravindakshan, Surawicz, and Allen), 706
findings in 111 patients, correlations with. Pathology of sinoatrial node (Thery et al.), 735
Electrode size, paddle, role of: effectiveness of direct current defibrillation (Thomas et al.), 463
II (Ewy and Horan), 674 (Letter to Editor)
Electrogram, cardiac, sensing the. Cardiac pacing and pacemakers III (Furman, Hurzeler, and De Caprio), 794
Electrography, His bundle, ventricular arrhythmias, and left ventricular function, effects on: clinical evaluation of enhancement of vagal tone in acute myocardial infarction by edrophonium hydrochloride (Miller et al.), 222
Electrophysiologic-pharmacologic testing for control of recurrent tachyarrhythmias, serial. Cardiac pacing and pacemakers II (Fisher et al.), 658
Eleven years later (re-examination of after) Truncus Arteriosus Communis (Thiene), 809 (Letter to Editor)
Reply (Van Praagh), 810
Embolectomy, pulmonary, heparin, and streptokinase: their place in the treatment of acute massive pulmonary embolism (Miller, Hall, and Paneth), 568
Embolism, pulmonary, acute massive, treatment of, the place of pulmonary embolectomy, heparin, and streptokinase in (Miller, Hall, and Paneth), 568
Endocarditis, prosthetic valve, a conversation on (Arnett et al.), 510 (Clinical pathologic conference)
Q fever—a case occurring in the United States (Applefeld et al.), 669 (Annot.)
Enhancement of vagal tone in acute myocardial infarction by edrophonium hydrochloride, clinical evaluation of: effects on ventricular arrhythmias, His bundle electrography, and left ventricular function (Miller et al.), 222
Enlargement, cardiac, radiographic assessment of (Williams), 536 (Letter to Editor)
of the right atrium, idiopathic, mediastinal teratoma masquerading as (Thompson et al.), 375
Ergometer exercise, treadmill and bicycle, in middle-aged males, comparison of (Cumming), 261 (Annot.)
Erythematosus, lupus, systemic, acute dissecting aneurysm of the aorta as the fatal event in (Walts and Dubois), 378
Ethics and moral values in TAPVC (total anomalous pulmonary venous connection) vital statistics (Rathnam), 676 (Letter to Editor)
Etiological hypotheses, tests of in coronary heart disease (Burch), 805 (Annot.)
Evaluation and differential diagnosis of pericardial disease, role of serial echocardiography in (Allen et al.), 560
clinical, of the enhancement of vagal tone in acute myocardial infarction by edrophonium hydrochloride: effects on ventricular arrhythmias, His bundle electrography, and left ventricular function (Miller et al.), 222
echocardiographic, of septal motion in patients with artificial pacemakers: vectorcardiographic correlations (Zoneraich, Zoneraich, and Rhee), 596
quantitative, of vitamin E in the treatment of angina pectoris (Gillilan, Mondell, and Warbasse), 444
Exercise and during rest, pulmonary and systemic circulation in hypertensive patients, acute hemodynamic effects of an alpha- and beta-receptor blocking agent (AH 5158) on during (Koch), 585

Exercise—continued
and resting electrocardiogram, effects of oral propranolol, digoxin and combination therapy on the (LeWinter et al.), 202
test, electrocardiographic, in patients with abnormal T waves at rest (Aravindakshan, Surawicz, and Allen), 706
testing, treadmill, risks of (Liss), 411 (Letter to Editor)
treadmill and bicycle ergometer, in middle-aged males, comparison of (Cumming), 261 (Annot.)
Experimental analysis of development of cardiac insufficiency in old age (Frolkis et al.), 334
myocardial ischemia in dogs, attenuation of cardiac sympathetic drive in (Feola et al.), 82
study of myocardial infarction through the use of body surface isopotential maps: ligation of the anterior descending branch of the left coronary artery (Sugiyama et al.), 51
Extent of myocardial infarction, effect of coronary artery reperfusion on the (Deloche et al.), 358
Extrasystolic bigeminy, concealed, with intermittent parasystole during myocardial infarction (Lightfoot), 229

F

Fabry's disease, electrocardiographic and vectorcardiographic abnormalities in (Mehta et al.), 699
Factors affecting the 5 year survival rate of men following acute coronary heart disease (Mulcahy et al.), 556
influencing resumption of work, sexual activity, and driving following acute myocardial infarction (Kushnir et al.), 261 (Annot.)
Failure, congestive heart, of cardiac output and (Burch), 673 (Annot.)
a depressed response of left ventricular contractile force to isoproterenol and norepinephrine in dogs with (Newman), 216
of autonomic control of cerebral vessels in hypertension—the cause of stroke? (James), 671 (Annot.)
Familial occurrence of sinus bradycardia, short PR interval, intraventricular conduction defects, recurrent supraventricuoar tachycardia, and cardiomegaly (Gulotta et al.), 19
Fatal event in systemic lupus erythematosus, acute dissecting aneurysm of the aorta as the (Walts and Dubois), 378
Fever, acute rheumatic, and viral carditis (Kloth), 133 (Letter to Editor)
Reply (Ward), 134
endocarditis, Q—a case occurring in the United States (Applefeld et al.), 669 (Annot.)
rheumatic, and rheumatic heart disease, concerning (Louis-Gustave), 536 (Letter to Editor)
Fibrillation threshold of normal and ischemic ventricles, effects of vagal stimulation, atropine, and propranolol on (Yoon et al.), 60
First heart sound, perception of binary acoustic events associated with the (Spodick), 137
Five year survival rate of men following acute coronary heart disease, factors affecting the (Mulcahy et al.), 556
Floppy mitral valve, noisy (Young), 130 (Letter to Editor)
Flow, blood, and dopamine (Thompson and Bloxham), 266 (Letter to Editor)
Reply (Jacobson), 266
regional myocardial, effect of ouabain on nutritional circulation and (Gross et al.), 487
coronary blood, and contractility, early changes in in the normal areas of the ischemic porcine heart (Pashkow, Holland, and Brooks), 349
coronary arteries, and angina pectoris, effect of intracoronary sodium nitroprusside on. Sodium nitroprusside as a coronary vasodilator in man I. (Yeh et al.), 610
Flow—continued
postoperative, in the saphenous vein and internal mammary artery bypass grafts, comparative study of (Hamby et al.), 306
Flutter, systolic mitral, an echocardiographic clue to the diagnosis of ruptured chordae tendineae (Meyer et al.), 3
Follow-up, early and late in left ventricular performance and graft patency after coronary artery-saphenous vein bypass surgery (Apstein et al.), 547
Fourth heart sound in patients without demonstrable heart disease (Benchimol and Desser), 298
Fraction, left ventricular ejection, in ischemic heart disease, use of the systolic time intervals in predicting (Eddleman et al.), 450
Function, left ventricular, following aortocoronary bypass surgery, determinants of (Brundage et al.), 687
in chronic heart disease, noninvasive assessment of (Sutton, Hood, and Koch) 289
ventricular arrhythmias, and His bundle electrography, effects on: clinical evaluation of enhancement of vagal tone in acute myocardial infarction by edrophonium hydrochloride (Miller et al.), 222
Functional activities of patients with angina pectoris, a new clinical taxonomy for rating change in (Feinstein and Wells), 172

G

Glycosides, cardiac, polar and nonpolar, clinical implications of differences in pharmacodynamic action of (Runge), 248
digitalis, changing, in an average-size adult (Laskin, Romankiewicz, and Reidenberg), 266 (Letter to Editor)
Grading system, Lown, limitations of for the study of human ventricular arrhythmias (Bigger, Wenger, and Heissenbuttel), 727
Graft(s) blood velocity in man, phasic aortocoronary bypass, effects of amyl nitrite on (Benchimol, Desser, and Raizada), 592
bypass, comparative study of the postoperative flow in the saphenous vein and internal mammary artery (Hamby et al.), 306
patency and left ventricular performance after coronary artery-saphenous vein bypass surgery: early and late follow-up (Apstein et al.), 547
saphenous vein aortocoronary, long-term angiographic assessment of the influence of coronary risk factors on native coronary circulation and (McLaughlin et al.), 327
Great arteries, transposition of the, primum atrial septal defect, azygos continuation of the inferior vena cava, bilateral superior venae cavae and dextrocardia with centrally placed liver (Jacob, Ablett, and Stark), 623
vessels injury (Symbas), 518

H

Heart(s) block, complete, as a cause of syncope in asymmetric septal hypertrophy (Chmielewski et al.), 91
disease and pregnancy (Burch), 104
arteriosclerotic, and surgical risks (Ponka), 1
chronic, noninvasive assessment of left ventricular function in (Sutton, Hood, and Koch), 289
coronary, acute, factors affecting the 5 year survival rate of men following (Mulcahy et al.), 556
Tests of etiological hypotheses (Burch), 805 (Annot.)
Coxsackie virus, and cardiomyopathy (Levi et al.), 419
demonstrable, fourth heart sound in patients without (Benchimol and Desser), 298
high resistance of women to (Landman and Lavelle), 129 (Letter to Editor)

Heart disease—continued
Reply (Seely), 129
ischemic, ST-T segments in (Madias), 808 (Letter to Editor)
Reply (Stern), 808
use of the systolic time intervals for predicting left ventricular ejection fraction in (Eddleman et al.), 450
rheumatic, and rheumatic fever, concerning (Louis-Gustave), 536 (Letter to Editor)
ventricular unloading in the management of: role of vasodilators. Part I (Shah), 256
Part II. (Shah), 403
dog, arrhythmogenic effect of static electricity on the (McCarty and Glasser), 496
failure, congestive, a depressed response of left ventricular contractile force to isoproterenol and norepinephrine in dogs with (Newman), 216
of cardiac output and (Burch), 673 (Annot.)
ischemic porcine, early changes in contractility and coronary blood flow in the normal areas of the (Pashkow, Holland, and Brooks), 349
magnesium and the (Chipperfield and Chipperfield), 679
old, of rate of pacing (Burch), 410 (Annot.)
rupture of the, and myocardial infarction: a macroscopic pathologic study (Penther, Gerbaux, Blanc, Morin, and Julienne), 302
sound, first, perception of binary acoustic events associated with the (Spodick), 137
fourth, in patients without demonstrable heart disease (Benchimol and Desser), 298
Hemodynamic(s) alterations during septal or right ventricular ischemia in dogs (Fixler, Monroe, and Wheeler), 210
and clinical results of intra-aortic balloon counterpulsation and surgery for cardiogenic shock (Bardet et al.), 280
effects, acute, of an alpha- and beta-receptor blocking agent (AH 5158) on the systemic and pulmonary circulation at rest and during exercise in hypertensive patients (Koch), 585
peculiar, associated with mitral valve prolapse, a factor in the abnormal ventriculogram and: ventricular buckling (Cobbs and King), 741
response to intra-aortic balloon counterpulsation in patients with cardiogenic shock complicating acute myocardial infarction (Ehrich et al.), 274
Hemolysis in patients with an aortic prosthetic valve, effect of propranolol on (Santinga et al.), 197
Hemorrhage, intracerebral, computerized tomography and (Hayward and O'Reilly), 126 (Annot.)
Heparin, pulmonary embolectomy, and streptokinase: their place in the treatment of acute massive pulmonary embolism (Miller, Hall, and Paneth), 568
Hernia, hiatus, with sinus bradycardia (Marks and Thurston), 30
Hiatus hernia with sinus bradycardia (Marks and Thurston), 30
High catecholamine levels and uncommon cardiovascular manifestations due to "black widow" bite (Weitzman, Margulis, and Lehmann), 89
—frequency response, inadequate, distortions in infant electrocardiograms caused by (Berson et al.), 730
resistance of women to heart disease (Landman and Lavelle), 129 (Letter to Editor)
Reply (Seely), 129
His bundle electrography, ventricular arrhythmias and left ventricular function, effects on: clinical evaluation of enhancement of vagal tone in acute myocardial infarction by edrophonium hydrochloride (Miller et al.), 222
Home cardiac care, of (Burch), 125 (Annot.)
Horseshoe lung: report of two cases (Orzan et al.), 501
Human ventricular arrhythmias, limitations of the Lown grading system for the study of (Bigger, Wenger, and Heissenbuttel), 727
Hydrochloride, edrophonium, clinical evaluation of enhancement of vagal tone in acute myocardial infarction by: effects on ventricular arrhythmias, His bundle electrography, and left ventricular function (Miller et al.), 222
Hypercalcemia, idiopathic infantile, associated with supravalvular aortic stenosis, further observations on syndrome of (Folger), 455
Hypertension, atenolol in (Petrie, Jeffers, and Webster), 407 (Annot.)
beta-adrenergic blockade in (Hansson and Werkö), 394
complicating treatment with beta-adrenergic blocking drugs (Blum and Atsmon), 802 (Annot.)
failure of autonomic control of cerebral vessels in—the cause of stroke? (James), 671 (Annot.)
—medicate or meditate? (Blackwell), 262 (Annot.)
treatment of, labetalol, an alpha- and beta-adrenergic blocking drug in the (Rosei et al.), 124 (Annot.)
salt intake and the (Langford, Watson, and Thomas), 531 (Annot.)
Hypertensive patients, acute hemodynamic effects of an alpha- and beta-receptor blocking agent (AH 5158) on the systemic and pulmonary circulation at rest and during exercise in (Koch), 585
Hypertrophy, asymmetric septal, complete heart block as a cause of syncope in (Chmielewski et al.), 91
Hypotheses, etiological, tests of in coronary heart disease (Burch), 805 (Annot.)

I

Idiopathic enlargement of the right atrium, mediastinal teratoma masquerading as (Thompson et al.), 375
infantile hypercalcemia associated with supravalvular aortic stenosis, further observations on syndrome of (Folger), 455
IgA nephritis unassociated with systemic disease (Katz et al.), 670 (Annot.)
Inadequate high-frequency response, distortions in infant electrocardiograms caused by (Berson et al.), 730
Indexes, ejection phase and isovolumic, left ventricular contractile function in aortic stenosis evaluated by (Brunner et al.), 147
Indirect recording of anterior left atrial activation in man, new approach for (Amat-y-Leon et al.), 408 (Annot.)
Infant(s) death syndrome, sudden (crib death) (Guntheroth), 784
(SIDS): cardiac pathologic observations in infants with SIDS (Maron and Fisher), 762
electrocardiograms, distortions in caused by inadequate high-frequency response (Berson et al.), 730
with SIDS, cardiac pathologic observations in: sudden infant death syndrome (SIDS) (Maron and Fisher), 762
Infantile hypercalcemia, idiopathic, associated with supravalvular aortic stenosis, further observations on syndrome of (Folger), 455
Infarction, myocardial, acute, clinical evaluation of enhancement of vagal tone in by edrophonium hydrochloride: effects on ventricular arrhythmias, His bundle electrography, and left ventricular function (Miller et al.), 222
factors influencing resumption of work, sexual activity, and driving following (Kushnir et al.), 261 (Annot.)
hemodynamic response to intra-aortic balloon counterpulsation in patients with cardiogenic shock complicating (Ehrich et al.), 274
stability of maps in the early phase of. Precordial ST-segment mapping 3 (Madias and Hood), 603
and rupture of the heart: a macroscopic pathologic study (Penther et al.), 302

Infarction, myocardial—continued
experimental study of through the use of body surface isopotential maps: ligation of the anterior descending branch of the left coronary artery (Sugiyama et al.), 51
extent of, effect of coronary artery reperfusion on the (Deloche et al.), 358
intermittent parasystole with concealed extrasystolic bigeminy during (Lightfoot), 229
significance and treatment of nocturnal angina preceding (Lichstein et al.), 723
Infarcts, myocardial, and coronary artery lesions, relationship between: ulceration of atherosclerotic plaques precipitating coronary thrombosis (Ridolfi and Hutchins), 468
Inferior vena cava, azygos continuation of, transposition of the great arteries, primum atrial septal defect, bilateral superior venae cavae and dextrocardia with centrally placed liver (Jacob, Ablett, and Stark), 623
tumor thrombus extending into the right atrium and mimicking right atrial myxoma: angiographic differentiation (Kerber, Fieselmann, and Mischler), 506
Influence of coronary risk factors on native coronary circulation and saphenous vein aortocoronary grafts, long-term angiographic assessment of the (McLaughlin et al.), 327
Inhibition of a ventricular synchronous pacemaker (Furman), 581
Injection, contrast, programmed left ventricular. A method to minimize left ventricular irritability during angiography (Caldwell and Kennedy), 141
Injury, great vessels (Symbas), 518
Inserting a larger prosthesis, technique for: the narrow aortic annulus (Kinsley), 759
Insufficiency, acute coronary, proper management of—the burden of proof (Neill), 532 (Annot.)
cardiac, in old age, experimental analysis of development of (Frolkis et al.), 334
Intake, salt, and the treatment of hypertension (Langford, Watson, and Thomas), 531 (Annot.)
Interchangeability of left ventriculograms (Krohn), 130 (Letter to Editor)
Reply (Ferlinz), 131
Intermittency and its relation to re-entrant premature beats: double ventricular parasystole (Ogawa, Watanabe, and Dreifus), 767
Intermittent parasystole with concealed extrasystolic bigeminy during myocardial infarction (Lightfoot), 229
Internal mammary artery bypass grafts and saphenous vein bypass grafts, comparative study of the postoperative flow in the (Hamby et al.), 306
Interval(s), PR, short, sinus bradycardia, intraventricular conduction defects, recurrent supra-ventricular tachycardia, and cardiomegaly, familial occurrence of (Gulotta, Das Gupta, Padmanabhan, and Morrison), 19
systolic time, for predicting left ventricular ejection fraction in ischemic heart disease, use of the (Eddleman et al.), 450
Intra-aortic balloon counterpulsation and surgery for cardiogenic shock, clinical and hemodynamic results of (Bardet et al.), 280
in patients with cardiogenic shock complicating acute myocardial infarction, hemodynamic response to (Ehrich et al.), 274
Intracerebral hemorrhage, computerized tomography and (Hayward and O'Reilly), 126 (Annot.)
Intracoronary sodium nitroprusside on coronary arteries, angina pectoris, and coronary blood flow, effect of. Sodium nitroprusside as a coronary vasodilator in man I. (Yeh et al.), 610
Intraventricular conduction defects, sinus bradycardia, short PR interval, recurrent supraventricular tachycardia, and cardiomegaly, familial occurrence of (Gulotta et al.), 19
Irritability, ventricular, left, a method to minimize during angiography. Programmed left ventricular contrast injection (Caldwell and Kennedy), 141
Ischemia, myocardial, experimental, in dogs, attenuation of cardiac sympathetic drive in (Feola et al.), 82
right ventricular or septal, in dogs, hemodynamic alterations during (Fixler, Monroe, and Wheeler), 210
Ischemic and normal ventricles, effects of vagal stimulation, atropine, and propranolol on fibrillation threshold of (Yoon et al.), 60
heart disease, ST-T segments in (Madias), 808 (Letter to Editor)
Reply (Stern), 808
use of the systolic time intervals for predicting left ventricular ejection fraction in (Eddleman et al.), 450
porcine heart, early changes in contractility and coronary blood flow in the normal areas of the (Pashkow, Holland, and Brooks), 349
Isoenzyme changes, CPK, and electrocardiographic changes following coronary bypass surgery, diagnostic and prognostic significance of: correlation with findings at one year (Warren et al.), 189
Isopotential maps, body surface, experimental study of myocardial infarction through the use of: ligation of the anterior descending branch of the left coronary artery (Sugiyama et al.), 51
Isoproterenol and norepinephrine, depressed response of left ventricular contractile force to in dogs with congestive heart failure (Newman), 216
Isovolumic and ejection phase indexes, left ventricular contractile function in aortic stenosis evaluated by (Brunner et al.), 147

K

Kwashiorkor, warfarin binding in (Buchanan and Van der Walt), 128 (Letter to Editor)

L

Labetalol, an alpha- and beta-adrenergic blocking drug in the treatment of hypertension (Rosei et al.), 124 (Annot.)
Left ventricular function following aortocoronary bypass surgery, determinants of (Brundage et al.), 687
performance and graft patency after coronary artery-saphenous vein bypass surgery: early and late follow-up (Apstein et al.), 547
ventriculograms, interchangeability of (Krohn), 130 (Letter to Editor)
Reply (Ferlinz), 131
Lesions, coronary artery, and myocardial infarcts, relationship between: ulceration of atherosclerotic plaques precipitating coronary thrombosis (Ridolfi and Hutchins), 468
Ligation of the anterior descending branch of the left coronary artery: experimental study of myocardial infarction through the use of body surface isopotential maps (Sugiyama et al.), 51
Lillehei-Kaster and Björk-Shiley aortic disc valve prostheses, arterial thromboembolic complications in patients with (Dale), 715
Limitations of the Lown grading system for the study of human ventricular arrhythmias (Bigger, Wenger, and Heissenbuttel), 727
Liver, centrally placed, dextrocardia with, transposition of the great arteries, primum atrial septal defect, azygos continuation of the inferior vena cava, bilateral superior venae cavae and (Jacob, Ablett, and Stark), 623
Long duration, abnormalities of, mitral valve prolapse with atrioventricular and sinoatrial node (DeSilva and Shubrooks), 772

Long—continued
—term angiographic assessment of the influence of coronary risk factors on native coronary circulation and saphenous vein aortocoronary grafts (McLaughlin et al.), 327
Lown grading system, limitations of for the study of human ventricular arrhythmias (Bigger, Wenger, and Heissenbuttel), 727
Lung, horseshoe: report of two cases (Orzan et al.), 501
Lupus erythematosus, systemic, acute dissecting aneurysm of the aorta as the fatal event in (Walts and Dubois), 378
Lymphatic-prelymphatic drainage of the brain (Földi), 121 (Annot.)

M

Macroscopic pathologic study: myocardial infarction and rupture of the heart (Penther et al.), 302
Magnesium and the heart (Chipperfield and Chipperfield), 679
Maintenance treatment with digitoxin, prospective study of 649 patients on. Studies on digitalis XIII (Storstein et al.), 434
Mammary artery, internal, and saphenous vein bypass grafts, comparative study of the postoperative flow in the (Hamby et al.), 306
Management of acute coronary insufficiency, proper—the burden of proof (Neill), 532 (Annot.)
of heart disease, ventricular unloading in the: role of vasodilators. Part I (Shah), 256
Part II (Shah), 403
Manifestations of annulo-aortic ectasia, echocardiographic: its "paradoxical" motion of the aorta and premature systolic closure of the aortic valve (Atsuchi et al.), 428
uncommon cardiovascular and high catecholamine levels due to "black widow" bite (Weitzman, Margulis, and Lehmann), 89
Mapping, precordial ST-segment 3. Stability of maps in the early phase of acute myocardial infarction (Madias and Hood), 603
Maps, body surface isopotential, experimental study of myocardial infarction through the use of: ligation of the anterior descending branch of the left coronary artery (Sugiyama et al.), 51
stability of in the early phase of acute myocardial infarction. Precordial ST-segment mapping 3 (Madias and Hood), 603
Masquerade of mediastinal teratoma as idiopathic enlargement of the right atrium (Thompson et al.), 375
Massive pulmonary embolism, acute, treatment of, the place of pulmonary embolectomy, heparin, and streptokinase in (Miller, Hall, and Paneth), 568
Mechanical factors and the electrocardiogram (Goldberg), 629
Mediastinal teratoma masquerading as idiopathic enlargement of the right atrium (Thompson et al.), 375
Medicate or meditate in hypertension? (Blackwell), 262 (Annot.)
Meditate or medicate in hypertension? (Blackwell), 262 (Annot.)
Men, 5 year survival rate of following acute coronary heart disease, factors affecting the (Mulcahy et al.), 556
Middle-aged males, comparison of treadmill and bicycle ergometer exercise in (Cumming), 261 (Annot.)
Mitral disc prosthesis, Björk-Shiley, reoperation for dysfunction of (Maroñas et al.), 316
flutter, systolic, an echocardiographic clue to the diagnosis of ruptured chordae tendineae (Meyer et al.), 3
regurgitation in congestive cardiomyopathy, echocardiographic diagnosis of (Levisman), 33
—semilunar valve continuity, echocardiographic criteria for the diagnosis of (Story, Felner, and Schlant), 575
valve, noisy floppy (Young), 130 (Letter to Editor)
Mitral valve—continued
prolapse, echocardiographic and auscultatory (examination), augmentation of by atrial premature depolarizations (Reiffel et al.), 533 (Annot.)
propranolol for patients with (Winkle et al.), 422
ventricular buckling, a factor in the abnormal ventriculogram and peculiar hemodynamics associated with (Cobbs and King), 741
with atrioventricular and sinoatrial node abnormalities of long duration (DeSilva and Shubrooks), 772
Moral values and ethics in TAPVC (total anomalous pulmonary venous connection) vital statistics (Rathnam), 676 (Letter to Editor)
Motion, left ventricular posterior wall, in patients with the Wolff-Parkinson-White syndrome (Gimbel), 160
"paradoxical," of the aorta and premature systolic closure of the aortic valve in echocardiographic manifestations of annulo-aortic ectasia (Atsuchi et al.), 428
septal, in patients with artificial pacemakers, echocardiographic evaluation of: vectorcardiographic correlations (Zoneraich, Zoneraich, and Rhee), 596
Muscle dysfunction, papillary, severe, substantiated by atrial pacing during cardiac catheterization (Finn and Bower), 626
Myocardial blood flow, regional, effect of ouabain on nutritional circulation and (Gross et al.), 487
infarction, acute, clinical evaluation of enhancement of vagal tone in by edrophonium hydrochloride: effects on ventricular arrhythmias, His bundle electrography, and left ventricular function (Miller et al.), 222
factors influencing resumption of work, sexual activity, and driving following (Kushnir et al.), 261 (Annot.)
hemodynamic response to intra-aortic balloon counterpulsation in patients with cardiogenic shock complicating (Ehrich et al.), 274
stability of maps in the early phase of. Precordial ST-segment mapping 3 (Madias and Hood), 603
and rupture of the heart: a macroscopic pathologic study (Penther et al.), 302
experimental study of through the use of body surface isopotential maps: ligation of the anterior descending branch of the left coronary artery (Sugiyama et al.), 51
extent of, effect of coronary artery reperfusion on the (Deloche et al.), 358
intermittent parasystole with concealed extrasystolic bigeminy during (Lightfoot), 229
significance and treatment of nocturnal angina preceding (Lichstein et al.), 723
infarcts and coronary artery lesions, relationship between: ulceration of atherosclerotic plaques precipitating coronary thrombosis (Ridolfi and Hutchins), 468
ischemia in dogs, experimental, attenuation of cardiac sympathetic drive in (Feola et al.), 82
Myxoma, right atrial, inferior vena cava tumor thrombus extending into the right atrium and mimicking: angiographic differentiation (Kerber, Fieselmann, and Mischler), 506

N

Narrow aortic annulus: a technique for inserting a larger prosthesis (Kinsley), 759
Native coronary circulation and saphenous vein aortocoronary grafts, long-term angiographic assessment of the influence of coronary risk factors on (McLaughlin et al.), 327
Nephritis, IgA, unassociated with systemic disease (Katz et al.), 670 (Annot.)
New approach for indirect recording of anterior left atrial activation in man (Amat-y-Leon et al.), 408 (Annot.)

New—continued
clinical taxonomy for rating change in functional activities of patients with angina pectoris (Feinstein and Wells), 172
techniques, short preceptorships for postgraduate training in (Schoenfeld), 676 (Letter to Editor)
Nitrite, amyl, on phasic aortocoronary bypass graft blood velocity in man, effects of (Benchimol, Desser, and Raizada), 592
Nitroprusside, intracoronary sodium, on coronary arteries, angina pectoris, and coronary blood flow, effect of. Sodium nitroprusside as a coronary vasodilator in man I. (Yeh et al.), 610
sodium, as a coronary vasodilator in man I. Effect of intracoronary sodium nitroprusside on coronary arteries, angina pectoris, and coronary blood flow (Yeh et al.), 610
Nocturnal angina, significance and treatment of preceding myocardial infarction (Lichstein et al.), 723
Node, sinoatrial, and atrioventricular abnormalities of long duration, mitral valve prolapse with (DeSilva and Shubrooks), 772
pathology of. Correlations with electrocardiographic findings in 111 patients (Thery et al.), 735
Noisy floppy mitral valve (Young), 130 (Letter to Editor)
Noninvasive assessment of left ventricular function in chronic heart disease (Sutton, Hood, and Koch), 289
Nonpolar and polar cardiac glycosides, clinical implications of differences in pharmacodynamic action of (Runge), 248
Norepinephrine and isoproterenol, depressed response of left ventricular contractile force to in dogs with congestive heart failure (Newman), 216
Normal and ischemic ventricles, effects of vagal stimulation, atropine, and propranolol on fibrillation threshold of (Yoon et al.), 60
areas of the ischemic porcine heart, early changes in contractility and coronary blood flow in the (Pashkow, Holland, and Brooks), 349
Nutritional circulation and regional myocardial blood flow, effect of ouabain on (Gross et al.), 487

O

Observations, cardiac pathologic, in infants with SIDS: sudden infant death syndrome (SIDS) (Maron and Fisher), 762
Of cardiac output and congestive heart failure (Burch), 673 (Annot.)
chronic adhesive pericarditis (Burch), 535 (Annot.)
clinical data (Burch), 807 (Annot.)
home cardiac care (Burch), 125 (Annot.)
rate of pacing old hearts (Burch), 410 (Annot.)
what much of this is about (Burch), 265 (Annot.) *Money in medicine*
Old age, experimental analysis of development of cardiac insufficiency in (Frolkis et al.), 334
hearts, of rate of pacing (Burch), 410 (Annot.)
Oral propranolol, digoxin and combination therapy on the resting and exercise electrocardiogram, effects of (LeWinter et al.), 202
Ouabain on nutritional circulation and regional myocardial blood flow, effect of (Gross et al.), 487
Output, cardiac, of and congestive heart failure (Burch), 673 (Annot.)
Overdrive, comparative effects of on sinus and subsidiary pacemaker function (Jordan et al.), 367

P

Pacemakers and cardiac pacing I. Indications for pacing bradyarrhythmias (Furman), 523
II. Serial electrophysiologic-pharmacologic testing for control of recurrent tachyarrhythmias (Fisher et al.), 658
Pacemakers and cardiac pacing—continued
III. Sensing the cardiac electrogram (Furman, Hurzeler, and De Caprio), 794
Pacemaker(s), artificial, echocardiographic evaluation of septal motion in patients with: vectorcardiographic correlations (Zoneraich, Zoneraich, and Rhee), 596
function, sinus and subsidiary, comparative effects of overdrive on (Jordan et al.), 367
transvenous, in dogs, cardiac pathology of (Fishbein et al.), 73
ventricular synchronous, inhibition of a (Furman), 581
Pacing and pacemakers, cardiac I. Indications for pacing bradyarrhythmias (Furman), 523
II. Serial electrophysiologic-pharmacologic testing for control of recurrent tachyarrhythmias (Fisher et al.), 658
III. Sensing the cardiac electrogram (Furman, Hurzeler, and De Caprio), 794
atrial, during cardiac catheterization, severe papillary muscle dysfunction substantiated by (Finn and Bower), 626
bradyarrhythmias, indications for. Cardiac pacing and pacemakers I. (Furman), 523
old hearts, of rate of (Burch), 410 (Annot.)
Paddle electrode size, role of: effectiveness of direct current defibrillation (Thomas, Ewy, Dahl, and Ewy), 463
II (Ewy and Horan), 674 (Letter to Editor)
Pain, a spray for (Burch), 411 (Letter to Editor)
Papaverine and adenosine, effects of vasodilators in coronary reperfusion (Parker, Bashour, and Downey), 66
Papillary muscle dysfunction substantiated by atrial pacing during cardiac catheterization, severe (Finn and Bower), 626
"Paradoxical" motion of the aorta and premature systolic closure of the aortic valve in echocardiographic manifestations of annulo-aortic ectasia (Atsuchi et al.), 428
Parasystole, double ventricular: intermittency and its relation to re-entrant premature beats (Ogawa, Watanabe, and Dreifus), 767
intermittent, with concealed extrasystolic bigeminy during myocardial infarction (Lightfoot), 229
Patency, graft, and left ventricular performance after coronary artery-saphenous vein bypass surgery: early and late follow-up (Apstein et al.), 547
Pathologic conference, clinical (Harvey et al.), 239
A conversation on prosthetic valve endocarditis (Arnett et al.), 510
Purulent pericarditis with asymmetric cardiac tamponade: a cause of death months after coronary artery bypass surgery (Bulkley, Humphries, and Hutchins), 776
observations, cardiac, in infants with SIDS: sudden infant death syndrome (SIDS) (Maron and Fisher), 762
study, macroscopic: myocardial infarction and rupture of the heart (Penther et al), 302
Pathology, cardiac, of transvenous pacemakers in dogs (Fishbein et al.), 73
of sinoatrial node. Correlations with electrocardiographic findings in 111 patients (Thery et al.), 735
Patient(s) on maintenance treatment with digitoxin, prospective study of 649. Studies on digitalis XIII (Storstein et al.), 434
selection and timing for surgery with ventricular septal defect (Yasui et al.), 40
with mitral valve prolapse, propranolol for (Winkle et al.), 422
Pectoris, angina, a new clinical taxonomy for rating change in functional activities of patients with (Feinstein and Wells), 172
and abnormal coronary arteriograms in severe aortic valvular disease, prevalence of (Graboys and Cohn), 683
aortic stenosis, and coronary artery disease (Hancock), 382

Pectoris, angina—continued
coronary arteries, and coronary blood flow, effect of intracoronary sodium nitroprusside on. Sodium nitroprusside as a coronary vasodilator in man I. (Yeh et al.), 610
quantitative evaluation of vitamin E in the treatment of (Gillilan, Mondell, and Warbasse), 444
Peculiar hemodynamics associated with mitral valve prolapse, a factor in the abnormal ventriculogram and: ventricular buckling (Cobbs and King), 741
Perception of binary acoustic events associated with the first heart sound (Spodick), 137
Pericardial disease, role of serial echocardiography in the evaluation and differential diagnosis of (Allen et al.), 560
Pericarditis, chronic adhesive, of (Burch), 535 (Annot.)
purulent, with asymmetric cardiac tamponade: a cause of death months after coronary artery bypass surgery (Bulkley, Humphries, and Hutchins), 776 (CPC)
Pharmacodynamic action of polar and nonpolar cardiac glycosides, clinical implications of differences in (Runge), 248
Pharmacologic-electrophysiologic testing for control of recurrent tachyarrhythmias, serial. Cardiac pacing and pacemakers II (Fisher et al.), 658
Phasic aortocoronary bypass graft blood velocity in man, effects of amyl nitrite on (Benchimol, Desser, and Raizada), 592
Plaques, atherosclerotic, precipitating coronary thrombosis, ulceration of: relationship between coronary artery lesions and myocardial infarcts (Ridolfi and Hutchins), 468
Polar and nonpolar cardiac glycosides, clinical implications of differences in pharmacodynamic action of (Runge), 248
Porcine heart, ischemic, early changes in contractility and coronary blood flow in the normal areas of the (Pashkow, Holland, and Brooks), 349
Posterior wall motion, left ventricular, in patients with the Wolff-Parkinson-White syndrome (Gimbel), 160
Postgraduate training in new techniques, short preceptorships for (Schoenfeld), 676 (Letter to Editor)
Postoperative flow in the saphenous vein and internal mammary artery bypass grafts, comparative study of (Hamby et al.), 306
Preceptorships, short, for postgraduate training in new techniques (Schoenfeld), 676 (Letter to Editor)
Precordial ST-segment mapping 3. Stability of maps in the early phase of acute myocardial infarction (Madias and Hood), 603
Predicting left ventricular ejection fraction in ischemic heart disease, use of the systolic time intervals in (Eddleman et al.), 450
Pregnancy and heart disease (Burch), 104
Eisenmenger's syndrome in (Pitts, Crosby, and Basta), 321
Prelymphatic-lymphatic drainage of the brain (Földi), 121 (Annot.)
Premature beats, re-entrant, intermittency and its relation to: double ventricular parasystole (Ogawa, Watanabe, and Dreifus), 767
depolarizations, atrial, augmentation of auscultatory and echocardiographic mitral valve prolapse by (Reiffel et al.), 533 (Annot.)
systolic closure of the aortic valve and "paradoxical" motion of the aorta in echocardiographic manifestations of annulo-aortic ectasia (Atsuchi et al.), 428
Present state of alpha and beta adrenergic drugs III. Beta blocking agents (Ahlquist), 117
Pressure and volume, left ventricular, with emphasis on coronary artery disease, effects of contrast medium on (Hamby, Aintablian, Wisoff, and Hartstein), 9
Prevalence of angina pectoris and abnormal coronary arteriograms in severe aortic valvular disease (Graboys and Cohn), 683
Primum atrial septal defect, transposition of the great arteries, azygos continuation of the inferior vena cava, bilateral superior venae cavae and dextrocardia with centrally placed liver (Jacob, Ablett, and Stark), 623
PR interval, short, sinus bradycardia, intraventricular conduction defects, recurrent supraventricular tachycardia, and cardiomegaly, familial occurrence of (Gulotta et al.), 19
Prognosis of eclamptic women, the remote (Chesley), 407 (Annot.)
Prognostic and diagnostic significance of electrocardiographic and CPK isoenzyme changes following coronary bypass surgery: correlation with findings at one year (Warren et al.), 189
Programmed left ventricular contrast injection. A method to minimize left ventricular irritability during angiography (Caldwell and Kennedy), 141
Prolapse, mitral valve, echocardiographic and auscultatory (examination), augmentation of by atrial premature depolarizations (Reiffel et al.), 533 (Annot.)
propranolol for patients with (Winkle et al.), 422
ventricular buckling, a factor in the abnormal ventriculogram and peculiar hemodynamics associated with (Cobbs and King), 741
with atrioventricular and sinoatrial node abnormalities of long duration (DeSilva and Shubrooks), 772
Proper management of acute coronary insufficiency—the burden of proof (Neill), 532 (Annot.)
Propranolol for patients with mitral valve prolapse (Winkle et al), 422
on hemolysis in patients with an aortic prosthetic valve, effect of (Santinga et al.), 197
oral, digoxin and combination therapy on the resting and exercise electrocardiogram, effects of (LeWinter et al.), 202
vagal stimulation, and atropine on fibrillation threshold of normal and ischemic ventricles, effects of (Yoon et al.), 60
Prospective study of 649 patients on maintenance treatment with digitoxin. Studies on digitalis XIII (Storstein et al.), 434
Prostheses, aortic disc valve, Björk-Shiley and Lillehei-Kaster, arterial thromboembolic complications in patients with (Dale), 715
Prosthesis, Björk-Shiley mitral disc, reoperation for dysfunction of (Maroñas et al.), 316
technique for inserting a larger: the narrow aortic annulus (Kinsley), 759
Prosthetic valve, aortic, effect of propranolol on hemolysis in patients with an (Santinga et al.), 197
endocarditis, a conversation on (Arnett et al.), 510 (Clinical pathologic conference)
Psychological aspects of cardiac arrhythmia (Lynch et al.), 645
Pulmonary and systemic circulation at rest and during exercise in hypertensive patients, acute hemodynamic effects of an alpha- and beta-receptor blocking agent (AH 5158) on the (Koch), 585
embolectomy, heparin, and streptokinase: their place in the treatment of acute massive pulmonary embolism (Miller, Hall, and Paneth), 568
embolism, acute massive, treatment of, the place of pulmonary embolectomy, heparin, and streptokinase in (Miller, Hall, and Paneth), 568
Purulent pericarditis with asymmetric cardiac tamponade: a cause of death months after coronary artery bypass surgery (Bulkley, Humphries, and Hutchins), 776 (CPC)

Q

Q fever endocarditis-a case occurring in the United States (Applefeld et al.), 669 (Annot.)
Quantitative evaluation of vitamin E in the treatment of angina pectoris (Gillilan, Mondell, and Warbasse), 444

Quarter century perspective in changing concepts in cardiovascular therapy (Burch), 413

R

Radiographic assessment of cardiac enlargement (Williams), 536 (Letter to Editor)
Rate of pacing old hearts, of (Burch), 410 (Annot.)
Rating change in functional activities of patients with angina pectoris, a new clinical taxonomy for (Feinstein and Wells), 172
Receptor blocking agent, alpha- and beta-, (AH 5158), acute hemodynamic effects of an on the systemic and pulmonary circulation at rest and during exercise in hypertensive patients (Koch), 585
Recipe, soup the right (Lichtenstein), 267 (Letter to Editor)
Recording, indirect, of anterior left atrial activation in man, new approach for (Amat-y-Leon et al.), 408 (Annot.)
Recurrent supraventricular tachycardia, sinus bradycardia, short PR interval, intraventricular conduction defects, and cardiomegaly, familial occurrence of (Gulotta et al.), 19
tachyarrhythmias, serial electrophysiologic-pharmacologic testing for control of. Cardiac pacing and pacemakers II (Fisher et al.), 658
Re-entrant premature beats, intermittency and its relation to: double ventricular parasystole (Ogawa, Watanabe, and Dreifus), 767
Regional myocardial blood flow, effect of ouabain on nutritional circulation and (Gross et al.), 487
Regurgitation, mitral, in congestive cardiomyopathy, echocardiographic diagnosis of (Levisman), 33
Remote prognosis of eclamptic women, the (Chesley), 407 (Annot.)
Reoperation for dysfunction of the Björk-Shiley mitral disc prosthesis (Maroñas et al.), 316
Reperfusion, coronary artery, effect of on the extent of myocardial infarction (Deloche et al.), 358
—effects of vasodilators (papaverine and adenosine) (Parker, Bashour, and Downey), 66
Replacement, aortic valve, survival after (Horton and Spodick), 537 (Letter to Editor)
Reply (Roberts and Yu), 538
Resistance of women to heart disease, high (Landman and Lavelle), 129 (Letter to Editor)
Reply (Seely), 129
Response, hemodynamic, to intra-aortic balloon counterpulsation in patients with cardiogenic shock complicating acute myocardial infarction (Ehrich et al.), 274
high-frequency, inadequate, distortions in infant electrocardiograms caused by (Berson et al.), 730
of left ventricular contractile force, depressed, to isoproterenol and norepinephrine in dogs with congestive heart failure (Newman), 216
Rest, abnormal T waves at, electrocardiographic exercise test in patients with (Aravindakshan, Surawicz, and Allen), 706
and during exercise, pulmonary and systemic circulation in hypertensive patients, acute hemodynamic effects of an alpha- and beta-receptor blocking agent (AH 5158) on during (Koch), 585
Resting and exercise electrocardiogram, effects of oral propranolol, digoxin and combination therapy on the (LeWinter et al.), 202
Resumption of work, sexual activity, and driving following acute myocardial infarction, factors influencing (Kushnir et al.), 261 (Annot.)
Rheumatic fever and rheumatic heart disease, concerning (Louis-Gustave), 536 (Letter to Editor)
and viral carditis, acute (Kloth), 133 (Letter to Editor)
Reply (Ward), 134
heart disease and rheumatic fever, concerning (Louis-Gustave), 536 (Letter to Editor)
Right ventricular ischemia or septal ischemia in dogs, hemodynamic alterations during (Fixler, Monroe, and Wheeler), 210
Risk(s) factors, coronary, on native coronary circulation and saphenous vein aortocoronary grafts, long-term angiographic assessment of the influence of (McLaughlin et al.), 327
of treadmill exercise testing (Liss), 411 (Letter to Editor)
surgical, arteriosclerotic heart disease and (Ponka), 1
Role of paddle electrode size: effectiveness of direct current defibrillation (Thomas et al.), 463
II (Ewy and Horan), 674 (Letter to Editor)
of serial echocardiography in the evaluation and differential diagnosis of pericardial disease (Allen et al.), 560
Rupture of the heart and myocardial infarction: a macroscopic pathologic study (Penther et al.), 302
Ruptured chordae tendineae, diagnosis of, systolic mitral flutter, an echocardiographic clue to (Meyer et al.), 3

S

Salt intake and the treatment of hypertension (Langford, Watson, and Thomas), 531 (Annot.)
Saphenous vein and internal mammary artery bypass grafts, comparative study of the postoperative flow in the (Hamby et al.), 306
aortocoronary grafts, long-term angiographic assessment of the influence of coronary risk factors on native coronary circulation and (McLaughlin et al.), 327
—coronary artery bypass surgery, left ventricular performance and graft patency after: early and late follow-up (Apstein et al.), 547
Segment(s), ST-, precordial, mapping 3. Stability of maps in the early phase of acute myocardial infarction (Madias and Hood), 603
ST-T, in ischemic heart disease (Madias), 808 (Letter to Editor)
Reply (Stern), 808
Selection of patients and timing for surgery with ventricular septal defect (Yasui et al.), 40
Semilunar-mitral valve continuity, echocardiographic criteria for the diagnosis of (Story, Felner, and Schlant), 575
Sensing the cardiac electrogram. Cardiac pacing and pacemakers III (Furman, Hurzeler, and De Caprio), 794
Septal defect, atrial, primum, transposition of the great arteries, azygos continuation of the inferior vena cava, bilateral superior venae cavae and dextrocardia with centrally placed liver (Jacob, Ablett, and Stark), 623
ventricular: selection of patients and timing for surgery (Yasui et al.), 40
hypertrophy, asymmetric, complete heart block as a cause of syncope in (Chmielewski et al.), 91
motion in patients with artificial pacemakers, echocardiographic evaluation of: vectorcardiographic correlations (Zoneraich, Zoneraich, and Rhee), 596
or right ventricular ischemia in dogs, hemodynamic alterations during (Fixler, Monroe, and Wheeler), 210
Serial echocardiography in the evaluation and differential diagnosis of pericardial disease, role of (Allen et al.), 560
electrophysiologic-pharmacologic testing for control of recurrent tachyarrhythmias. Cardiac pacing and pacemakers II (Fisher et al.), 658
Severe aortic valvular disease, prevalence of angina pectoris and abnormal coronary arteriograms in (Graboys and Cohn), 683
papillary muscle dysfunction substantiated by atrial pacing during cardiac catheterization (Finn and Bower), 626
Sexual activity, work, and driving following acute myocardial infarction, factors influencing resumption of (Kushnir et al.), 261 (Annot.)

Shock, cardiogenic, clinical and hemodynamic results of intra-aortic balloon counterpulsation and surgery for (Bardet et al.), 280
complicating acute myocardial infarction, hemodynamic response to intra-aortic balloon counterpulsation in patients with (Ehrich et al.), 274
Short preceptorships for postgraduate training in new techniques (Schoenfeld), 676 (Letter to Editor)
SIDS, infants with, cardiac pathologic observations in: sudden infant death syndrome (SIDS) (Maron and Fisher), 762
—sudden infant death syndrome: cardiac pathologic observations in infants with SIDS (Maron and Fisher), 762
Significance and treatment of nocturnal angina preceding myocardial infarction (Lichstein et al.), 723
Sinoatrial node and atrioventricular abnormalities of long duration, mitral valve prolapse with (DeSilva and Shubrooks), 772
pathology of. Correlations with electrocardiographic findings in 111 patients (Thery et al.), 735
Sinus and subsidiary pacemaker function, comparative effects of overdrive on (Jordan et al.), 367
bradycardia, short PR interval, intraventricular conduction defects, recurrent supraventricular tachycardia, and cardiomegaly, familial occurrence of (Gulotta et al.), 19
with hiatus hernia (Marks and Thurston), 30
649 patients on maintenance treatment with digitoxin, prospective study of. Studies on digitalis XIII (Storstein et al.), 434
Size, role of paddle electrode: effectiveness of direct current defibrillation II (Ewy and Horan), 674 (Letter to Editor)
Sodium nitroprusside as a coronary vasodilator in man I. Effect of intracoronary sodium nitroprusside on coronary arteries, angina pectoris, and coronary blood flow (Yeh et al.), 610
intracoronary, on coronary arteries, angina pectoris, and coronary blood flow, effect of. Sodium nitroprusside as a coronary vasodilator in man I. (Yeh et al.), 610
Sound, first heart, perception of binary acoustic events associated with the (Spodick), 137
fourth heart, in patients without demonstrable heart disease (Benchimol and Desser), 298
Soup-the right recipe (Lichtenstein), 267 (Letter to Editor)
Spray for pain, a (Burch), 411 (Letter to Editor)
Stability of maps in the early phase of acute myocardial infarction. Precordial ST-segment mapping 3 (Madias and Hood), 603
Static electricity on the dog heart, arrhythmogenic effect of (McCarty and Glasser), 496
Statistics, vital, TAPVC (total anomalous pulmonary venous connection): ethics and moral values (Rathnam), 676 (Letter to Editor)
Stenosis, aortic, angina pectoris, and coronary artery disease (Hancock), 382
left ventricular contractile function in evaluated by isovolumic and ejection phase indexes (Brunner et al.), 147
supravalvular, further observations on the syndrome of idiopathic infantile hypercalcemia associated with (Folger), 455
Stimulation, vagal, atropine, and propranolol on fibrillation threshold of normal and ischemic ventricles, effects of (Yoon et al.), 60
Streptokinase, pulmonary embolectomy, and heparin: their place in the treatment of acute massive pulmonary embolism (Miller, Hall, and Paneth), 568
Stroke, cause of? Failure of autonomic control of cerebral vessels in hypertension (James), 671 (Annot.)
ST-segment mapping, precordial 3. Stability of maps in the early phase of acute myocardial infarction (Madias and Hood), 603
ST-T segments in ischemic heart disease (Madias), 808 (Letter to Editor)
ST-T segments—continued
Reply (Stern), 808
Study of human ventricular arrhythmias, limitations of the Lown grading system for the (Bigger, Wenger, and Heissenbuttel), 727
Studies on digitalis XIII. A prospective study of 649 patients on maintenance treatment with digitoxin (Storstein et al.), 434
Subsidiary and sinus pacemaker function, comparative effects of overdrive on (Jordan et al.), 367
Sudden infant death syndrome (crib death) (Guntheroth), 784
(SIDS): cardiac pathologic observations in infants with SIDS (Maron and Fisher), 762
Superior venae cavae, bilateral, transposition of great arteries, primum atrial septal defect, azygos continuation of inferior vena cava, and dextrocardia with centrally placed liver (Jacob, Ablett, Stark), 623
Supravalvular aortic stenosis, further observations on the syndrome of idiopathic infantile hypercalcemia associated with (Folger), 455
Supraventricular tachycardia, recurrent, sinus bradycardia, short PR interval, intraventricular conduction defects, and cardiomegaly, familial occurrence of (Gulotta et al.), 19
Surface isopotential maps, body, experimental study of myocardial infarction through the use of: ligation of the anterior descending branch of the left coronary artery (Sugiyama et al.), 51
Surgery and intra-aortic balloon counterpulsation for cardiogenic shock, clinical and hemodynamic results of (Bardet et al.), 280
aorto-coronary bypass, determinants of left ventricular function following (Brundage et al.), 687
bypass, coronary artery-saphenous vein, left ventricular performance and graft patency after: early and late follow-up (Apstein et al.), 547
coronary artery bypass, a cause of death months after: purulent pericarditis with asymmetric cardiac tamponade (Bulkley, Humphries, and Hutchins), 776 (CPC)
bypass, diagnostic and prognostic significance of electrocardiographic and CPK isoenzyme changes following: correlation with findings at one year (Warren et al.), 189
timing for, and patient selection with ventricular septal defect (Yasui et al.), 40
Surgical risks, arteriosclerotic heart disease and (Ponka), 1
therapy for coronary artery disease: *caveat emptor* (Pauker), 543
Survival after aortic valve replacement (Horton and Spodick), 537 (Letter to Editor)
Reply (Roberts and Yu), 538
rate of men following acute coronary heart disease, factors affecting the five year (Mulcahy et al.), 556
Swallowing, cardiac arrhythmias on (Kalloor, Singh, and Collis), 235
Sympathetic drive, cardiac, in experimental myocardial ischemia in dogs, attenuation of (Feola et al.), 82
Synchronous pacemaker, ventricular, inhibition of a (Furman), 581
Syncope, complete heart block as a cause of in asymmetric septal hypertrophy (Chmielewski et al.), 91
Syndrome, Eisenmenger's, in pregnancy (Pitts, Crosby, and Basta), 321
of idiopathic infantile hypercalcemia associated with supravalvular aortic stenosis, further observations on (Folger), 455
sudden infant death (crib death) (Guntheroth), 784
(SIDS): cardiac pathologic observations in infants with SIDS (Maron and Fisher), 762
Wolff-Parkinson-White, left ventricular posterior wall motion in patients with (Gimbel), 160
Systemic and pulmonary circulation at rest and during exercise in hypertensive patients, acute hemodynamic effects of an alpha- and beta-receptor blocking agent (AH 5158) on the (Koch), 585

Systemic—continued
disease, IgA nephritis unassociated with (Katz et al.), 670 (Annot.)
lupus erythematosus, acute dissecting aneurysm of the aorta as the fatal event in (Walts and Dubois), 378
Systolic closure, premature, of the aortic valve and "paradoxical" motion of the aorta in echocardiographic manifestations of annulo-aortic ectasia (Atsuchi et al.), 428
mitral flutter, an echocardiographic clue to the diagnosis of ruptured chordae tendineae (Meyer et al.), 3
time intervals for predicting left ventricular ejection fraction in ischemic heart disease, use of the (Eddleman et al.), 450

T

Tachyarrhythmias, recurrent, serial electrophysiologic-pharmacologic testing for control of. Cardiac pacing and pacemakers II (Fisher et al.), 658
Tachycardia, supraventricular, recurrent, sinus bradycardia, short PR interval, intraventricular conduction defects, and cardiomegaly, familial occurrence of (Gulotta et al.), 19
Takayasu's arteritis. Clinical study of 107 cases (Lupi-Herrera et al.), 94
Tamponade, cardiac, asymmetric, purulent pericarditis with: a cause of death months after coronary artery bypass surgery (Bulkley, Humphries, and Hutchins), 776 (CPC)
TAPVC (total anomalous pulmonary venous connection) vital statistics: ethics and moral values (Rathnam), 676 (Letter to Editor)
Taxonomy, a new clinical, for rating change in functional activities of patients with angina pectoris (Feinstein and Wells), 172
Technique(s) for inserting a larger prosthesis: the narrow aortic annulus (Kinsley), 759
new, short preceptorships for postgraduate training in (Schoenfeld), 676 (Letter to Editor)
Tendineae, chordae, ruptured, diagnosis of, systolic mitral flutter, an echocardiographic clue to (Meyer et al.), 3
Teratoma, mediastinal, masquerading as idiopathic enlargement of the right atrium (Thompson et al.), 375
Test(s), exercise, electrocardiographic, in patients with abnormal T waves at rest (Aravindakshan, Surawicz, and Allen), 706
of etiological hypotheses in coronary heart disease (Burch), 805 (Annot.)
Testing for control of recurrent tachyarrhythmias, serial electrophysiologic-pharmacologic. Cardiac pacing and pacemakers II (Fisher et al.), 658
treadmill exercise, risks of (Liss), 411 (Letter to Editor)
Therapy, cardiovascular, changing concepts in—A quarter century perspective (Burch), 413
combination, oral propranolol and digoxin on the resting and exercise electrocardiogram, effects of (LeWinter et al.), 202
for coronary artery disease, surgical: *caveat emptor* (Pauker), 543
thrombolytic (Fratantoni), 271
Threshold, fibrillation, of normal and ischemic ventricles, effects of vagal stimulation, atropine, and propranolol on (Yoon et al.), 60
Thromboembolic complications, arterial, in patients with Björk-Shiley and Lillehei-Kaster aortic disc valve prostheses (Dale), 715
Thrombolytic therapy (Fratantoni), 271
Thrombosis, coronary, ulceration of atherosclerotic plaques precipitating: relationship between coronary artery lesions and myocardial infarcts (Ridolfi and Hutchins), 468
Thrombus, inferior vena cava tumor, extending into the right atrium and mimicking right atrial myxoma: angiographic differentiation (Kerber, Fieselmann, and Mischler), 506
Time intervals, systolic, for predicting left ventricular ejection fraction in ischemic heart disease, use of the (Eddleman et al.), 450
Timing for surgery and patient selection with ventricular septal defect (Yasui et al.), 40
Tomography, computerized, and intracerebral hemorrhage (Hayward and O'Reilly), 126 (Annot.)
Total anomalous pulmonary venous connection (TAPVC) vital statistics: ethics and moral values (Rathnam), 676 (Letter to Editor)
Training, postgraduate, in new techniques, short preceptorships for (Schoenfeld), 676 (Letter to Editor)
Transposition of the great arteries, primum atrial septal defect, azygos continuation of the inferior vena cava, bilateral superior venae cavae and dextrocardia with centrally placed liver (Jacob, Ablett, and Stark), 623
Transvenous pacemakers in dogs, cardiac pathology of (Fishbein et al.), 73
Treadmill and bicycle ergometer exercise in middle-aged males, comparison of (Cumming), 261 (Annot.)
exercise testing, risks of (Liss), 411 (Letter to Editor)
Treatment and significance of nocturnal angina preceding myocardial infarction (Lichstein et al.), 723
of acute massive pulmonary embolism, the place of pulmonary embolectomy, heparin, and streptokinase in (Miller, Hall, and Paneth), 568
of angina pectoris, quantitative evaluation of vitamin E in the (Gillilan, Mondell, and Warbasse), 444
of hypertension, labetalol, an alpha- and beta-adrenergic blocking drug in the (Rosei et al.), 124 (Annot.)
salt intake and the (Langford, Watson, and Thomas), 531 (Annot.)
with beta-adrenergic blocking drugs, hypertension complicating (Blum and Atsmon), 802 (Annot.)
with digitoxin, maintenance, prospective study of 649 patients on. Studies on digitalis XIII (Storstein et al.), 434
Trigeminy, concealed, two variants of (Levy, Mori, and Kerin), 183
Truncus Arteriosus Communis: eleven years later (Thiene), 809 (Letter to Editor)
Reply (Van Praagh), 810
Tumor thrombus, inferior vena cava, extending into the right atrium and mimicking right atrial myxoma: angiographic differentiation (Kerber, Fieselmann, and Mischler), 506
T waves at rest, abnormal, electrocardiographic exercise test in patients with (Aravindakshan, Surawicz, and Allen), 706
Two variants of concealed trigeminy (Levy, Mori, and Kerin), 183

U

Ulceration of atherosclerotic plaques precipitating coronary thrombosis: relationship between coronary artery lesions and myocardial infarcts (Ridolfi and Hutchins), 468
Uncommon cardiovascular manifestations and high catecholamine levels due to "black widow" bite (Weitzman, Margulis, and Lehmann), 89
United States, a case of Q fever endocarditis occurring in the (Applefeld et al.), 669 (Annot.)
Unloading, ventricular, in the management of heart disease: role of vasodilators. Part I (Shah), 256
Part II (Shah), 403
Use of systolic time intervals for predicting left ventricular ejection fraction in ischemic heart disease (Eddleman, Jr., et al.), 450

V

Vagal stimulation, atropine, and propranolol on fibrillation threshold of normal and ischemic ventricles, effects of (Yoon et al.), 60
tone, clinical evaluation of enhancement of in acute myocardial infarction by edrophonium hydrochloride: effects on ventricular arrhythmias, His bundle electrography, and left ventricular function (Miller et al.), 222
Valve(s), aortic, premature systolic closure of, and "paradoxical" motion of the aorta in echocardiographic manifestations of annulo-aortic ectasia (Atsuchi et al.), 428
prosthetic, effect of propranolol on hemolysis in patients with an (Santinga, Flora, Rush, Penner, and Willis), 197
continuity, mitral-semilunar, echocardiographic criteria for the diagnosis of (Story, Felner, and Schlant), 575
endocarditis, prosthetic, a conversation on (Arnett et al.), 510 (Clinical pathologic conference)
mitral, noisy floppy (Young), 130 (Letter to Editor)
prolapse, mitral, echocardiographic and auscultatory (examination), augmentation of by atrial premature depolarizations (Reiffel et al.), 533 (Annot.)
propranolol for patients with (Winkle et al.), 422
ventricular buckling, a factor in the abnormal ventriculogram and peculiar hemodynamics associated with (Cobbs and King), 741
with atrioventricular and sinoatrial node abnormalities of long duration (DeSilva and Shubrooks), 772
prostheses, aortic disc, Björk-Shiley and Lillehei-Kaster, arterial thromboembolic complications in patients with (Dale), 715
replacement, aortic, survival after (Horton and Spodick), 537 (Letter to Editor)
Reply (Roberts and Yu), 538
Valvular disease, aortic, severe, prevalence of angina pectoris and abnormal coronary arteriograms in (Graboys and Cohn), 683
Variants of concealed trigeminy, two (Levy, Mori, and Kerin), 183
Vasodilator in man, coronary, sodium nitroprusside as I. Effect of intracoronary sodium nitroprusside on coronary arteries, angina pectoris, and coronary blood flow (Yeh et al.), 610
(papaverine and adenosine), effects of in coronary reperfusion (Parker, Bashour, and Downey), 66
role of Part I. Ventricular unloading in the management of heart disease (Shah), 256
Part II. Ventricular unloading in the management of heart disease. (Shah), 403
Vectorcardiographic and electrocardiographic abnormalities in Fabry's disease (Mehta et al.), 699
correlations with echocardiographic evaluation of septal motion in patients with artificial pacemakers (Zoneraich, Zoneraich, and Rhee), 596
Vegan diet and angina (Ellis and Sanders), 803 (Annot.)
Vein(s) aortocoronary grafts, saphenous, long-term angiographic assessment of the influence of coronary risk factors on native coronary circulation and (McLaughlin et al.), 327
saphenous, and internal mammary artery bypass grafts, comparative study of the postoperative flow in the (Hamby et al.), 306
—coronary artery bypass surgery, left ventricular performance and graft patency after: early and late follow-up (Apstein et al.), 547
Velocity in man, blood, phasic aortocoronary bypass graft, effects of amyl nitrite on (Benchimol, Desser, and Raizada), 592
Vena cava, inferior, azygos continuation of, transposition of the great arteries, primum atrial septal defect, bilateral superior venae cavae and dextrocardia with centrally placed liver (Jacob, Ablett, and Stark), 623
Vena cava—continued
tumor thrombus, inferior, extending into the right atrium and mimicking right atrial myxoma: angiographic differentiation (Kerber, Fieselmann, and Mischler), 506
Venae cavae, bilateral superior, transposition of the great arteries, primum atrial septal defect, azygos continuation of the inferior vena cava, and dextrocardia with centrally placed liver (Jacob, Ablett, and Stark), 623
Venesection (Török), 128 (Letter to Editor)
Reply (Seely), 128
Ventricles, normal and ischemic, effects of vagal stimulation, atropine, and propranolol on fibrillation threshold of (Yoon et al.), 60
Ventricular arrhythmias, His bundle electrography, and left ventricular function, effects on: clinical evaluation of enhancement of vagal tone in acute myocardial infarction by edrophonium hydrochloride (Miller et al.), 222
human, limitations of the Lown grading system for the study of (Bigger, Wenger, and Heissenbuttel), 727
buckling: a factor in the abnormal ventriculogram and peculiar hemodynamics associated with mitral valve prolapse (Cobbs and King), 741
contractile force, left, depressed response of to isoproterenol and norepinephrine in dogs with congestive heart failure (Newman), 216
function, left, in aortic stenosis evaluated by isovolumic and ejection phase indexes (Brunner et al.), 147
contrast injection, programmed left. A method to minimize left ventricular irritability during angiography (Caldwell and Kennedy), 141
ejection fraction, left, in ischemic heart disease, use of the systolic time intervals in predicting (Eddleman et al.), 450
function, left, following aortocoronary bypass surgery, determinants of (Brundage et al.), 687
in chronic heart disease, noninvasive assessment of (Sutton, Hood, and Koch), 289
ventricular arrhythmias, and His bundle electrography, effects on: clinical evaluation of enhancement of vagal tone in acute myocardial infarction by edrophonium hydrochloride (Miller et al.), 222
irritability, left, a method to minimize during angiography. Programmed left ventricular contrast injection (Caldwell and Kennedy), 141
ischemia, right, or septal ischemia in dogs, hemodynamic alterations during (Fixler, Monroe, and Wheeler), 210
parasystole, double: intermittency and its relation to reentrant premature beats (Ogawa, Watanabe, and Dreifus), 767
performance, left, and graft patency after coronary artery-saphenous vein bypass surgery: early and late follow-up (Apstein et al.), 547
posterior wall motion, left, in patients with the Wolff-Parkinson-White syndrome (Gimbel), 160
pressure, and volume, left, with emphasis on coronary artery disease, effects of contrast medium on (Hamby et al.), 9
septal defect: selection of patients and timing for surgery (Yasui et al.), 40
synchronous pacemaker, inhibition of a (Furman), 581
unloading in the management of heart disease:role of vasodilators. Part I (Shah), 256
Part II (Shah), 403
Ventriculogram(s), abnormal, and peculiar hemodynamics associated with mitral valve prolapse, a factor in: ventricular buckling (Cobbs and King), 741
left, interchangeability of (Krohn), 130 (Letter to Editor)
Reply (Ferlinz), 131
Vessels in hypertension, cerebral, failure of autonomic control of—the cause of stroke? (James), 671 (Annot.)
injury, great (Symbas), 518
Viral carditis, acute rheumatic fever and (Kloth), 133 (Letter to Editor)

Viral carditis—continued
Reply (Ward), 134
Virus heart disease, Coxsackie, and cardiomyopathy (Levi et al.), 419
Vital statistics, TAPVC (total anomalous pulmonary venous connection): ethics and moral values (Rathnam), 676 (Letter to Editor)
Vitamin E in the treatment of angina pectoris, quantitative evaluation of (Gillilan, Mondell, and Warbasse), 444
Volume and pressure, left ventricular, with emphasis on coronary artery disease, effects of contrast medium on (Hamby et al.), 9

W

Wall motion, left ventricular posterior, in patients with the Wolff-Parkinson-White syndrome (Gimbel), 160
Warfarin binding in kwashiorkor (Buchanan and Van der Walt), 128 (Letter to Editor)
Waves, T, at rest, abnormal, electrocardiographic exercise test in patients with (Aravindakshan, Surawicz, and Allen), 706
What much of this is about, of (Burch), 265 (Annot.) *Money in medicine*
Widow, black, bite, uncommon cardiovascular manifestations and high catecholamine levels due to (Weitzman, Margulis, and Lehmann), 89
Wolff-Parkinson-White syndrome, left ventricular posterior wall motion in patients with (Gimbel), 160
Women—high resistance of to heart disease (Landman and Lavelle), 129 (Letter to Editor)
Reply (Seely), 129
Work, sexual activity, and driving following acute myocardial infarction, factors influencing resumption of (Kushnir et al.), 261 (Annot.)

American Heart Journal

An international publication for the study of the circulation

George E. Burch *Editor*

Thomas D. Giles *Assistant Editor*

International Editorial Board

Walter H. Abelmann, *Boston, Mass.*
R. P. Ahlquist, *Augusta*
James K. Alexander, *Houston, Texas*
Giorgio Baroldi, *Milan, Italy*
Lotfy L. Basta, *Tulsa, Okla.*
Thomas M. Blake, *Jackson, Miss.*
S. Gilbert Blount, Jr., *Denver*
Bernardo Boskis, *Argentina*
Eugenii I. Chazov, *Moscow, U.S.S.R.*
Henri Chevalier, *Paris*
Te-Chuan Chou, *Cincinnati*
J. M. Criley, *Torrance, Calif.*
James A. Cronvich, *New Orleans*
Anthony N. Damato, *Staten Island, N. Y.*
Arthur C. DeGraff, *New York*
Lewis Dexter, *Boston*
James E. Doherty, *Little Rock*
Charles Dubost, *Paris*
Jesse E. Edwards, *St. Paul*
Robert H. Eich, *Syracuse, N. Y.*
Mary Allen Engle, *New York*
Harvey Feigenbaum, *Indianapolis*
Alvan R. Feinstein, *New Haven, Conn.*
M. Irené Ferrer, *New York*
Nancy C. Flowers, *Louisville*
Nicholas J. Fortuin, *Baltimore, Md.*
Martin J. Frank, *Augusta, Ga.*
Julian Frieden, *New Rochelle, N. Y.*
Peter C. Gazes, *Charleston*
Jacques Genest, *Montreal, Canada*
Allan V. N. Goodyer, *New Haven, Conn.*
Mervyn S. Gotsman, *Jerusalem, Israel*
Robert L. Grissom, *Omaha*
Dale Groom, *Oklahoma City*
Rolf M. Gunnar, *Chicago*
Warren G. Guntheroth, *Seattle, Wash.*
E. William Hancock, *Stanford, Calif.*
Herbert N. Hultgren, *Palo Alto, Calif.*
Mohamed Ibrahim, *Cairo, Egypt*
Thomas N. James, *Birmingham, Ala.*
L. E. January, *Iowa City*
James N. Karnegis, *Minneapolis*
John A. Kastor, *Philadelphia*
Nodar N. Kipshidze, *Tbilisi, U.S.S.R.*
Richard Langendorf, *Chicago*
John H. Laragh, *New York*
J. Lequime, *Brussels, Belgium*
Maurice Lev, *Chicago*
R. J. Linden, *Leeds*
F. Loogen, *Dusseldorf, Germany*
Hugh A. McAllister, Jr., *Washington, D.C.*
Rashid A. Massumi, *Davis, Calif.*
Clifford V. Nelson, *Portland, Me.*
Eckhardt G. J. Olsen, *London*
Victor Parsonnet, *Newark*
Morton Lee Pearce, *Los Angeles*
Alfred Pick, *Chicago*
Hubert V. Pipberger, *Washington, D. C.*
Ray Pryor, *Denver, Colo.*
E. W. Reynolds, *Madison, Wisc.*
Robert C. Schlant, *Atlanta, Ga.*
Peter J. Schwartz, *Milano*
Ralph C. Scott, *Cincinnati*
J. P. Shillingford, *London*
Louis A. Soloff, *Philadelphia*
Borys Surawicz, *Lexington*
Tadasu Takatsu, *Osaka*
John Thomas, *Nashville, Tenn.*
Douglas P. Zipes, *Indianapolis, Ind.*

VOLUME 94

JULY-DECEMBER 1977

VOLUME 94
COPYRIGHT © 1977 BY
THE C.V. MOSBY COMPANY
All rights reserved

Printed in the United States of America

Author index*

A

ABBOUD, FRANCOIS M. (*See* Marcus et al.), 748
ABDULLAH, A. K., SIDDIQUI, M. A., AND TAJUDDIN, M. Systolic time intervals in chronic anemia, 287
ABILDSKOV, J. A. (*See* Lyons, Burgess, and Abildskov), 755
ABRAHAM, ABRAHAM S., AND WEINSTEIN, MOSHE. Early ambulation following myocardial infarction, 666 (Annot.)
ADERKA, DAN (*See* Reshef et al.), 486
AHMED, S. SULTAN, REGAN, TIMOTHY J., FIORE, JAMES J., AND LEVINSON, GILBERT E. The state of the left ventricular myocardium in mitral stenosis, 28
——. (*See* Nathan et al.), 627
AINTABLIAN, AGOP. (*See* Hamby et al.), 573
ALI, N. (*See* Andy et al.), 175
ALLEN, MARCIA D. (*See* Greenblatt et al.), 6
ALPERT, J. S. (*See* Ehrich et al.), 217
AMAT-Y-LEON, FERNANDO. (*See* Miller et al.), 740
AMIKAM, SHLOMO, AND RISS, EGON. Reply, 266 (Letter to Editor)
ANDERSEN, ANDERS. (*See* Forfang et al.), 44
ANDERSEN, MOGENS, LYNGBORG, KJELD, MØLLER, INGE, AND WENNEVOLD, ALF. Reply, 669 (Letter to Editor)
ANDERSON, DAVID J., BULKLEY, BERNADINE H., AND HUTCHINS, GROVER M. A clinicopathologic study of prosthetic valve endocarditis in 22 patients: Morphologic basis for diagnosis and therapy, 325
, !DERSON, R. H. (*See* Urban, Anderson, and Stark), 91
ANDY, J. J., CURRY, C. L., ALI, N., AND MEHROTRA, P. P. Cardiovascular effects of dobutamine in severe congestive heart failure, 175
ANGELL, WILLIAM W. (*See* Hultgren et al.), 146
ARANDA, JUAN M. (*See* Befeler and Aranda), 773
ARITA, MAKOTO. (*See* Fukumoto et al.), 699
ATTAH, ED. 'B., AND FALASE, A. O. Large flabby hearts in hypertension, 189

B

BANKA, VIDYA S. (*See* Morrison et al.), 140
BARNARD, CHRISTIAAN N. (*See* Forman, Beck, and Barnard), 282
BARNER, HENDRICK B. (*See* Marco, Standeven, and Barner), 73
BAROLDI, GIORGIO Reply, 392 (Letter to Editor)
BARRESI, VINCENT. (*See* Dianzumba et al.), 479
BASSLER, THOMAS J. Now the treadmill! 673 (Letter to Editor)
BAUCUM, RALPH W., JR. (*See* Glasser and Baucum), 3
BECK, RALPH. (*See* Mullinax, Shiel, and Beck), 491
BECK, WALTER. (*See* Forman, Beck, and Barnard), 282
BEFELER, BENJAMIN, AND ARANDA, JUAN M. Termination of ventricular tachycardia by a chest thump over the area of paradoxical pulsation, 773
BELIC, NENAD. (*See* Dianzumba et al.), 479
BENSAID, JULIEN. Right aortic arch associated with contralateral congenital subclavian steal: a well-defined but certainly more frequent syndrome than reported on, 673 (Letter to Editor)
BERGLUND, G. (*See* Wilhelmsen and Berglund), 543
BERNHARD, WILLIAM F. (*See* Greenwood et al.), 14
BETTE, LUDWIG. (*See* Rettig et al.), 265 (Letter to Editor)
BHARATI, SAROJA, AND LEV, MAURICE. Truncus Arteriosus Communis, 669 (Letter to Editor)
BISLA, VIRENDRA. (*See* D'Cruz et al.), 367
BLACKBURN, H., CHAPMAN, J., DAWBER, T. R., DOYLE, J. T., EPSTEIN, F. H., KANNEL, W. B., KEYS, A., MOORE, F., PAUL, O., STAMLER, J., AND TAYLOR, H. L. Revised data for 1970 ICHD Report, 539 (Letter to Editor)
BLANC, J. J. (*See* Penther et al.), 705
BLOMQVIST, C. GUNNAR. (*See* Schwade, Blomqvist, and Shapiro), 203
BLOOMFIELD, D. K. (*See* Krasnow and Bloomfield), 133 (Letter to Editor)
BODENHEIMER, MONTY M. (*See* Morrison et al.), 140
BOITNOTT, JOHN K. (*See* Hutchins et al.), 196
BOSCHAT, J. (*See* Penther et al.), 705
BOUCHER, CHARLES A., FALLON, JOHN T., MYERS, GORDON S., HUTTER, ADOLPH M., JR., AND BUCKLEY, MORTIMER J. The value and limitations of echocardiography in recording mitral valve vegetations, 37
BRUNTON, W. A. TELFER, AND PERCY-ROBB, I. W. Methods for measuring plasma or blood glucose in the clinic: A short review, 533 (Annot.)
BRYNJOLFSSON, GISSUR, ESHAGHY, BEHROOZ, TALANO, JAMES V., AND GUNNAR, ROLF. Granulomatous myocarditis secondary to cornstarch, 353
BUCKLEY, MORTIMER J. (*See* Boucher et al.), 37
BULKLEY, BERNADINE H. (*See* Hutchins et al.), 196
——. (*See* Anderson, Bulkley, and Hutchins), 325
——. (*See* Gharagozloo, Bulkley, and Hutchins), 618
BURCH, GEORGE E. Congestive heart failure is not due to low cardiac output *per se*, 269
——. Of bellyache, 668 (Annot.)
——. Of cardiac arrest and sleep, 129 (Annot)
——. Of central venous pressure, 391 (Annot.)
——. Of Ewart's sign and myocardial infarction, 809 (Annot.)
——. Of hemiblock propaganda, 532 (Annot.)
——. Of pre-infarct syndrome and bed rest, 262 (Annot.)
——. Technocrats or doctors? 1
——. The shortage of doctors and new medical schools, 682
——, AND GILES, T. D. The importance of magnesium deficiency in cardiovascular disease, 649
——, AND ——. The small coronary arteries in alcoholic cardiomyopathy, 471
BURGESS, MARY JO, WILLIAMS, DEAN, AND ERSHLER, PHILIP. Influence of test site on ventricular fibrillation threshold, 55
——. (*See* Lyons, Burgess, and Abildskov), 755

C

CALARESU, FRANCO R. (*See* Maytham, Kline, and Calaresu), 731
CALDWELL, JAMES H. (*See* Kolibash et al.), 806 (Annot.)
CARALIS, DENNIS G. (*See* Kennedy et al.), 718
CARLISLE, RAYMOND, AND LEWIS, A. FENTON. Survival curves applied to acute myocardial infarction, 807 (Annot.)
CARLSON, RICHARD W. (*See* Shubin, Weil, and Carlson), 112
CARRETERO, OSCAR A. (*See* Niarchos, Gulati, and Carretero), 81

*July, pp. 1-134; August, pp. 135-268; September, pp. 269-398; October, pp. 399-542; November, pp. 543-676; December, pp. 677-838.

CASTANEDA, ALDO R. (*See* Greenwood et al.), 14
CASTELLANOS, AGUSTIN, SUNG, RUEY J., MALLON, STEPHEN M., GHAHRAMANI, ALI, MOLEIRO, FREDRICO, AND MYERBURG, ROBERT J. His bundle electrocardiography in manifest and concealed right bundle branch extrasystoles, 307
CHAPMAN, J. (*See* Blackburn et al.), 539 (Letter to Editor)
CHEN, SU-CHIUNG, FAGAN, LEONARD F., MUDD, GERARD J. F., AND WILLMAN, VALLEE L. Prognosis of infants with coarctation of aorta, 557
CHICHE, PAUL. (*See* Haïat et al.), 390 (Annot.)
CHUA, W. (*See* Gould et al.), 341
COHEN, HOWARD C. (*See* D'Cruz et al.), 367
COHN, KEITH. (*See* Jacobson, LaFollette, and Cohn), 407
COME, PATRICIA C. (*See* Dashkoff et al.), 585
COOPER, KENNETH H. The treadmill re-examined, 811 (Letter to Editor)
CORTESE, TOM. (*See* Hull et al.), 414
CURRY, C. L. (*See* Andy et al.), 175

D

DALE, JON. Reduced platelet adhesiveness in patients with prosthetic ball valves: Relation to adenosine diphosphate and mechanical trauma, 562
—, AND MYHRE, ERIK. Platelet functions in patients with aortic ball valves, 359
—, —, STORSTEIN, OLE, STORMORKEN, HELGE, AND EFSKIND, LEIF. Prevention of arterial thromboembolism with acetylsalicylic acid. A controlled clinical study in patients with aortic ball valves, 101
DANIELSON, GORDON K. (*See* Pritchard et al.), 209
DASHKOFF, NEIL, KARACUSCHANSKY, MIGUEL, COME, PATRICIA C., AND FORTUIN, NICHOLAS J., *with the technical assistance of Livengood, Sue V.* Echocardiographic features of mitral annulus calcification, 585
—. (*See* Roland et al.), 336
DAVIS, DEANA M. (*See* Marcus et al.), 748
DAVIS, JAMES W. (*See* Lin et al.), 725
DAWBER, T. R. (*See* Blackburn et al.), 539 (Letter to Editor)
D'CRUZ, IVAN A., COHEN, HOWARD C., PRABHU, RAVINDRA, BISLA, VIRENDRA, AND GLICK, GERALD. Clinical manifestations of mitral annulus calcification, with emphasis on its echocardiographic features, 367
DEMELLO, VINCENT. (*See* Mimbs, deMello, and Roberts), 579
DERRIDA, JEAN-PAUL. (*See* Haïat et al.), 390 (Annot.)
DE SWIET, MICHAEL, AND SHINEBOURNE, ELLIOTT A. Blood pressure in infancy, 399
DEWEESE, JAMES A. (*See* Hess et al.), 349
DHINGRA, RAMESH C. (*See* Miller et al.), 740
DHURJATY, SHARDA. (*See* Nair and Dhurjaty), 393 (Letter to Editor)
DIANZUMBA, SINDA B., SINGER, DONALD H., MEYERS, SHERIDAN, BARRESI, VINCENT, BELIC, NENAD, AND SMITH, JACQUES M. Lenegre's disease in youth, 479
DIOSI, PETER. (*See* Georgescu et al.), 805 (Annot.)
DISCHE, M. R. (*See* Freedom, Dische, and Rowe), 689
DOENECKE, PETER. (*See* Rettig et al.), 265 (Letter to Editor)
DORISMOND, J. C. (*See* Gould et al.), 341
DOYLE, J. T. (*See* Blackburn et al.), 539 (Letter to Editor)
DUFF, DESMOND F., AND GUTGESELL, HOWARD P. The use of saline or blood for ultrasonic detection of a right-to-left intracardiac shunt in the early postoperative patient, 402
DUHME, DAVID W. (*See* Greenblatt et al.), 6

E

EDWARDS, JESSE E. (*See* Shrivastava et al.), 222
EFSKIND, LEIF. (*See* Forfang et al.), 44
—. (*See* Dale et al.), 101
EHRICH, DENNIS A., VIEWEG, W. V. R., ALPERT, J. S., FOLKERTH, T. L., AND HAGAN, A. D. Cor triatriatum: Report of case in a young adult with special reference to the echocardiographic features and etiology of the systolic murmur, 217
ELLESTAD, MYRVIN H. Inspiration and angina pectoris, 810 (Letter to Editor)
ENGEL, TOBY R., MEISTER, STEVEN G., AND FRANKL, WILLIAM S. Absence of Wedensky effect in man, 435
—. (*See* Meister et al.), 685
ENSSLEN, R. (*See* Schwarz et al.), 421
EPSTEIN, F. H. (*See* Blackburn et al.), 539 (Letter to Editor)
ERHARDT, JAMES C. (*See* Marcus et al.), 748
ERSHLER, PHILIP. (*See* Burgess, Williams, and Ershler), 55
ESHAGHY, BEHROOZ. (*See* Brynjolfsson et al.), 353
ESKWITH, IRWIN S. Reply, 538 (Letter to Editor)

F

FAGAN, LEONARD F. (*See* Chen et al.), 557
FALASE, A. O. (*See* Attah and Falase), 189
FALLON, JOHN T. (*See* Boucher et al.), 37
FALSETTI, HERMAN L. (*See* Marcus et al.), 748
FEITOSA, GILSON S. (*See* Meister et al.), 685
FELDMAN, MICHAEL S. (*See* Morrison et al.), 140
FERLINZ, JACK. Measurements of right ventricular volumes in man from single plane cineangiograms. A comparison to the biplane approach, 87
FERRIS, JAMES. (*See* Levene and Ferris), 769
FIORE, JAMES J. (*See* Ahmed et al.), 28
FISHER, JOHN D. (*See* Furman and Fisher), 250
FLANAGAN, WILLIAM H., AND SHAH, PRAVIN M. Echocardiograhic correlate of presystolic pulmonary ejection sound in congenital valvular pulmonic stenosis, 633
FLEMINGTON, C. SUSAN. (*See* Smith et al.), 428
FOLKERTH, T. L. (*See* Ehrich et al.), 217
FORFANG, KOLBJÖRN, SIMONSEN, SVEIN, ANDERSEN, ANDERS, AND EFSKIND, LEIF. Atrial septal defect of secundum type in the middle-aged. Clinical results of surgery and correlations between symptoms and hemodynamics, 44
FORMAN, ROBERT, BECK, WALTER, AND BARNARD, CHRISTIAAN N. Results of valve replacement with the Lillehei-Kaster disc prosthesis, 282
FORNANEK, AUGUSTIN. (*See* Shrivastava et al.), 222
FORTUIN, NICHOLAS J. (*See* Dashkoff et al.), 585
FRANKL, WILLIAM S. (*See* Engel, Meister, and Frankl), 435
—. (*See* Meister et al.), 685
FREED, MICHAEL D. (*See* Greenwood et al.), 14
FREEDOM, ROBERT M., DISCHE, M. R., AND ROWE, RICHARD D. Conal anatomy in aortic atresia, ventricular septal defect, and normally developed left ventricle, 689
FROELICHER, VICTOR F., JR. (*See* Whinnery et al.), 316
FUJINAMI, TAKAO. (*See* Takada et al.), 710
FUJINO, TAKEHIKO. (*See* Fukumoto et al.), 699
FUKUMOTO, TERUO, ITO, MORIO, ARITA, MAKOTO, TETSUO, MOTOHARU, FUJINO, TAKEHIKO, AND MASHIBA, HIROTO. Right parasternal lift in atrial septal defect, 699
FURMAN, SEYMOUR. Cardiac pacing and pacemakers VI. Analysis of pacemaker malfunction, 378
—. Cardiac pacing and pacemakers VIII. The pacemaker follow-up clinic, 795
—, AND FISHER, JOHN D. Cardiac pacing and pacemakers V. Technical aspects of implantation and equipment, 250
—, HURZELER, PHILIP, AND MEHRA, RAHUL. Cardiac pacing and pacemakers IV. Threshold of cardiac stimulation, 115

G

GALPERIN-LEMAÎTRE, H., AND LEVI, S. Safety threshold of ultrasound in medical use? 260 (Annot.)

GAVRILESCU, MARIA. (*See* Gavrilescu, Gavrilescu and Luca), 21
GAVRILESCU, S., GAVRILESCU, MARIA, AND LUCA, C. Accelerated atrioventricular conduction during acute myocardial infarction, 21
GEDDES, L. A., GRUBBS, S. S., WILCOX, P. G., AND TACKER, W. A., JR. The thoracic windows for electrical ventricular defibrillation current, 67
GEORGESCU, LEONIDA, LITVAC, BOB, DIOSI, PETER, PLAVOŞIN, LIVIA, AND HERZOG, GEORGETA. Viruses in Balkan nephritis, 805 (annot.)
GERBER, NORRIS H. (See Kostis et al.), 764
GHAHRAMANI, ALI. (*See* Castellanos et al.), 307
GHANI, M. FAROOQ, AND RABAH, M. Effect of magnesium chloride on electrical stability of the heart, 600
GHARAGOZLOO, FARID, BULKLEY, BERNADINE H., AND HUTCHINS, GROVER M. A proposed pathogenesis of cor triatriatum: Impingement of the left superior vena cava on the developing left atrium, 618
GIBSON, EDWARD S. (*See* Sackett et al.), 666 (Annot.)
GILES, T. D. (*See* Burch and Giles), 471
——. (*See* Burch and Giles), 649
GIRARD, DONALD E., AND GIRARD, JOHN B. Mitral valve prolapse–click syndrome in twins, 813 (Letter to Editor)
GIRARD, JOHN B. (*See* Girard and Girard), 813 (Letter to Editor)
GLASSER, STEPHEN P., AND BAUCUM, RALPH W., JR. Pulmonary valve fluttering in subpulmonic ventricular septal defect, 3
GLECKMAN, RICHARD. Culture negative bacterial endocarditis confirming the diagnosis, 125 (Annot.)
GLENN, T. M. (*See* Wilkerson and Glenn), 454
GLICK, GERALD. (*See* D'Cruz et al.), 367
GOODKIND, M. JAY. (*See* Kostis et al.), 764
GOTZOYANNIS, STAVROS. (*See* Kostis et al.), 764
GOULD, LAWRENCE, REDDY, C. V. RAMANA, CHUA, W., SWAMY, C. R. N., AND DORISMOND, J. C. Electrophysiologic properties of nitroglycerin in man, 341
GOWDA, K. S., LOH, CHRISTOPHER W., AND ROBERTS, ROBERT. Reply, 539 (Letter to Editor)
GRAMIAK, RAYMOND. (*See* Hess et al.), 349
GRANATELLI, D. (*See* Penther et al.), 705
GREENBLATT, DAVID J., DUHME, DAVID W., ALLEN, MARCIA D., AND KOCH-WESER, JAN. Clinical toxicity of furosemide in hospitalized patients. A report from the Boston Collaborative Drug Surveillance Program, 6
GREENWOOD, RONALD D., NADAS, ALEXANDER S., ROSENTHAL, AMNON, FREED, MICHAEL D., BERNARD, WILLIAM F., AND CASTANEDA, ALDO R. Ascending aorta-pulmonary artery anastomosis for cyanotic congenital heart disease, 14
GRUBBS, S. S. (*See* Geddes et al.), 67
GULATI, OM P. (*See* Niarchos, Gulati, and Carretero), 81
GUNNAR, ROLF. (*See* Brynjolfsson et al.), 353
GUNTHEROTH, WARREN G., INAMDAR, A. R., PERSON, RICHARD, AND MACKLER, BRUCE. Clofibrate effects: Mitochondria vs exercise tolerance in aging hamsters, 460
GUTGESELL, HOWARD P. (*See* Duff and Gutgesell), 402

H

HAAS, JOHN M. Reply, 265 (Letter to Editor)
HAGAN, A. D. (*See* Ehrich et al.), 217
HAÏAT, ROBERT, HALPHEN, CHRISTINE, DERRIDA, JEAN-PAUL, AND CHICHE, PAUL. Pseudo normalization of the repolarization during transient episodes of myocardial ischemia, 390 (Annot.)
HAIDER, BUNYAD. (*See* Nathan et al.), 627
HALPHEN, CHRISTINE. (*See* Haïat et al.), 390 (Annot.)
HAMBY, ROBERT I., AINTABLIAN, AGOP, SHANIES, STANLEY, WISOFF, B. GEORGE, WEISZ, DANIEL, AND VOLETI, CHAUDARY. Angina pectoris and intermittent claudication, 573
HAN, JAOK. (*See* Merx, Yoon, and Han), 603
HANDMAKER, HIRSCH. (*See* Rosenblatt et al.), 463
HARRISON, CARLOS E., JR. (*See* Pritchard et al.), 209
HAYNES, R. BRIAN. (*See* Sackett et al.), 666 (Annot.)
HEATLEY, RICHARD V., AND HUGHES, L. E. Preoperative deep vein thrombosis in patients with gastrointestinal disease, 127 (Annot.)
HEFFERNAN, LEROY P. (*See* Smith et al.), 428
HELFANT, RICHARD H. (*See* Morrison et al.), 140
——. (*See* Meister et al.), 685
HELLSTROM, H. RICHARD. The injury-vasospasm hypothesis of ischemic heart disease revisited, 642
HERZOG, GEORGETA. (*See* Georgescu et al.), 805 (Annot.)
HESS, PAUL G., NANDA, NAVIN C., DEWEESE, JAMES A., REEVES, WILLIAM C., AND GRAMIAK, RAYMOND. Echocardiographic features of combined membranous subaortic stenosis and acquired calcific aortic valvulopathy, 349
HOFFMAN, IRWIN. Anterior conduction delay, 813 (Letter to Editor)
HOLFORD, NICHOLAS, AND SHEINER, LEWIS B. The digoxin concentration: before and after the fact, 529 (Annot.)
HORT, W. (*See* Kalbfleisch and Hort), 183
HUGHES, L. E. (*See* Heatley and Hughes), 127 (Annot.)
HULL, DAVID H., WOLTHUIS, ROGER A., CORTESE, TOM, LONGO, MICHAEL R., JR., AND TRIEBWASSER, JOHN H. Borderline hypertension versus normotension: Differential response to orthostatic stress, 414
HULTGREN, HERBERT N., SHETTIGAR, UDIPI R., PFEIFER, JAMES F., AND ANGELL, WILLIAM W. Acute myocardial infarction and ischemic injury during surgery for coronary artery disease, 146
HURZELER, PHILIP. (*See* Furman, Hurzeler, and Mehra), 115
HUTCHINS, GROVER M., BULKLEY, BERNADINE H., MINER, MARTIN M., AND BOITNOTT, JOHN K. Correlation of age and heart weight with tortuosity and caliber of normal human coronary arteries, 196
——. (*See* Anderson, Bulkley, and Hutchins), 325
——. (*See* Gharagozloo, Bulkley, and Hutchins), 618
HUTTER, ADLOPH M., JR. (*See* Boucher et al.), 37

I

ICHINOSE, SUSUMU. (*See* Takagi et al.), 387 (Annot.)
INAMDAR, A. R. (*See* Guntheroth et al.), 460
ITO, MORIO. (*See* Fukumoto et al.), 699

J

JACOBSON, LESTER B., LAFOLLETTE, LIZELLEN, AND COHN, KEITH. An appraisal of initial QRS forces in left anterior fascicular block, 407
JOHNSON, ARNOLD L. (*See* Sackett et al.), 666 (Annot.)
JONES, M. E., TERRY, G., AND KENMURE, A. C. F. Frequency and significance of conduction defects in acute myocardial infarction, 163

K

KAINDL, FRITZ. (*See* Probst et al.), 96
KALBFLEISCH, H., AND HORT, W. Quantitative study on the size of coronary artery supplying areas postmortem, 183
KANAKIS, CHARLES, JR. (*See* Miller et al.), 740
KANNEL, WILLIAM B. (*See* Schneider, Thomas, and Kannel), 568
——. (*See* Blackburn et al.), 539 (Letter to Editor)
KARACUSCHANSKY, MIGUEL. (*See* Dashkoff et al.), 585
KARLÍČEK, V. (*See* Šimon et al.), 130 (Letter to Editor)
KATHOLI, RICHARD E. Small atrial septal defects, 669 (Letter to Editor)
KELLEY, MICHAEL J. (*See* Sostman, Kelley, and Langou), 611
KENMURE, A. C. F. (*See* Jones, Terry, and Kenmure), 163

KENNEDY, HAROLD L., CARALIS, DENNIS G., KHAN, MAHMOOD ALI, POBLETE, PIO F., AND PESCARMONA, JANET E. Ventricular arrhythmia 24 hours before and after maximal treadmill testing, 718
KERBER, RICHARD E. (*See* Marcus et al.), 748
KERTH, WILLIAM. (*See* Rosenblatt et al.), 463
KEYS, A. (*See* Blackburn et al.), 539 (Letter to Editor)
KHAN, MAHMOOD ALI. (*See* Kennedy et al.), 718
KIMURA, NOBORU. (*See* Toshima, Koga, and Kimura), 547
KLINE, ROBERT L. (*See* Maytham, Kline, and Calaresu), 731
KLOSTER, FRANK E. (*See* Stein and Kloster), 637
KOCH-WESER, JAN. (*See* Greenblatt et al.), 6
KOGA, YOSHINORI. (*See* Toshima, Koga, and Kimura), 547
KOLIBASH, ALBERT J., KRAMER, WILLIAM G., REUNING, RICHARD H., AND CALDWELL, JAMES H. Marked decline in serum digoxin concentrations during an episode of severe diarrhea, 806 (Annot.)
KOSTIS, JOHN B., GOODKIND, M. JAY, GOTZOYANNIS, STAVROS, GERBER, NORRIS H., AND KUO, PETER T. Effect of lidocaine on the atrial fibrillation threshold, 764
KOTLER, MORRIS N., SEGAL, BERNARD L., MINTZ, GARY, AND PARRY, WAYNE R. Pitfalls and limitations of M-mode echocardiography, 227
KRAMER, WILLIAM G. (*See* Kolibash et al.), 806 (Annot.)
KRASNOW, A. Z., AND BLOOMFIELD, D. K. Reply, 133 (Letter to Editor)
KUO, PETER T. (*See* Kostis et al.), 764

L

LAFOLLETTE, LIZELLEN. (*See* Jacobson, LaFollette, and Cohn), 407
LAKS, MICHAEL M. Norepinephrine—the producer of myocardial cellular hypertrophy and/or necrosis and/or fibrosis, 394 (Letter to Editor)
LANCASTER, MALCOLM C. (*See* Whinnery et al.), 316
LANCE, VERONICA Q., AND SPODICK, DAVID H. Systolic time intervals utilizing ear densitography. Advantages and reliability for stress testing, 62
LANGOU, RENE A. (*See* Sostman, Kelley, and Langou), 611
LEON, DONALD F. (*See* Thompson, Shaver, and Leon), 297
LEV, MAURICE. (*See* Bharati and Lev), 669 (Letter to Editor)
LEVENE, DONALD L. Reply, 811 (Letter to Editor)
—, AND FERRIS, JAMES. Mid-ventricular hypertrophy without clinically apparent obstruction, 769
LEVI, S. (*See* Galperin-Lemaître and Levi), 260 (Annot.)
LEVINSON, GILBERT E. (*See* Ahmed et al.), 28
LEWIS, A. FENTON. (*See* Carlisle and Lewis), 807 (Annot.)
LIM, OSCAR Y. (*See* Marcus et al.), 748
LIN, CHANG-I., DAVIS, JAMES W., YUE, KENNETH T. N., AND PHILLIPS, PHYLLIS E. Heparin neutralizing activity and coronary artery disease, 725
LITVAC, BOB. (*See* Georgescu et al.), 805 (Annot.)
LIVENGOOD, SUE V. (*See* Dashkoff et al.), 585
LOH, CHRISTOPHER W. (*See* Gowda, Loh, and Roberts), 539 (Letter to Editor)
LONGO, MICHAEL R., JR. (*See* Whinnery et al.), 316
—. (*See* Hull et al.), 414
LONGSTRETH, JAMES A. (*See* Zito, Reid, and Longstreth), 292
LOWENSTEIN, JEROLD M. (*See* Rosenblatt et al.), 463
LUCA, C. (*See* Gavrilescu, Gavrilescu and Luca), 21
LYNGBORG, KJELD. (*See* Andersen et al.), 669 (Letter to Editor)
LYONS, CHALMERS J., BURGESS, MARY JO, AND ABILDSKOV, J. A. Effects of acute hyperkalemia on cardiac excitability, 755

M

MACARTNEY, FERGUS J. (*See* Morrison, Scott, and Macartney), 333
MCGOON, MICHAEL D. Survival of valve replacement patients. 130 (Letter to Editor)
MCKAY, PAUL B. (*See* Marcus et al.), 748
MACKLER, BRUCE. (*See* Guntheroth et al.), 460
MALLON, STEPHEN M. (*See* Castellanos et al.), 307
MANELIS, GIDEON. (*See* Reshef et al.), 486
MANELIS, JUDITH. (*See* Reshef et al.), 486
MANHARDT, MARJORIE. (*See* Parsonnet, Parsonnet, and Manhardt), 517
—. (*See* Parsonnet and Manhardt), 658
MARCO, JOSEPH D., STANDEVEN, JOHN D., AND BARNER, HENDRICK B. Pulmonary and left atrial hemodynamics in mitral stenosis, 73
MARCUS, MELVIN L., KERBER, RICHARD E., ERHARDT, JAMES C., FALSETTI, HERMAN L., DAVIS, DEANA M., AND ABBOUD, FRANCOIS M., *with the technical assistance of McKay, Paul B., and Lim, Oscar Y.* Spatial and temporal heterogeneity of left ventricular perfusion in awake dogs, 748
MASHIBA, HIROTO. (*See* Fukumoto et al.), 699
MAYTHAM, JAMES C., KLINE, ROBERT L., AND CALARESU, FRANCO R. Effect of stimulation of somatic nerves on the ventricular fibrillation threshold in dogs, 731
MEHRA, RAHUL. (*See* Furman, Hurzeler, and Mehra), 115
MEHROTRA, P. P. (*See* Andy et al.), 175
MEISTER, STEVEN G., ENGEL, TOBY R., FEITOSA, GILSON S., HELFANT, RICHARD H., AND FRANKL, WILLIAM S. Propranolol in mitral stenosis during sinus rhythm, 685
—. (*See* Engel, Meister, and Frankl), 435
MERX, WOLFGANG, YOON, MYUNG S., AND HAN, JAOK. The role of local disparity in conduction and recovery time on ventricular vulnerability to fibrillation, 603
MEYERS, SHERIDAN. (*See* Dianzumba et al.), 479
MILLER, RONALD H., DHINGRA, RAMESH C., KANAKIS, CHARLES, JR., AMAT-Y-LEON, FERNANDO, AND ROSEN, KENNETH M. The electrophysiological effects of delta-9-tetrahydrocannabinol (cannabis) on cardiac conduction in man, 740
MIMBS, JAMES W., DEMELLO, VINCENT, AND ROBERTS, ROBERT. The effect of respiration on normal and abnormal Q waves. An electrocardiographic and vectorcardiographic analysis, 579
MINER, MARTIN M. (*See* Hutchins et al.), 196
MINTZ, GARY. (*See* Kotler et al.), 227
MOHABBAT, O. (*See* Srivastava and Mohabbat), 665 (Annot.)
MOLEIRO, FREDERICO. (*See* Castellanos et al.), 307
MØLLER, INGE. (*See* Andersen et al.), 669 (Letter to Editor)
MOLLER, JAMES H. (*See* Shrivastava et al.), 222
MOORE, F. (*See* Blackburn et al.), 539 (Letter to Editor)
MORIN, J. F. (*See* Penther et al.), 705
MORRIS, STEVEN N. (*See* Wann, Morris, and Tavel), 262 (Annot.)
MORRISON, CAROL A., BODENHEIMER, MONTY M., FELDMAN, MICHAEL S., BANKA, VIDYA S., AND HELFANT, RICHARD H. The use of echocardiography in determination of reversible posterior wall asynergy, 140
MORRISON, GEOFFREY W., SCOTT, OLIVE, AND MACARTNEY, FERGUS J. Retrograde left atrial catheterization in children with congenital heart disease, 333
MUDD, GERARD J. F. (*See* Chen et al.), 557
MULLINAX, FRANKLIN, SHIEL, FERGUS O'M, AND BECK, RALPH. Clinical pathologic conference, 491
MYBURGH, D. P. (*See* van Gelder and Myburgh), 813 (Letter to Editor)
MYERBURG, ROBERT J. (*See* Castellanos et al.), 307
MYERS, GORDON S. (*See* Boucher et al.), 37
MYHRE, ERIK. (*See* Dale et al.), 101
—. (*See* Dale and Myhre), 359

N

NADAS, ALEXANDER S. (*See* Greenwood et al.), 14
NAIR, K. G., AND DHURJATY, SHARDA. Catecholamine-induced hypertrophy, 393 (Letter to Editor)
NAKANO, SAGAMI. (*See* Takada et al.), 710
NAKAYAMA, KOICHI. (*See* Takada et al.), 710

NANDA, NAVIN C. (*See* Hess et al.), 349
NATHAN, M. P. RAVINDRA, HAIDER, BUNYAD, AHMED, S. SULTAN, AND REGAN, TIMOTHY J. Spontaneous heart rate, ventricular tachycardia, and the response to procainamide during acute ischemia, 627
NEILL, WILLIAM A., RITZMANN, LEONARD W., AND SELDEN, RICHARD. The pathophysiologic basis of acute coronary insufficiency. Observations favoring the hypothesis of intermittent reversible coronary obstruction, 439
NIARCHOS, ANDREAS P., GULATI, OM P., AND CARRETERO, OSCAR A. Effects of propranolol on the development of renovascular hypertension in the rat, 81
NICOLOFF, DEMETRE M. (*See* Shrivastava et al.), 222
NORCROSS, KEITH. Society and the doctor, 261 (Annot.)

O

OLESEN, KNUD H. (*See* Sigurd and Olesen), 168
OPALYEVA-STEGANTSEVA, V. A. (*See* Raiskina et al.), 154
OSTAPOVA, V. N. (*See* Raiskina et al.), 154

P

PACHINGER, OTMAR. (*See* Probst et al.), 96
PADFIELD, PAUL L. Vasopressin in hypertension, 531 (Annot.)
PARRY, WAYNE R. (*See* Kotler et al.), 227
PARSONNET, MIA. (*See* Parsonnet, Parsonnet, and Manhardt), 517
PARSONNET, VICTOR, *with the assistance of Parsonnet, Mia, and Manhardt, Marjorie.* Cardiac pacing and pacemakers VII. Power sources for implantable pacemakers. Part I., 517
——, *with the assistance of Manhardt, Marjorie.* Cardiac pacing and pacemakers VII. Power sources for implantable pacemakers. Part II, 658
PAUL, O. (*See* Blackburn et al.), 539 (Letter to Editor)
PENTHER, PHILIPPE. Coronary thrombosis and acute myocardial infarction: cause or consequence? 392 (Letter to Editor)
——, BOSCHAT, J., MORIN, J. F., BLANC, J. J., AND GRANATELLI, D. The length of the left main coronary artery: Pathological features, 705
PERCY-ROBB, I. W. (*See* Brunton and Percy-Robb), 533 (Annot.)
PERLOFF, JOSEPH K. (*See* Rubler, Perloff, and Roberts), 776
PERSON, RICHARD. (*See* Guntheroth et al.), 460
PESCARMONA, JANET E. (*See* Kennedy et al.), 718
PETERSON, RONALD T. (*See* Stein and Peterson), 132 (Letter to Editor)
PFEIFER, JAMES F. (*See* Hultgren et al.), 146
PHILLIPS, PHYLLIS E. (*See* Lin et al.), 725
PILLAY, N. (*See* Seedat and Pillay), 388 (Annot.)
PITT, BERTRAM. (*See* Roland et al.), 336
PLAVOŞIN, LIVIA. (*See* Georgescu et al.), 805 (Annot.)
PLUTH, JAMES R. (*See* Pritchard et al.), 209
POBLETE, PIO F. (*See* Kennedy et al.), 718
PRABHU, RAVINDRA. (*See* D'Cruz et al.), 367
PRITCHARD, DAVID A., TAJIK, ABDUL J., RUTHERFORD, BARRY D., HARRISON, CARLOS E., JR., PLUTH, JAMES R., AND DANIELSON, GORDON K. Partial anomalous pulmonary venous connection (intact atrial septum) associated with mitral regurgitation, 209
PROBST, PETER, PACHINGER, OTMAR, STEINBACH, KONRAD, AND KAINDL, FRITZ. Pre-excitation of the ventricle associated with total intra His bundle block, 96

R

RABAH, M. (*See* Ghani and Rabah), 600
RAMOS, MARCOS U. An abnormal early diastolic impedance waveform: A predictor of poor prognosis in the cardiac patient? 274
RAISKINA, M. E., OPALYEVA-STEGANTSEVA, V. A., RATOVSKAYA, V. I., OSTAPOVA, V. N., AND VEBER, O. P. Postmortem diagnosis of ventricular fibrillation by K and Na distribution in the myocardium and skeletal muscle in out-of-hospital sudden death from acute ischemic heart disease, 154
RATOVSKAYA, V. I. (*See* Raiskina et al.), 154
REDDY, C. V. RAMANA. (*See* Gould et al.), 341
REEVES, WILLIAM C. (*See* Hess et al.), 349
REGAN, TIMOTHY J. (*See* Ahmed et al.), 28
——. (*See* Nathan et al.), 627
REID, PHILIP R. (*See* Zito, Reid, and Longstreth), 292
RESHEF, RON, ADERKA, DAN, SUPRUN, HARRY, MANELIS, GIDEON, AND MANELIS, JUDITH. Myocardial infarction associated with the Riley-Day syndrome, 486
RETTIG, GERD, DOENECKE, PETER, SCHIEFFER, HERMANN, AND BETTE, LUDWIG. Survival of elderly patients after pacemaker implant, 265 (Letter to Editor)
REUNING, RICHARD H. (*See* Kolibash et al.), 806 (Annot.)
RISS, EGON. (*See* Amikam and Riss), 266 (Letter to Editor)
RITZMANN, LEONARD W. (*See* Neill, Ritzmann, and Selden), 439
ROBERTS, ROBERT. (*See* Gowda, Loh, and Roberts), 539 (Letter to Editor)
——. (*See* Mimbs, deMello, and Roberts), 579
ROBERTS, ROBIN S. (*See* Sackett et al.), 666 (Annot.)
ROBERTS, WILLIAM C. (*See* Spray and Roberts), 500
ROBERTS, WILLIAM D. (*See* Rubler, Perloff, and Roberts), 776
ROCHE, ANTHONY H. G. (*See* Singh and Roche), 593
ROLAND, JEAN-MICHEL, DASHKOFF, NEIL, VARGHESE, P. JACOB, AND PITT, BERTRAM. Time course of ventricular fibrillation threshold in infarcted and noninfarcted myocardium after acute coronary ligation, 336
ROSEN, KENNETH M. (*See* Miller et al.), 740
ROSENBLATT, ANDREW, LOWENSTEIN, JEROLD M., KERTH, WILLIAM, AND HANDMAKER, HIRSCH. Post-exercise thallium-201 myocardial scanning: A clinical appraisal, 463
ROSENTHAL, AMNON (*See* Greenwood et al.), 14
ROWE, RICHARD D. (*See* Freedom, Dische, and Rowe), 689
RUBLER, SHIRLEY, PERLOFF, JOSEPH K., AND ROBERTS, WILLIAM D. Duchenne's muscular dystrophy, 776 (Clinical pathologic conference)
RUTHERFORD, BARRY D. (*See* Pritchard et al.), 209

S

SACKETT, DAVID L., HAYNES, R. BRIAN, GIBSON, EDWARD S., TAYLOR, D. WAYNE, ROBERTS, ROBIN S., AND JOHNSON, ARNOLD L. Hypertension control, compliance and science, 666 (Annot.)
SANGALANG, VIRGILIO E. (*See* Smith et al.), 428
SASSE, LEWIS. Systolic clicks and murmurs, 265 (Letter to Editor)
SCHIEFFER, HERMANN. (*See* Rettig et al.), 265 (Letter to Editor)
SCHLEPPER, M. (*See* Schwarz et al.), 421
SCHNEIDER, JOHN F., THOMAS, H. EMERSON, JR., AND KANNEL, WILLIAM B. Precordial T wave vectors in the detection of coronary heart disease. The Framingham Study, 568
SCHWADE, JACK, BLOMQVIST, C. GUNNAR, AND SHAPIRO, WILLIAM. A comparison of the response to arm and leg work in patients with ischemic heart disease, 203
SCHWARZ, F., ENSSLEN, R., THORMANN, J., AND SCHLEPPER, M. Abolished compensation of cardiac performance after nitroglycerin in patients with ventricular asynergy, 421
SCOTT, OLIVE. (*See* Morrison, Scott, and Macartney), 333
SEEDAT, Y. K., AND PILLAY, N. Myocardial infarction in the African hypertensive patient, 388 (Annot.)
SEELY, STEPHEN. What kind of evidence? 537 (Letter to Editor)
SEGAL, BERNARD L. (*See* Kotler et al.), 227

SELDEN, RICHARD. (*See* Neill, Ritzmann, and Selden), 439
SENDA, KATSUJI. (*See* Takada et al.), 710
SHAH, PRAVIN M. (*See* Flanagan and Shah), 633
SHANIES, STANLEY. (*See* Hamby et al.), 573
SHAPIRO, WILLIAM. (*See* Schwade, Blomqvist, and Shapiro), 203
SHAVER, JAMES A. (*See* Thompson, Shaver, and Leon), 297
SHEEHAN, GEORGE A. Exercise—hazard or health aid, 537 (Letter to Editor)
SHEINER, LEWIS B. (*See* Holford and Sheiner), 529 (Annot.)
SHEPS, SHELDON G. (*See* Youngberg, Sheps, and Strong), 785
SHETTIGAR, UDIPI R. (*See* Hultgren et al.), 146
SHIEL, FERGUS O'M. (*See* Mullinax, Shiel, and Beck), 491
SHINEBOURNE, ELLIOTT A. (*See* de Swiet and Shinebourne), 399
SHIOTSU, HIROAKI. (*See* Takagi et al.), 387 (Annot.)
SHORT, DAVID. The management of the patient with angina, 135
SHRIVASTAVA, SAVITRI, MOLLER, JAMES H., FORMANEK, AUGUSTIN, NICOLOFF, DEMETRE M., AND EDWARDS, JESSE E. Clinical pathologic conference, 222
SHUBIN, HERBERT, WEIL, MAX HARRY, AND CARLSON, RICHARD W. Bacterial shock, 112
SIDDIQUI, M. A. (*See* Abdullah, Siddiqui, and Tajuddin), 287
SIGURD, BJARNE, AND OLESEN, KNUD H. The supra-additive natriuretic effect addition of theophylline ethylenediamine and bumetanide in congestive heart failure. Permutation trial tests in patients in long-term treatment with bumetanide, 168
SIMON, J., KARLÍČEK, V., TOPOLČAN, O., AND TĚŠÍNSKÝ, P. Retinal microangiopathy in coronary heart disease without overt diabetes, 130 (Letter to Editor)
SIMONSEN, SVEIN. (*See* Forfang et al.), 44
SINGER, DONALD H. (*See* Dianzumba et al.), 479
SINGH, BRAMAH N., AND ROCHE, ANTHONY H. G. Effects of intravenous verapamil on hemodynamics in patients with heart disease, 593
SMITH, ELDON R., SANGALANG, VIRGILIO E., HEFFERNAN, LEROY P., WELCH, J. PHILIP, AND FLEMINGTON, C. SUSAN. Hypertrophic cardiomyopathy: The heart disease of Friedreich's ataxia, 428
SMITH, JACQUES M. (*See* Dianzumba et al.), 479
SOSTMAN, HENRY D., KELLEY, MICHAEL J., AND LANGOU, RENE A. Perfusion of the canine interventricular septum: Significance of right coronary artery supply, 611
SPODICK, DAVID H. (*See* Lance and Spodick), 62
SPRAY, THOMAS L., AND ROBERTS, WILLIAM C. Changes in saphenous veins used as aortocoronary bypass grafts, 500
SRIVASTAVA, R. N., AND MOHABBAT, O. Veno-occlusive disease of the liver, 665 (Annot.)
STAMLER, J. (*See* Blackburn et al.), 539 (Letter to Editor)
STANDEVEN, JOHN D. (*See* Marco, Standeven, and Barner), 73
STARK, J. (*See* Urban, Anderson, and Stark), 91
STEIN, DAVID, AND KLOSTER, FRANK E. Valvular heart disease in osteogenesis imperfecta, 637
STEIN, ISRAEL M., AND PETERSON, RONALD T. More on artifacts, 132 (Letter to Editor)
STEINBACH, KONRAD. (*See* Probst et al.), 96
STERN, SHLOMO, AND TZIVONI, DAN. On artifacts in portable electrocardiographic monitoring, 131 (Letter to Editor)
STEWART, ALDERUS J. (*See* Whinnery et al.), 316
STORMORKEN, HELGE. (*See* Dale et al.), 101
STORSTEIN, OLE. (*See* Dale et al.), 101
STRONG, CAMERON G. (*See* Youngberg, Sheps, and Strong), 785
SUGENOYA, JUN-ICHI. (*See* Sugiyama et al.), 445
SUGIYAMA, SATORU, WADA, MASATOSHI, SUGENOYA, JUN-ICHI, TOYOSHIMA, HIDEAKI, TOYAMA, JUNJI, AND YAMADA, KAZUO. Diagnosis of right ventricular infarction: Experimental study through the use of body surface isopotential maps, 445
SUNG, RUEY J. (*See* Castellanos et al.), 307
SUPRUN, HARRY. (*See* Reshef et al.), 486
SWALES, J. D. Renin measurement in detecting surgically correctable renal hypertension, 126 (Annot.)
SWAMY, C. R. N. (*See* Gould et al.), 341

T

TACKER, W. A., JR. (*See* Geddes et al.), 67
TAJIK, ABDUL J. (*See* Pritchard et al.), 209
TAJUDDIN, M. (*See* Abdullah, Siddiqui, and Tajuddin), 287
TAKADA, KAZUO, FUJINAMI, TAKAO, SENDA, KATSUJI, NAKAYAMA, KOICHI, AND NAKANO, SAGAMI. Clinical study of "A waves" (atrial waves) in impedance cardiograms, 710
TAKAGI, MAKATO, ICHINOSE, SUSUMU, TSURUHA, YOSHIAKI, AND SHIOTSU, HIROAKI. Brady-Memo, 387 (Annot.)
TALANO, JAMES V. (*See* Brynjolfsson et al.), 353
TANDON, RAJENDRA. TAC and aorticopulmonary septal defect, 670 (Letter to Editor)
TAVEL, MORTON E. (*See* Wann, Morris, and Tavel), 262 (Annot.)
TAYLOR, D. WAYNE. (*See* Sackett et al.) 666 (Annot.)
TAYLOR, H. L. (*See* Blackburn et al.), 539 (Letter to Editor)
TERRY, G. (*See* Jones, Terry, and Kenmure), 163
TĚŠÍNSKÝ, P. (*See* Šimon et al.), 130 (Letter to Editor)
TETSUO, MOTOHARU. (*See* Fukumoto et al.), 699
THOMAS, H. EMERSON, JR. (*See* Schneider, Thomas, and Kannel), 568
THOMPSON, MARK E., SHAVER, JAMES A., AND LEON, DONALD F. Effect of tachycardia on atrial transport in mitral stenosis, 297
THORMANN, J. (*See* Schwarz et al.), 421
TOPOLČAN, O. (*See* Šimon et al.), 130 (Letter to Editor)
TOSHIMA, HIRONORI, KOGA, YOSHINORI, AND KIMURA, NOBORU. Correlations between electrocardiographic, vectorcardiographic, and echocardiographic findings in patients with left ventricular overload, 547
TOYAMA, JUNJI. (*See* Sugiyama et al.), 445
TOYOSHIMA, HIDEAKI. (*See* Sugiyama et al.), 445
TRIEBWASSER, JOHN H. (*See* Whinnery et al.), 316
——. (*See* Hull et al.), 414
TSURUHA, YOSHIAKI. (*See* Takagi et al.), 387 (Annot.)
TZIVONI, DAN. (*See* Stern and Tzivoni), 131 (Letter to Editor)

U

URBAN, A. E., ANDERSON, R. H., AND STARK, J. Double outlet left ventricle associated with situs inversus and atrioventricular concordance, 91

V

VAN GELDER, A. L., AND MYBURGH, D. P. Noise reduction in ambulatory monitoring, 813 (Letter to Editor)
VAN PRAAGH, RICHARD. Reply, 670 (Letter to Editor)
——. Reply, 671 (Letter to Editor)
VANDER VEER, JOSEPH B. THOMAS M. MCMILLAN, JR. (Obituary), 679
VARGHESE, P. JACOB. (*See* Roland et al.), 336
VEBER, O. P. (*See* Raiskina et al.), 154
VIEWEG, W. V. R. (*See* Ehrich et al.), 217
VOLETI, CHAUDARY. (*See* Hamby et al.), 573

W

WADA, MASATOSHI. (*See* Sugiyama et al.), 445
WANN, L. S., MORRIS, STEVEN N., AND TAVEL, MORTON E. Effects of cardiopulmonary bypass on the jugular venous pulse, 262 (Annot.)
WEIL, MAX HARRY. (*See* Shubin, Weil, and Carlson), 112
WEINSTEIN, MOSHE. (*See* Abraham and Weinstein), 666 (Annot.)
WEISZ, DANIEL. (*See* Hamby et al.), 573

WELCH, J. PHILIP. (*See* Smith et al.), 428
WENNEVOLD, ALF. (*See* Andersen et al.), 669 (Letter to Editor)
WHINNERY, JAMES E., FROELICHER, VICTOR F., JR., STEWART, ALDERUS J., LONGO, MICHAEL R., JR., TRIEBWASSER, JOHN H., AND LANCASTER, MALCOLM C. The electrocardiographic response to maximal treadmill exercise of asymptomatic men with left bundle branch block, 316
WILCOX, P. G. (*See* Geddes et al.), 67
WILHELMSEN, LARS, AND BERGLUND, G. Prevalence of primary and secondary hypertension, 543
WILKERSON, R. D., AND GLENN, T. M. Influence of nonsteroidal anti-inflammatory drugs on ouabain toxicity, 454
WILLIAMS, DEAN. (*See* Burgess, Williams, and Ershler), 55
WILLMAN, VALLEE L. (*See* Chen et al.), 557
WISOFF, GEORGE. (*See* Hamby et al.), 573
WOLTHUIS, ROGER A. (*See* Hull et al.), 414

Y

YAMADA, KAZUO. (*See* Sugiyama et al.), 445
YOON, MYUNG S. (*See* Merx, Yoon, and Han), 603
YOUNGBERG, STEPHEN P., SHEPS, SHELDON G., AND STRONG, CAMERON G. Management of the patient with renovascular hypertension, 785
YUE, KENNETH T. N. (*See* Lin et al.), 725

Z

ZAIDI, SARFRAZ ALI. The simultaneous occurrence of a ventricular septal defect and mitral insufficiency after myocardial infarction, 538 (Letter to Editor)
ZITO, RUBEN A., REID, PHILIP R., AND LONGSTRETH, JAMES A. Variability of early lidocaine levels in patients, 292

Subject index*

A

Abolished compensation of cardiac performance after nitroglycerin in patients with ventricular asynergy (Schwarz et al.), 421
Absence of Wedensky effect in man (Engel, Meister, and Frankl), 435
Accelerated atrioventricular conduction during acute myocardial infarction (Gavrilescu, Gavrilescu, and Luca), 21
Acetylsalicylic acid, prevention of arterial thromboembolism with. A controlled clinical study in patients with aortic ball valves (Dale et al.), 101
Acknowledgment to reviewers, 677
Acute hyperkalemia on cardiac excitability, effects of (Lyons, Burgess, and Abildskov), 755
myocardial infarction, accelerated atrioventricular conduction during (Gavrilescu, Gavrilescu, and Luca), 21
survival curves applied to (Carlisle and Lewis), 807 (Annot.)
Adenosine diphosphate and mechanical trauma, relation to reduced platelet adhesiveness in patients with prosthetic ball valves (Dale), 562
Adhesiveness, platelet, reduced, in patients with prosthetic ball valves; relation to adenosine diphosphate and mechanical trauma (Dale), 562
African hypertensive patient, myocardial infarction in the (Seedat, Pillay, and Marcoyannopoulou-Fojas), 388 (Annot.)
Age and heart weight with tortuosity and caliber of normal human coronary arteries, correlation of (Hutchins et al.), 196
Alcoholic cardiomyopathy, the small coronary arteries in (Burch and Giles), 471
Ambulation following myocardial infarction, early (Abraham and Weinstein), 666 (Annot.)
Ambulatory monitoring, noise reduction in (van Gelder and Myburgh), 813 (Letter to Editor)
Anastomosis, artery, ascending aorta-pulmonary for cyanotic congenital heart disease (Greenwood et al.), 14
Anemia, chronic, systolic time intervals in (Abdullah, Siddiqui, and Tajuddin), 287
Angina, management of the patient with (Short), 135
pectoris and inspiration (Ellestad), 810 (Letter to Editor)
Reply (Levene), 811
and intermittent claudication (Hamby et al.), 573
Announcements, 268, 397, 542, 676, 818
Annulus calcification, mitral, clinical manifestations of, with emphasis on its echocardiographic features (D'Cruz et al.), 367
echocardiographic features of (Dashkoff et al), 585
Anterior conduction delay (Hoffman), 813 (Letter to Editor)
Anti-inflammatory drugs, nonsteroidal, influence of on ouabain toxicity (Wilkerson and Glenn), 454
Aorta, coarctation of, prognosis of infants with (Chen et al.), 557
–pulmonary artery anastomosis, ascending, for cyanotic congenital heart disease (Greenwood et al.), 14
Aortic arch, right, associated with contralateral congenital subclavian steal: a well-defined but certainly more frequent syndrome than reported on (Bensaid), 673 (Letter to Editor)
atresia, conal anatomy in, ventricular septal defect, and normally developed left ventricle (Freedom, Dische, and Rowe), 689
Aortic–continued
ball valves, a controlled clinical study of prevention of arterial thromboembolism with acetylsalicylic acid in patients with (Dale et al.), 101
platelet functions in patients with (Dale and Myhre), 359
valvulopathy, calcific, echocardiographic features of combined membranous subaortic stenosis and acquired (Hess et al.), 349
Aorticopulmonary septal defect and TAC (Truncus Arteriosus Communis) (Tandon), 670 (Letter to Editor)
Reply (Van Praagh), 671
Aortocoronary bypass grafts, saphenous veins used as, changes in (Spray and Roberts), 500
Arm and leg work in patients with ischemic heart disease, a comparison of the response to (Schwade, Blomqvist, and Shapiro), 203
Arrest, cardiac, and sleep, of (Burch), 129 (Annot.)
Arrhythmia, ventricular, 24 hours before and after maximal treadmill testing (Kennedy et al), 718
Arterial thromboembolism, prevention of with acetylsalicylic acid. A controlled clinical study in patients with aortic ball values (Dale et al.), 101
Arteriosus Communis, Truncus (Bharati and Lev), 669 (Letter to Editor)
Reply (Van Praagh), 670
Artery(ies) anastomosis, ascending aorta-pulmonary for cyanotic congenital heart disease (Greenwood et al.), 14
coronary, normal human, correlation of age and heart weight with tortuosity and caliber of (Hutchins et al.), 196
the left main, the length of: pathological features (Penther et al.), 705
the small, in alcoholic cardiomyopathy (Burch and Giles), 471
disease, coronary, acute myocardial infarction and ischemic injury during surgery for (Hultgren et al.), 146
heparin neutralizing activity and (Lin et al.), 725
supply, coronary, right, significance of in perfusion of the canine interventricular septum (Sostman, Kelley, and Langou), 611
supplying areas, coronary, postmortem, quantitative study on the size of (Kalbfleisch and Hort), 183
Artifacts in portable electrocardiographic monitoring, on (Stern and Tzivoni), 131 (Letter to Editor)
Reply (Krasnow and Bloomfield), 133
more on (Stein and Peterson), 132 (Letter to Editor)
Reply (Krasnow and Bloomfield), 133
Ascending aorta-pulmonary artery anastomosis for cyanotic congenital heart disease (Greenwood et al.), 14
Asynergy, reversible posterior wall, use of echocardiography in determination of (Morrison et al.), 140
ventricular, abolished compensation of cardiac performance after nitroglycerin in patients with (Schwarz et al.), 421
Ataxia, Friedreich's: hypertrophic cardiomyopathy, the heart disease of (Smith et al.), 428
Atresia, aortic, conal anatomy in, ventricular septal defect, and normally developed left ventricle (Freedom, Dische, and Rowe), 689
Atrial catheterization, retrograde left, in children with congenital heart disease (Morrison, Scott, and Macartney), 333

*July, pp. 1-134; August, pp. 135-268; September, pp. 269-398; October, pp. 399-542; November, pp. 543-676; December, pp. 677-838.

Atrial—continued
fibrillation threshold, effect of lidocaine on the (Kostis et al.), 764
left, and pulmonary hemodynamics in mitral stenosis (Marco, Standeven, and Barner), 73
septal defect(s) of secundum type in the middle-aged. Clinical results of surgery and correlations between symptoms and hemodynamics (Forfang et al.), 44
right parasternal lift in (Fukumoto et al.), 699
small (Katholi), 669 (Letter to Editor)
Reply (Andersen et al.), 669
septum, intact, in partial anomalous pulmonary venous connection associated with mitral regurgitation (Pritchard et al.), 209
transport in mitral stenosis, effect of tachycardia on (Thompson, Shaver, and Leon), 297
waves ("A waves") in impedance cardiograms, clinical study of (Takada et al.), 710
Atrioventricular concordance and situs inversus, double outlet left ventricle associated with (Urban, Anderson, and Stark), 91
conduction, accelerated, during acute myocardial infarction (Gavrilescu, Gavrilescu, and Luca), 21
Atrium, developing left, impingement of the left superior vena cava on: a proposed pathogenesis of cor triatriatum (Gharagozloo, Bulkley, and Hutchins), 618
"A waves" (atrial waves) in impedance cardiograms, clinical study of (Takada et al.), 710

B

Bacterial endocarditis, culture negative, confirming the diagnosis (Gleckman), 125 (Annot.)
shock (Shubin, Weil, and Carlson), 112
Balkan nephritis, viruses in (Georgescu et al.), 805 (Annot.)
Ball valves, aortic, a controlled clinical study of prevention of arterial thromboembolism with acetylsalicylic acid in patients with (Dale et al.), 101
platelet functions in patients with (Dale and Myhre), 359
prosthetic, reduced platelet adhesiveness in patients with: relation to adenosine diphosphate and mechanical trauma (Dale), 562
Bed rest, of pre-infarct syndrome and (Burch), 262 (Annot.)
Bellyache, of (Burch), 668 (Annot.)
Block, His bundle, total intra, pre-excitation of the ventricle associated with (Probst et al.), 96
left anterior fascicular, an appraisal of initial QRS forces in (Jacobson, LaFollette, and Cohn), 407
bundle branch, electrocardiographic response to maximal treadmill exercise of asymptomatic men with (Whinnery et al), 316
Blood glucose or plasma in the clinic, methods for measuring: a short review (Telfer Brunton and Percy-Robb), 533 (Annot.)
or saline for ultrasonic detection of a right-to-left intracardiac shunt in the early postoperative patient, use of (Duff and Gutgesell), 402
pressure in infancy (de Swiet and Shinebourne), 399
Body surface isopotential maps, experimental study through the use of: diagnosis of right ventricular infarction (Sugiyama et al.), 445
Book reviews, 134, 266, 395, 541, 675, 816
Books received, 134, 267, 396, 542, 676, 817
Borderline hypertension versus normotension: differential response to orthostatic stress (Hull et al.), 414
Boston Collaborative Drug Surveillance Program, a report from. Clinical toxicity of furosemide in hospitalized patients (Greenblatt et al.), 6
Brady-Memo (Takagi et al.), 387 (Annot.)
Bumetanide and theophylline ethylenediamine in congestive heart failure, the supra-additive natriuretic effect addition of. Permutation trial tests in patients in long-term treatment with bumetanide (Sigurd and Olesen), 168
Bundle block, His, total intra, pre-excitation of the ventricle associated with (Probst et al.), 96
Bundle—continued
branch block, left, electrocardiographic response to maximal treadmill exercise of asymptomatic men with (Whinnery et al.), 316
extrasystoles, right, His bundle electrocardiography in manifest and concealed (Castellanos et al.), 307
Bypass, cardiopulmonary, on the jugular venous pulse, effects of (Wann, Morris, and Tavel), 262 (Annot.)
grafts, aortocoronary, saphenous veins used as, changes in (Spray and Roberts), 500

C

Calcific aortic valvulopathy, echocardiographic features of combined membranous subaortic stenosis and acquired (Hess et al.), 349
Calcification, mitral annulus, clinical manifestations of, with emphasis on its echocardiographic features (D'Cruz et al.), 367
echocardiographic features of (Dashkoff et al.), 585
Caliber and tortuosity of normal human coronary arteries, correlation of age and heart weight with (Hutchins et al.), 196
Canine interventricular septum, perfusion of: significance of right coronary artery supply (Sostman, Kelley, and Langou), 611
Cannabis (delta-9-tetrahydrocannabinol), electrophysiological effects of on cardiac conduction in man, (Miller et al.), 740
Cardiac arrest and sleep, of (Burch), 129 (Annot.)
conduction in man, electrophysiological effects of delta-9-tetrahydrocannabinol (cannabis) on cardiac conduction in man (Miller et al.), 740
excitability, effects of acute hyperkalemia on (Lyons, Burgess, and Abildskov), 755
output, low, congestive heart failure is not due to, *per se* (Burch), 269
pacing and pacemakers IV. Threshold of cardiac stimulation (Furman, Hurzeler, and Mehra), 115
V. Technical aspects of implantation and equipment (Furman), 250
VI. Analysis of pacemaker malfunction (Furman), 378
VII. Power sources for implantable pacemakers. Part I (Parsonnet, *with* Parsonnet and Manhardt), 517
VII. Part II (Parsonnet and Manhardt), 658
VIII. The pacemaker follow-up clinic (Furman), 795
patient, an abnormal early diastolic impedance waveform as a predictor of poor prognosis in the (Ramos), 274
performance after nitroglycerin in patients with ventricular asynergy, abolished compensation of (Schwarz et al.), 421
stimulation, threshold of. Cardiac pacing and pacemakers IV (Furman, Hurzeler, and Mehra), 115
Cardiograms, impedance, clinical study of "A waves" (atrial waves) in (Takada et al.), 710
Cardiomyopathy, alcoholic, the small coronary arteries in (Burch and Giles), 471
hypertrophic: the heart disease of Friedreich's ataxia (Smith et al.), 428
Cardiopulmonary bypass on the jugular venous pulse, effects of (Wann, Morris, and Tavel), 262 (Annot.)
Cardiovascular disease, the importance of magnesium deficiency in (Burch and Giles), 649
effects of dobutamine in severe congestive heart failure (Andy et al.), 175
Catecholamine-induced hypertrophy (Nair and Dhurjaty), 393 (Letter to Editor)
Reply (Laks), 394
Catheterization, retrograde left atrial, in children with congenital heart disease (Morrison, Scott, and Macartney), 333
Cellular hypertrophy, myocardial, and/or necrosis and/or fibrosis, norepinephrine—the producer of (Laks), 394 (Letter to Editor, reply to Nair and Dhurjaty, 393)

Central venous pressure, of (Burch), 391 (Annot.)
Chest thump over the area of paradoxical pulsation, termination of ventricular tachycardia by a (Befeler and Aranda), 773
Chloride, magnesium, on electrical stability of the heart, effect of (Ghani and Rabah), 600
Chronic anemia, systolic time intervals in (Abdullah, Siddiqui, and Tajuddin), 287
Cineangiograms, single plane, compared to biplane, in measurements of right ventricular volumes in man from (Ferlinz), 87
Claudication, intermittent, and angina pectoris (Hamby et al.), 573
Clicks and murmurs, systolic (Sasse), 265 (Letter to Editor)
Reply (Haas), 265
Clinic, the pacemaker follow-up. Cardiac pacing and pacemakers VIII (Furman), 795
Clinical pathologic conference (Shrivastava et al.), 222
(Mullinax, O'M Shiel, and Beck), 491
Duchenne's muscular dystrophy (Rubler, Perloff, and Roberts), 776
study of "A waves" (atrial waves) in impedance cardiograms (Takada et al.), 710
toxicity of furosemide in hospitalized patients. A report from the Boston Collaborative Drug Surveillance Program (Greenblatt et al.), 6
Clinically apparent obstruction, mid-ventricular hypertrophy without (Levene and Ferris), 769
Clofibrate effects: mitochondria vs. exercise tolerance in aging hamsters (Guntheroth et al.), 460
Coarctation of aorta, prognosis of infants with (Chen et al.), 557
Communis, Truncus Arteriosus (Bharati and Lev), 669 (Letter to Editor)
Reply (Van Praagh), 670
Conal anatomy in aortic atresia, ventricular septal defect, and normally developed left ventricle (Freedom, Dische, and Rowe), 689
Concentration(s), digoxin, the: before and after the fact (Holford and Sheiner), 529 (Annot.)
serum digoxin, marked decline in during an episode of severe diarrhea (Kolibash et al.), 806 (Annot.)
Conduction and recovery time, role of local disparity in on ventricular vulnerability to fibrillation (Merx, Yoon, and Han), 603
atrioventricular, accelerated, during acute myocardial infarction (Gavrilescu, Gavrilescu, and Luca), 21
defects in acute myocardial infarction, frequency and significance of (Jones, Terry, and Kenmure), 163
delay, anterior (Hoffman), 813 (Letter to Editor)
in man, cardiac, electrophysiological effects of delta-9-tetrahydrocannabinol (cannabis) on cardiac conduction in man (Miller et al.), 740
Conference, clinical pathologic (Shrivastava et al.), 222
(Mullinax, O'M Shiel, and Beck), 491
Duchenne's muscular dystrophy (Rubler, Perloff, and Roberts), 776
Congenital heart disease, cyanotic, ascending aorta-pulmonary artery anastomosis for (Greenwood et al.), 14
retrograde left atrial catheterization in children with (Morrison, Scott, and Macartney), 333
subclavian steal, contralateral, right aortic arch associated with: a well-defined but certainly more frequent syndrome than reported on (Bensaid), 673 (Letter to Editor)
valvular pulmonic stenosis, echocardiographic correlate of presystolic pulmonary ejection sound in (Flanagan and Shah), 633
Congestive heart failure is not due to low cardiac output *per se* (Burch), 269
severe, cardiovascular effects of dobutamine in (Andy et al.), 175
supra-additive natriuretic effect addition of theophylline ethylenediamine and bumetanide in. Permutation trial tests in patients in long-term treatment with bumetanide (Sigurd and Olesen), 168
Contralateral congenital subclavian steal, right aortic arch associated with: a well-defined but certainly more frequent syndrome than reported on (Bensaid), 673 (Letter to Editor)
Control, hypertension, compliance and science (Sackett et al.), 666 (Annot.)
Cor triatriatum, pathogenesis of, a proposed: impingement of the left superior vena cava on the developing left atrium (Gharagozloo, Bulkley, and Hutchins), 618
report of case in a young adult with special reference to the echocardiographic features and etiology of the systolic murmur (Ehrich et al.), 217
Cornstarch, granulomatous myocarditis secondary to (Brynjolfsson et al.), 353
Coronary artery(ies) disease, acute myocardial infarction and ischemic injury during surgery for (Hultgren et al.), 146
heparin neutralizing activity and (Lin et al.), 725
normal human, correlation of age and heart weight with tortuosity and caliber of (Hutchins et al.), 196
small, in alcoholic cardiomyopathy, the (Burch and Giles), 471
supply, right, significance of in perfusion of the canine interventricular septum (Sostman, Kelley, and Langou), 611
supplying areas postmortem, quantitative study on the size of (Kalbfleisch and Hort), 183
the left main, the length of: pathological features (Penther et al.), 705
heart disease, precordial T wave vectors in the detection of. The Framingham Study (Schneider, Thomas, and Kannel), 568
without overt diabetes, retinal microangiopathy in (Simon et al.), 130 (Letter to Editor)
insufficiency, acute, pathophysiologic basis of. Observations favoring the hypothesis of intermittent reversible coronary obstruction (Neill, Ritzmann, and Selden), 439
ligation, acute, time course of ventricular fibrillation threshold in infarcted and non-infarcted myocardium after (Roland et al.), 336
obstruction, intermittent reversible, observations favoring the hypothesis of. The pathophysiologic basis of acute coronary insufficiency (Neill, Ritzmann, and Selden), 439
thrombosis and acute myocardial infarction: cause or consequence? (Penther), 392 (Letter to Editor)
Reply (Baroldi), 392
Culture negative bacterial endocarditis confirming the diagnosis (Gleckman), 125 (Annot.)
Current, the thoracic windows for electrical ventricular defibrillation (Geddes et al.), 67
Curves, survival, applied to acute myocardial infarction (Carlisle and Lewis), 807 (Annot.)
Cyanotic congenital heart disease, ascending aorta-pulmonary artery anastomosis for (Greenwood et al.), 14

D

Data, revised, for 1970 ICHD Report (Blackburn et al.), 539 (Letter to Editor)
Death, sudden, out-of-hospital, from acute ischemic heart disease, postmortem diagnosis of ventricular fibrillation by K and Na distribution in the myocardium and skeletal muscle in (Raiskina et al.), 154
Decline in serum digoxin concentrations during an episode of severe diarrhea, marked (Kolibash et al.), 806 (Annot.)
Deep vein thrombosis, preoperative, in patients with gastrointestinal disease (Heatley and Hughes), 127 (Annot.)
Defect(s), atrial septal, of secundum type in the middle-aged. Clinical results of surgery and correlations between symptoms and hemodynamics (Forfang et al.), 44

Defect(s)—continued
conduction, in acute myocardial infarction, frequency and significance of (Jones, Terry, and Kenmure), 163
septal, aorticopulmonary, and TAC (Truncus Arteriosus Communis) (Tandon), 670 (Letter to Editor)
Reply (Van Praagh), 671
small atrial (Katholi), 669 (Letter to Editor)
Reply (Andersen et al.), 669
ventricular septal, and mitral insufficiency after myocardial infarction, simultaneous occurrence of a (Zaidi), 538 (Letter to Editor)
Reply (Gowda and Roberts), 539
subpulmonic, pulmonary valve fluttering in (Glasser and Baucum), 3
Defibrillation current, ventricular, electrical, the thoracic windows for (Geddes et al.), 67
Deficiency, magnesium, in cardiovascular disease, the importance of (Burch and Giles), 649
Delay, anterior conduction (Hoffman), 813 (Letter to Editor)
Delta-9-tetrahydrocannabinol (cannabis), electrophysiological effects of on cardiac conduction in man, (Miller et al.), 740
Densitography, ear, systolic time intervals utilizing. Advantages and reliability for stress testing (Lance and Spodick), 62
Diabetes, overt, retinal microangiopathy in coronary heart disease without (Simon et al.), 130 (Letter to Editor)
Diagnosis, culture negative bacterial endocarditis confirming the (Gleckman), 125 (Annot.)
Diarrhea, severe, marked decline in serum digoxin concentrations during an episode of (Kolibash et al.), 806 (Annot.)
Diastolic impedance waveform, an abnormal early: a predictor of poor prognosis in the cardiac patient? (Ramos), 274
Digoxin concentration(s), serum, marked decline in during an episode of severe diarrhea (Kolibash et al.), 806 (Annot.)
the: before and after the fact (Holford and Sheiner), 529 (Annot.)
Disease, cardiovascular, the importance of magnesium dificiency in (Burch and Giles), 649
Lenegre's, in youth (Dianzumba et al.), 479
Disparity, local, in conduction and recovery time on ventricular vulnerability to fibrillation, role of (Merx, Yoon, and Han), 603
Dobutamine, cardiovascular effects of in severe congestive heart failure (Andy et al.), 175
Doctor(s), and new medical schools, the shortage of (Burch), 682
and society, the (Norcross), 261 (Annot.)
or technocrats? (Burch), 1
Double outlet left ventricle associated with situs inversus and atrioventricular concordance (Urban, Anderson, and Stark), 91
Drug(s), nonsteroidal anti-inflammatory, influence of on ouabain toxicity (Wilkerson and Glenn), 454
Surveillance Program, the Boston Collaborative, a report from. Clinical toxicity of furosemide in hospitalized patients (Greenblatt et al.), 6
Duchenne's muscular dystrophy (Clinical Pathologic Conference) (Rubler, Perloff, and Roberts), 776
Dystrophy, muscular, Duchenne's (Clinical Pathologic Conference) (Rubler, Perloff, and Roberts), 776

E

Ear densitography, systolic time intervals utilizing. Advantages and reliability for stress testing (Lance and Spodick), 62
Early ambulation following myocardial infarction (Abraham and Weinstein), 666 (Annot.)
lidocaine levels in patients, variability of (Zito, Reid, and Longstreth), 292
Echocardiographic correlate of presystolic pulmonary ejection sound in congenital valvular pulmonic stenosis (Flanagan and Shah), 633
electrocardiographic, and vectorcardiographic findings in patients with left ventricular overload, correlations between (Toshima, Koga, and Kimura), 547
features and eitology of the systolic murmur; cor triatriatum—report of a case in a young adult with special reference to (Ehrich et al.), 217
emphasized in clinical manifestations of mitral annulus calcification (D'Cruz et al.), 367
of combined membranous subaortic stenosis and acquired calcific aortic valvulopathy (Hess et al.), 349
of mitral annulus calcification (Dashkoff et al.), 585
Echocardiography in determination of reversible posterior wall asynergy, use of (Morrison et al.), 140
in recording mitral valve vegetations, the value and limitations of (Boucher et al.), 37
M-mode, pitfalls and limitations of (Kotler et al.), 227
Ejection sound, presystolic pulmonary, in congenital valvular pulmonic stenosis, echocardiographic correlate of (Flanagan and Shah), 633
Elderly patients, survival of after pacemaker implant (Rettig et al.), 265 (Letter to Editor)
Reply (Amikam and Riss), 266
Electrical stability of the heart, effect of magnesium chloride on (Ghani and Rabah), 600
ventricular defibrillation current, the thoracic windows for (Geddes et al.), 67
Electrocardiographic and vectorcardiographic analysis of effect of respiration on normal and abnormal Q waves (Mimbs, deMello, and Roberts), 579
monitoring, portable, on artifacts in (Stern and Tzivoni), 131 (Letter to Editor)
Reply (Krasnow and Bloomfield), 133
response to maximal treadmill exercise of asymptomatic men with left bundle branch block (Whinnery et al.), 316
vectorcardiographic, and echocardiographic findings in patients with left ventricular overload, correlations between (Toshima, Koga, and Kimura), 547
Electrocardiography, His bundle, in manifest and concealed right bundle branch extrasystoles (Castellanos et al.), 307
Electrophysiologic properties of nitroglycerian in man (Gould et al.), 341
Electrophysiological effects of delta-9-tetrahydrocannabinol (cannabis) on cardiac conduction in man (Miller et al.), 740
Endocarditis, bacterial, culture negative, confirming the diagnosis (Gleckman), 125 (Annot.)
prosthetic valve, in 22 patients, a clinicopathologic study of: morphologic basis for diagnosis and therapy (Anderson, Bulkley, and Hutchins), 325
Evidence, what kind of (Seely), 538 (Letter to Editor)
Reply (Eskwith), 538
Ewart's sign and myocardial infarction, of (Burch), 809 (Annot.)
Excitability, cardiac, effects of acute hyperkalemia on (Lyons, Burgess, and Abildskov), 755
Exercise—hazard or health aid (Sheehan), 537 (Letter to Editor)
Reply (Eskwith), 538
post-, thallium-201 myocardial scanning: a clinical appraisal (Rosenblatt et al.), 463
tolerance vs. mitochondria in aging hamsters: clofibrate effects (Guntheroth et al.), 460
Extrasystoles, right bundle branch, His bundle electrocardiography in manifest and concealed (Castellanos et al.), 307

F

Failure, heart, congestive, is not due to low cardiac output *per se* (Burch), 269
Fascicular block, left anterior, an appraisal of initial QRS forces in (Jacobson, LaFollette, and Cohn), 407

Fibrillation threshold, atrial, effect of lidocaine on the (Kostis et al.), 764
ventricular, in dogs, effect of stimulation of somatic nerves on the (Maytham, Kline, and Calaresu), 731
in infarcted and non-infarcted myocardium after acute coronary ligation, time course of (Roland et al.), 336
influence of test site on (Burgess, Williams, and Ershler), 55
ventricular, postmortem diagnosis of by K and Na distribution in the myocardium and skeletal muscle in out-of-hospital sudden death from acute ischemic heart disease (Raiskina et al.), 154
vulnerability to, role of local disparity in conduction and recovery time on (Merx, Yoon, and Han), 603
Fibrosis and/or necrosis and/or myocardial cellular hypertrophy, norepinephrine—the producer of (Laks), 394 (Letter to Editor, reply to Nair and Dhurjaty, 393)
Flabby hearts, large, in hypertension (Attah and Falase), 189
Follow-up clinic, the pacemaker. Cardiac pacing and pacemakers VIII (Furman), 795
Framingham Study, the. Precordial T wave vectors in the detection of coronary heart disease (Schneider, Thomas, and Kannel), 568
Friedreich's ataxia: hypertrophic cardiomyopathy, the heart disease of (Smith et al.), 428
Furosemide, clinical toxicity of in hospitalized patients. A report from the Boston Collaborative Drug Surveillance Program (Greenblatt et al.), 6

G

Gastrointestinal disease, preoperative deep vein thrombosis in patients with (Heatley and Hughes), 127 (Annot.)
Glucose, blood, or plasma in the clinic, methods for measuring: a short review (Telfer Brunton and Percy-Robb), 533 (Annot.)
Granulomatous myocarditis secondary to cornstarch (Brynjolfsson et al.), 353

H

Hamsters, aging, mitochondria vs. exercise tolerance in: clofibrate effects (Guntheroth et al.), 460
Hazard or health aid—exercise (Sheehan), 537, (Letter to Editor)
Reply (Eskwith), 538
Health aid or hazard—exercise (Sheehan), 537 (Letter to Editor)
Reply (Eskwith), 538
Heart(s) disease, congenital, cyanotic, ascending aorta-pulmonary artery anastomosis for (Greenwood et al.), 14
retrograde left atrial catheterization in children with (Morrison, Scott and Macartney), 333
coronary, precordial T wave vectors in the detection of. The Framingham Study (Schneider, Thomas, and Kannel), 568
without overt diabetes, retinal microangiopathy in (Simon et al.), 130 (Letter to Editor)
effects of intravenous verapamil on hemodynamics in patients with (Singh and Roche), 593
ischemic, acute, postmortem diagnosis of ventricular fibrillation by K and Na distribution in the myocardium and skeletal muscle in out-of-hospital sudden death from (Raiskina et al.), 154
comparison of the response to arm and leg work in patients with (Schwade, Blomqvist, and Shapiro), 203
the injury-vasospasm hypothesis of revisited (Hellstrom), 642
valvular, in osteogenesis imperfecta (Stein and Kloster), 637
effect of magnesium chloride on electrical stability of the (Ghani and Rabah), 600
Heart—continued
failure, congestive, is not due to low cardiac output *per se* (Burch), 269
severe, cardiovascular effects of dobutamine in (Andy et al.), 175
supra-additive natriuretic effect addition of theophylline ethylenediamine and bumetanide in. Permutation trial tests in patients in long-term treatment with bumetanide (Sigurd and Olesen), 168
large flabby, in hypertension (Attah and Falase), 189
rate, spontaneous, ventricular tachycardia, and the response to procainamide during acute ischemia (Nathan et al.), 627
weight and age with tortuosity and caliber of normal human coronary arteries, correlation of (Hutchins et al.), 196
Hemiblock propaganda, of (Burch), 532 (Annot.)
Hemodynamics, effects of intravenous verapamil on in patients with heart disease (Singh and Roche), 593
left atrial and pulmonary, in mitral stenosis (Marco, Standeven, and Barner), 73
Heparin neutralizing activity and coronary artery disease (Lin et al.), 725
Heterogeneity, temporal and spatial, of left ventricular perfusion in awake dogs (Marcus et al.), 748
His bundle block, total intra, pre-excitation of the ventricle associated with (Probst et al.), 96
electrocardiography in manifest and concealed right bundle branch extrasystoles (Castellanos et al.), 307
Hyperkalemia, acute, on cardiac excitability, effects of (Lyons, Burgess, and Abildskov), 755
Hypertension, borderline, versus normotension: differential response to orthostatic stress (Hull et al.), 414
control, compliance and science (Sackett et al.), 666 (Annot.)
large flabby hearts in (Attah and Falase), 189
prevalence of primary and secondary (Wilhelmsen and Berglund), 543
renal, surgically correctable, renin measurement in detecting (Swales), 126 (Annot.)
renovascular, in the rat, effects of propranolol on the development of (Niarchos, Gulati, and Carretero), 81
management of the patient with (Youngberg, Sheps, and Strong), 785
vasopressin in (Padfield), 531 (Annot.)
Hypertensive patient, African, myocardial infarction in the (Seedat, Pillay, and Marcoyannopoulou-Fojas), 388 (Annot.)
Hypertrophic cardiomyopathy: the heart disease of Friedreich's ataxia (Smith et al.), 428
Hypertrophy, catecholamine-induced (Nair and Dhurjaty), 393 (Letter to Editor)
Reply (Laks), 394
mid-ventricular, without clinically apparent obstruction (Levene and Ferris), 769
myocardial cellular, and/or necrosis and/or fibrosis, norepinephrine—the producer of (Laks), 394 (Letter to Editor, reply to Nair and Dhurjaty, 393)

I

ICHD Report, 1970, revised data for (Blackburn et al.), 539 (Letter to Editor)
Impedance cardiograms, clinical study of "A waves" (atrial waves) in (Takada et al.), 710
waveform, diastolic, an abnormal early: a predictor of poor prognosis in the cardiac patient? (Ramos), 274
Implant, pacemaker, survival of elderly patients after (Rettig et al.), 265 (Letter to Editor)
Reply (Amikam and Riss), 266
Implantable pacemakers, power sources for. Part I. Cardiac pacing and pacemakers VII (Parsonnet, *with* Parsonnet and Manhardt), 517
Part II. Cardiac pacing and pacemakers VII (Parsonnet and Manhardt), 658

Implantation (of cardiac pacemakers), technical aspects of and equipment. Cardiac pacing and pacemakers V (Furman), 250
Importance of magnesium deficiency in cardiovascular disease, the (Burch and Giles), 649
Infancy, blood pressure in (de Swiet and Shinebourne), 399
Infants with coarctation of aorta, prognosis of (Chen et al.), 557
Infarcted and non-infarcted myocardium after acute coronary ligation, time course of ventricular fibrillation threshold in (Roland et al.), 336
Infarction, myocardial, acute, accelerated atrioventricular conduction during (Gavrilescu, Gavrilescu, and Luca), 21
and coronary thrombosis: cause or consequence? (Penther), 392 (Letter to Editor)
Reply (Baroldi), 392
and ischemic injury during surgery for coronary artery disease (Hultgren et al.), 146
frequency and significance of conduction defects in (Jones, Terry, and Kenmure), 163
survival curves applied to (Carlisle and Lewis), 807 (Annot.)
associated with the Riley-Day syndrome (Reshef et al.), 486
early ambulation following (Abraham and Weinstein), 666 (Annot.)
in the African hypertensive patient (Seedat, Pillay, and Marcoyannopoulou-Fojas), 388 (Annot.)
of Ewart's sign and (Burch), 809 (Annot.)
simultaneous occurrence of a ventricular septal defect and mitral insufficiency after (Zaidi), 538 (Letter to Editor)
Reply (Gowda and Roberts), 539
ventricular, right, diagnosis of: experimental study through the use of body surface isopotential maps (Sugiyama et al.), 445
Injury-vasospasm hypothesis of ischemic heart disease, revisited, the (Hellstrom), 642
Inspiration and angina pectoris (Ellestad), 810 (Letter to Editor)
Reply (Levene), 811
Insufficiency, coronary, acute, pathophysiologic basis of. Observations favoring the hypothesis of intermittent reversible coronary obstruction (Neill, Ritzmann, and Selden), 439
mitral, after myocardial infarction, simultaneous occurrence of a ventricular septal defect and (Zaidi), 538 (Letter to Editor)
Reply (Gowda and Roberts), 539
Intermittent claudication and angina pectoris (Hamby et al.), 573
reversible coronary obstruction, observations favoring the hypothesis of. The pathophysiologic basis of acute coronary insufficiency (Neill, Ritzmann, and Selden), 439
Interventricular septum, canine, perfusion of: significance of right coronary artery supply (Sostman, Kelley, and Langou), 611
Intracardiac shunt in the early postoperative patient, right-to-left, use of saline or blood for ultrasonic detection of (Duff and Gutgesell), 402
Intravenous verapamil on hemodynamics in patients with heart disease, effects of (Singh and Roche), 593
Ischemia, acute, response to procainamide during, and spontaneous heart rate, and ventricular tachycardia (Nathan et al.), 627
myocardial, pseudo normalization of the repolarization during transient episodes of (Haïat et al.), 390 (Annot.)
Ischemic heart disease, acute, postmortem diagnosis of ventricular fibrillation by K and Na distribution in the myocardium and skeletal muscle in out-of-hospital sudden death from (Raiskina et al.), 154
comparison of the response to arm and leg work in patients with (Schwade, Blomqvist, and Shapiro), 203
the injury-vasospasm hypothesis of revisited (Hellstrom), 642
Ischemic—continued
injury and acute myocardial infarction during surgery for coronary artery disease (Hultgren et al.), 146
Isopotential maps, body surface, experimental study through the use of: diagnosis of right ventricular infarction (Sugiyama et al.), 445

J

Jugular venous pulse, effects of cardiopulmonary bypass on the (Wann, Morris, and Tavel), 262 (Annot.)

K

K and Na distribution in the myocardium and skeletal muscle in out-of-hospital sudden death from acute ischemic heart disease, postmortem diagnosis of ventricular fibrillation by (Raiskina et al.), 154

L

Large flabby hearts in hypertension (Attah and Falase), 189
Left anterior fascicular block, an appraisal of initial QRS forces in (Jacobson, LaFollette, and Cohn), 407
atrial and pulmonary hemodynamics in mitral stenosis (Marco, Standeven, and Barner), 73
bundle branch block, electrocardiographic response to maximal treadmill exercise of asymptomatic men with (Whinnery et al.), 316
main coronary artery, the length of: Pathological features (Penther et al.), 705
ventricle, double outlet, associated with situs inversus and atrioventricular concordance (Urban, Anderson, and Stark), 91
ventricular myocardium in mitral stenosis, the state of the (Ahmed et al.), 28
Leg and arm work in patients with ischemic heart disease, a comparison of the response to (Schwade, Blomqvist, and Shapiro), 203
Lenegre's disease in youth (Dianzumba et al.), 479
Length of the left main coronary artery: pathological features (Penther et al.), 705
Lidocaine, effect of on the atrial fibrillation threshold (Kostis et al.), 764
levels in patients, variability of early (Zito, Reid, and Longstreth), 292
Lift, right parasternal, in atrial septal defect (Fukumoto et al.), 699
Ligation, acute coronary, time course of ventricular fibrillation threshold in infarcted and non-infarcted myocardium after (Roland et al.), 336
Lillehei-Kaster disc prosthesis, results of valve replacement with (Forman, Beck, and Barnard), 282
Liver, veno-occlusive disease of the (Srivastava and Mohabbat), 665 (Annot.)
Low cardiac output, congestive heart failure is not due to, *per se* (Burch), 269

M

McMillan, Thomas M., Jr., M.D.—Obituary (Vander Veer), 679
Magnesium chloride on electrical stability of the heart, effect of (Ghani and Rabah), 600
deficiency in cardiovascular disease, the importance of (Burch and Giles), 649
Main coronary artery, left, the length of: pathological features (Penther et al.), 705
Management of the patient with angina, the (Short), 135
with renovascular hypertension (Youngberg, Sheps, and Strong), 785
Maps, body surface isopotential, experimental study through the use of: diagnosis of right ventricular infarction (Sugiyama et al.), 445
Medical schools, new, and doctors, the shortage of (Burch), 682
Membranous subaortic stenosis, combined, echocardiographic features of and acquired calcific aortic valvulopathy (Hess et al.), 349

Microangiopathy, retinal, in coronary heart disease without overt diabetes (Simon et al.), 130 (Letter to Editor)
Middle-aged, atrial septal defect of secundum type in the. Clinical results of surgery and correlations between symptoms and hemodynamics (Forfang et al.), 44
Mid-ventricular hypertrophy without clinically apparent obstruction (Levene and Ferris), 769
Mitochondria vs. exercise tolerance in aging hamsters: clofibrate effects (Guntheroth et al.), 460
Mitral annulus calcification, clinical manifestations of, with emphasis on its echocardiographic features (D'Cruz et al.), 367
echocardiographic features of (Dashkoff et al.), 585
insufficiency after myocardial infarction, simultaneous occurrence of a ventricular septal defect and (Zaidi), 538 (Letter to Editor)
Reply (Gowda and Roberts), 539
regurgitation, partial anomalous pulmonary venous connection (intact atrial septum) associated with (Pritchard et al.), 209
stenosis during sinus rhythm, propranolol in (Meister et al.), 685
effect of tachycardia on atrial transport in (Thompson, Shaver, and Leon), 297
pulmonary and left atrial hemodynamics in (Marco, Standeven, and Barner), 73
the state of the left ventricular myocardium in (Ahmed et al.), 28
valve prolapse–click syndrome in twins (Girard and Girard), 813 (Letter to Editor)
vegetations, the value and limitations of echocardiography in recording (Boucher et al.), 37
M-mode echocardiography, pitfalls and limitations of (Kotler et al.), 227
Monitoring, ambulatory, noise reduction in (van Gelder and Myburgh), 813 (Letter to Editor)
portable electrocardiographic, on artifacts in (Stern and Tzivoni), 131 (Letter to Editor)
Reply (Krasnow and Bloomfield), 133
More on artifacts (Stein and Peterson), 132 (Letter to Editor)
Reply (Krasnow and Bloomfield), 133
Morphologic basis for diagnosis and therapy of prosthetic valve endocarditis in 22 patients, a clinicopathologic study of (Anderson, Bulkley, and Hutchins), 325
Murmur(s) and clicks, systolic (Sasse), 265 (Letter to Editor)
Reply (Haas), 265
systolic, report of a case of cor triatriatum in a young adult with special reference to the echocardiographic features and etiology of (Ehrich et al.), 217
Muscular dystrophy, Duchenne's (Clinical Pathologic Conference) (Rubler, Perloff, and Roberts), 776
Myocardial cellular hypertrophy and/or necrosis and/or fibrosis, norepinephrine–the producer of (Laks), 394 (Letter to Editor, reply to Nair and Dhurjaty, 393)
infarction, acute, accelerated atrioventricular conduction during (Gavrilescu, Gavrilescu, and Luca), 21
and coronary thrombosis: cause or consequence? (Penther), 392 (Letter to Editor)
Reply (Baroldi), 392
and ischemic injury during surgery for coronary artery disease (Hultgren et al.), 146
frequency and significance of conduction defects in (Jones, Terry, and Kenmure), 163
survival curves applied to (Carlisle and Lewis), 807 (Annot.)
associated with the Riley-Day syndrome (Reshef et al.), 486
early ambulation following (Abraham and Weinstein), 666 (Annot.)
in the African hypertensive patient (Seedat, Pillay, and Marcoyannopoulou-Fojas), 388 (Annot.)
of Ewart's sign and (Burch), 809 (Annot.)
Myocardial infarction–continued
simultaneous occurrence of a ventricular septal defect and mitral insufficiency after (Zaidi), 538 (Letter to Editor)
Reply (Gowda and Roberts), 539
ischemia, pseudo normalization of the repolarization during transient episodes of (Haïat et al.), 390 (Annot.)
scanning, post-exercise thallium-201: a clinical appraisal (Rosenblatt et al.), 463
Myocarditis, granulomatous, secondary to cornstarch (Brynjolfsson et al.), 353
Myocardium and skeletal muscle in out-of-hospital sudden death from acute ischemic heart disease, postmortem diagnosis of ventricular fibrillation by K and Na distribution in (Raiskina et al.), 154
infarcted and non-infarcted, after acute coronary ligation, time course of ventricular fibrillation threshold in (Roland et al.), 336
left ventricular, in mitral stenosis, the state of the (Ahmed et al.), 28

N

Na and K distribution in the myocardium and skeletal muscle in out-of-hospital sudden death from acute ischemic heart disease, portmortem diagnosis of ventricular fibrillation by (Raiskina et al.), 154
Natriuretic effect addition of theophylline ethylenediamine and bumetanide in congestive heart failure, the supra-additive. Permutation trial tests in patients in long-term treatment with bumetanide (Sigurd and Olesen), 168
Necrosis and/or fibrosis and/or myocardial cellular hypertrophy, norepinephrine–the producer of (Laks), 394 (Letter to Editor, reply to Nair and Dhurjaty, 393)
Nephritis, Balkan, viruses in (Georgescu et al.), 805 (Annot.)
Nerves, somatic, effect of stimulation of on the ventricular fibrillation threshold in dogs (Maytham, Kline, and Calaresu), 731
Neutralizing activity, heparin, and coronary artery disease (Lin et al.), 725
New medical schools and doctors, the shortage of (Burch), 682
1970 ICHD Report, revised data for (Blackburn et al.), 539 (Letter to Editor)
Nitroglycerin, abolished compensation of cardiac performance after in patients with ventricular asynergy (Schwarz et al.), 421
in man, electrophysiologic properties of (Gould et al.), 341
Noise reduction in ambulatory monitoring (van Gelder and Myburgh), 813 (Letter to Editor)
Nonsteroidal anti-inflammatory drugs on ouabain toxicity, influence of (Wilkerson and Glenn), 454
Norepinephrine–the producer of myocardial cellular hypertrophy and/or necrosis and/or fibrosis (Laks), 394 (Letter to Editor, reply to Nair and Dhurjaty, 393)
Normally developed left ventricle, conal anatomy in aortic atresia, and ventricular septal defect (Freedom, Dische, and Rowe), 689
Normotension versus borderline hypertension: differential response to orthostatic stress (Hull et al.), 414
Now the treadmill! (Bassler), 673 (Letter to Editor)

O

Obituary–Thomas M. McMillan, Jr., M.D. (Vander Veer), 679
Obstruction, clinically apparent, mid-ventricular hypertrophy without (Levene and Ferris), 769
coronary, intermittent reversible, observations favoring the hypothesis of. The pathophysiologic basis of acute coronary insufficiency (Neill, Ritzmann, and Selden), 439
Of bellyache (Burch), 668 (Annot.)
cardiac arrest and sleep (Burch), 129 (Annot.)
central venous pressure (Burch), 391 (Annot.)

Of—continued
Ewart's sign and myocardial infarction (Burch), 809 (Annot.)
hemiblock propaganda (Burch), 532 (Annot.)
pre-infarct syndrome and bed rest (Burch), 262 (Annot.)
Orthostatic stress, differential response to: borderline hypertension versus normotension (Hull et al.), 414
Osteogenesis imperfecta, valvular heart disease in (Stein and Kloster), 637
Ouabain toxicity, influence of nonsteroidal anti-inflammatory drugs on (Wilkerson and Glenn), 454
Output, low cardiac, congestive heart failure is not due to, *per se* (Burch), 269
Overload, left ventricular, correlations between electrocardiographic, vectorcardiographic, and echocardiographic findings in patients with (Toshima, Koga, and Kimura), 547

P

Pacemaker(s) and pacing, cardiac IV. Threshold of cardiac stimulation (Furman, Hurzeler, and Mehra), 115
V. Technical aspects of implantation and equipment (Furman), 250
VI. Analysis of pacemaker malfunction (Furman), 378
VII. Power sources for implantable pacemakers. Part I (Parsonnet, *with* Parsonnet and Manhardt), 517
VII. Part II (Parsonnet and Manhardt), 658
VIII. The pacemaker follow-up clinic (Furman), 795
follow-up clinic, the. Cardiac pacing and pacemakers VIII (Furman), 795
implant, survival of elderly patients after (Rettig et al.), 265 (Letter to Editor)
Reply (Amikam and Riss), 266
implantable, power sources for. Part I. Cardiac pacing and pacemakers VII (Parsonnet, *with* Parsonnet and Manhardt), 517
Part II. Cardiac pacing and pacemakers VII (Parsonnet and Manhardt), 658
malfunction, analysis of. Cardiac pacing and pacemakers VI (Furman), 378
Pacing and pacemakers, cardiac IV. Threshold of cardiac stimulation (Furman, Hurzeler, and Mehra), 115
V. Technical aspects of implantation and equipment (Furman), 250
VI. Analysis of pacemaker malfunction (Furman), 378
VII. Power sources for implantable pacemakers. Part I (Parsonnet, *with* Parsonnet and Manhardt), 517
VII. Part II (Parsonnet and Manhardt), 658
VIII. The pacemaker follow-up clinic (Furman), 795
Paradoxical pulsation, termination of ventricular tachycardia by a chest thump over the area of (Befeler and Aranda), 773
Parasternal lift in atrial septal defect, right (Fukumoto et al.), 699
Pathogenesis of cor triatriatum, a proposed: impingement of the left superior vena cava on the developing left atrium (Gharagozloo, Bulkley, and Hutchins), 618
Patient with renovascular hypertension, management of the (Youngberg, Sheps, and Strong), 785
Pectoris, angina, and inspiration (Ellestad), 810 (Letter to Editor)
Reply (Levene), 811
and intermittent claudication (Hamby et al.), 573
Perfusion, left ventricular, in awake dogs, spatial and temporal heterogeneity of (Marcus et al.), 748
of the canine interventricular septum: significance of right coronary artery supply (Sostman, Kelley, and Langou), 611
Plasma or blood glucose in the clinic, methods for measuring: a short review (Telfer Brunton and Percy-Robb), 533 (Annot.)
Platelet adhesiveness, reduced, in patients with prosthetic ball valves: relation to adenosine diphosphate and mechanical trauma (Dale), 562
functions in patients with aortic ball valves (Dale and Myhre), 359
Portable electrocardiographic monitoring, on artifacts in (Stern and Tzivoni), 131 (Letter to Editor)
Reply (Krasnow and Bloomfield), 133
Post-exercise thallium-201 myocardial scanning: a clinical appraisal (Rosenblatt et al.), 463
Posterior wall asynergy, reversible, use of echocardiography in determination of (Morrison et al.), 140
Postmortem diagnosis of ventricular fibrillation by K and Na distribution in the myocardium and skeletal muscle in out-of-hospital sudden death from acute ischemic heart disease (Raiskina et al.), 154
quantitative study on the size of coronary artery supplying areas (Kalbfleisch and Hort), 183
Power sources for implantable pacemakers. Part I. Cardiac pacing and pacemakers VII (Parsonnet, *with* Parsonnet and Manhardt), 517
Part II. Cardiac pacing and pacemakers VII (Parsonnet and Manhardt), 658
Precordial T wave vectors in the detection of coronary heart disease. The Framingham Study (Schneider, Thomas, and Kannel), 568
Pre-excitation of the ventricle associated with total intra His bundle block (Probst et al.), 96
Pre-infarct syndrome and bed rest, of (Burch), 262 (Annot.)
Preoperative deep vein thrombosis in patients with gastrointestinal disease (Heatley and Hughes), 127 (Annot.)
Pressure, blood, in infancy (de Swiet and Shinebourne), 399
of central venous (Burch), 391 (Annot.)
Presystolic pulmonary ejection sound in congenital valvular pulmonic stenosis, echocardiographic correlate of (Flanagan and Shah), 633
Primary and secondary hypertension, prevalence of (Wilhelmsen and Berglund), 543
Procainamide, response to during acute ischemia, and spontaneous heart rate, and ventricular tachycardia (Nathan et al.), 627
Prognosis of infants with coarctation of aorta (Chen et al.), 557
Prolapse–click syndrome, mitral valve, in twins (Girard and Girard), 813 (Letter to Editor)
Propaganda, of hemiblock (Burch), 532 (Annot.)
Propranolol, effects of, on the development of renovascular hypertension in the rat (Niarchos, Gulati, and Carretero), 81
in mitral stenosis during sinus rhythm (Meister et al.), 685
Prosthesis, Lillehei-Kaster disc, results of valve replacement with (Forman, Beck, and Barnard), 282
Prosthetic ball valves, reduced platelet adhesiveness in patients with: relation to adenosine diphosphate and mechanical trauma (Dale), 562
valve endocarditis in 22 patients, a clinicopathologic study of: morphologic basis for diagnosis and therapy (Anderson, Bulkley, and Hutchins), 325
Pseudo normalization of the repolarization during transient episodes of myocardial ischemia (Haïat et al.), 390 (Annot.)
Pulmonary and left atrial hemodynamics in mitral stenosis (Marco, Standeven, and Barner), 73
ejection sound, presystolic, in congenital valvular pulmonic stenosis, echocardiographic correlate of (Flanagan and Shah), 633
valve fluttering in subpulmonic ventricular septal defect (Glasser and Baucum), 3
venous connection, partial anomalous (intact atrial septum) associated with mitral regurgitation (Pritchard et al.), 209
Pulmonic stenosis, congenital valvular, echocardiographic correlate of presystolic pulmonary ejection sound in (Flanagan and Shah), 633

Pulsation, paradoxical, termination of ventricular tachycardia by a chest thump over the area of (Befeler and Aranda), 773
Pulse, jugular venous, effects of cardiopulmonary bypass on the (Wann, Morris, and Tavel), 262 (Annot.)

Q

Q waves, effect of respiration on normal and abnormal. An electrocardiographic and vectorcardiographic analysis (Mimbs, deMello, and Roberts), 579
QRS forces in left anterior fascicular block, an appraisal of initial (Jacobson, LaFollette, and Cohn), 407

R

Rat, renovascular hypertension in the, effects of propranolol on the development of (Niarchos, Gulati, and Carretero), 81
Recovery time and conduction, role of local disparity in on ventricular vulnerability to fibrillation (Merx, Yoon, and Han), 603
Reduction, noise, in ambulatory monitoring (van Gelder and Myburgh), 813 (Letter to Editor)
Regurgitation, mitral, partial anomalous pulmonary venous connection (intact atrial septum) associated with (Pritchard et al.), 209
Renal hypertension, surgically correctable, renin measurement in detecting (Swales), 126 (Annot.)
Renin measurement in detecting surgically correctable renal hypertension (Swales), 126 (Annot.)
Renovascular hypertension in the rat, effects of propranolol on the development of (Niarchos, Gulati, and Carretero), 81
management of the patient with (Youngberg, Sheps, and Strong), 785
Replacement patients, valve, survival of (McGoon), 130 (Letter to Editor)
Repolarization during transient episodes of myocardial ischemia, pseudo normalization of (Haïat et al.), 390 (Annot.)
Respiration on normal and abnormal Q waves, effect of. An electrocardiographic and vectorcardiographic analysis (Mimbs, deMello, and Roberts), 579
Rest, bed, of pre-infarct syndrome and (Burch), 262 (Annot.)
Retinal microangiopathy in coronary heart disease without overt diabetes (Šimon et al.), 130 (Letter to Editor)
Retrograde left atrial catheterization in children with congenital heart disease (Morrison, Scott, and Macartney), 333
Reversible coronary obstruction, intermittent, observations favoring the hypothesis of. The pathophysiologic basis of acute coronary insufficiency (Neill, Ritzmann, and Selden), 439
posterior wall asynergy, use of echocardiography in determination of (Morrison et al.), 140
Revised data for 1970 ICHD Report (Blackburn et al.), 539 (Letter to Editor)
Rhythm, sinus, propranolol in mitral stenosis during (Meister et al.), 685
Right aortic arch associated with contralateral congenital subclavian steal: a well-defined but certainly more frequent syndrome than reported on (Bensaid), 673 (Letter to Editor)
bundle branch extrasystoles, His bundle electrocardiography in manifest and concealed (Castellanos et al.), 307
parasternal lift in atrial septal defect (Fukumoto et al.), 699
-to-left intracardiac shunt in the early postoperative patient, use of saline or blood for ultrasonic detection of (Duff and Gutgesell), 402
ventricular volumes, measurements of in man from single plane cineangiograms. A comparison to the biplane approach (Ferlinz), 87
Riley-Day syndrome, myocardial infarction associated with (Reshef et al.), 486

S

Safety threshold of ultrasound in medical use? (Galperin-Lemaître and Levi), 260 (Annot.)
Saline or blood for ultrasonic detection of a right-to-left intracardiac shunt in the early postoperative patient, use of (Duff and Gutgesell), 402
Saphenous veins used as aortocoronary bypass grafts, changes in (Spray and Roberts), 500
Schools, medical, new, and doctors, the shortage of (Burch), 682
Secondary and primary hypertension, prevalence of (Wilhelmsen and Berglund), 543
Secundum type of atrial septal defect in the middle-aged. Clinical results of surgery and correlations between symptoms and hemodynamics (Forfang et al.), 44
Septal defect, aorticopulmonary, and TAC (Truncus Arteriosus Communis) (Tandon), 670 (Letter to Editor)
Reply (Van Praagh), 671
atrial, of secundum type in the middle-aged. Clinical results of surgery and correlations between symptoms and hemodynamics (Forfang et al.), 44
right parasternal lift in (Fukumoto et al.), 699
small atrial (Katholi), 669 (Letter to Editor)
Reply (Andersen et al.), 669
ventricular, and mitral insufficiency after myocardial infarction, simultaneous occurrence of a (Zaidi), 538 (Letter to Editor)
Reply (Gowda and Roberts), 539
conal anatomy in aortic atresia, and normally developed left ventricle (Freedom, Dische, and Rowe), 689
subpulmonic, pulmonary valve fluttering in (Glasser and Baucum), 3
Septum, atrial, intact, in partial anomalous pulmonary venous connection associated with mitral regurgitation (Pritchard et al.), 209
canine interventricular, perfusion of: significance of right coronary artery supply (Sostman, Kelley, and Langou), 611
Serum digoxin concentrations, marked decline in during an episode of severe diarrhea (Kolibash et al.), 806 (Annot.)
Severe diarrhea, marked decline in serum digoxin concentrations during an episode of (Kolibash et al.), 806 (Annot.)
Shock, bacterial (Shubin, Weil, and Carlson), 112
Shortage of doctors and new medical schools, the (Burch), 682
Shunt, intracardiac, right-to-left, in the early postoperative patient, use of saline or blood for ultrasonic detection of (Duff and Gutgesell), 402
Sign, of Ewart's and myocardial infarction (Burch), 809 (Annot.)
Simultaneous occurrence of a ventricular septal defect and mitral insufficiency after myocardial infarction (Zaidi), 538 (Letter to Editor)
Reply (Gowda and Roberts), 539
Single plane cineangiograms, compared to biplane, in measurements of right ventricular volumes in man from (Ferlinz), 87
Sinus rhythm, propranolol in mitral stenosis during (Meister et al.), 685
Situs inversus and atrioventricular concordance, double outlet left ventricle associated with (Urban, Anderson, and Stark), 91
Skeletal muscle and myocardium in out-of-hospital sudden death from acute ischemic heart disease, postmortem diagnosis of ventricular fibrillation by K and Na distribution in (Raiskina et al.), 154
Sleep, of cardiac arrest and (Burch), 129 (Annot.)
Small atrial septal defects (Katholi), 669 (Letter to Editor)
Reply (Andersen et al.), 669
coronary arteries in alcoholic cardiomyopathy, the (Burch and Giles), 471
Society and the doctor (Norcross), 261 (Annot.)
Somatic nerves, effect of stimulation of on the ventricular fibrillation threshold in dogs (Maytham, Kline, and Calaresu), 731

Spatial and temporal heterogeneity of left ventricular perfusion in awake dogs (Marcus et al.), 748
Spontaneous heart rate, ventricular tachycardia, and the response to procainamide during acute ischemia (Nathan et al.), 627
Stability, electrical, of the heart, effect of magnesium chloride on (Ghani and Rabah), 600
Steal, contralateral congenital subclavian, right aortic arch associated with: a well-defined but certainly more frequent syndrome than reported on (Bensaid), 673 (Letter to Editor)
Stenosis, combined membranous subaortic, echocardiographic features of and acquired calcific aortic valvulopathy (Hess et al.), 349
congenital valvular pulmonic, echocardiographic correlate of presystolic pulmonary ejection sound in (Flanagan and Shah), 633
mitral, during sinus rhythm, propranolol in (Meister et al.), 685
effect of tachycardia on atrial transport in (Thompson, Shaver, and Leon), 297
pulmonary and left atrial hemodynamics in (Marco, Standeven, and Barner), 73
the state of the left ventricular myocardium in (Ahmed et al.), 28
Stimulation, cardiac, threshold of. Cardiac pacing and pacemakers IV (Furman, Hurzeler, and Mehra), 115
of somatic nerves on the ventricular fibrillation threshold in dogs, effect of (Maytham, Kline, and Calaresu), 731
Stress, orthostatic, differential response to: borderline hypertension versus normotension (Hull et al.), 414
testing, advantages and reliability for in systolic time intervals utilizing ear densitography (Lance and Spodick), 62
Subaortic stenosis, combined membranous, echocardiographic features of and acquired calcific aortic valvulopathy (Hess et al.), 349
Subclavian steal, contralateral congenital, right aortic arch associated with: a well-defined but certainly more frequent syndrome than reported on (Bensaid), 673 (Letter to Editor)
Subpulmonic ventricular septal defect, pulmonary valve fluttering in (Glasser and Baucum), 3
Superior vena cava, left, impingement of, on the developing left atrium,: a proposed pathogenesis of cor triatriatum (Gharagozloo, Bulkley, and Hutchins), 618
Surgery for atrial septal defect of secundum type in the middle-aged, clinical results of and correlations between symptoms and hemodynamics (Forfang et al.), 44
for coronary artery disease, acute myocardial infarction and ischemic injury during (Hultgren et al.), 146
Surgically correctable renal hypertension, renin measurement in detecting (Swales), 126 (Annot.)
Survival curves applied to acute myocardial infarction (Carlisle and Lewis), 807 (Annot.)
of elderly patients after pacemaker implant (Rettig et al.), 265 (Letter to Editor)
Reply (Amikam and Riss), 266
of valve replacement patients (McGoon), 130 (Letter to Editor)
Syndrome, a well-defined but certainly more frequent (one) than reported on: right aortic arch associated with contralateral congenital subclavian steal (Bensaid), 673 (Letter to Editor)
mitral valve prolapse-click, in twins (Girard and Girard), 813 (Letter to Editor)
pre-infarct, and bed rest, of (Burch), 262 (Annot.)
Riley-Day, myocardial infarction associated with (Reshef et al.), 486
Systolic clicks and murmurs (Sasse), 265 (Letter to Editor)
Reply (Haas), 265
murmur, report of a case of cor triatriatum in a young adult with special reference to the echocardiographic features and etiology of (Ehrich et al.), 217
time intervals in chronic anemia (Abdullah, Siddiqui, and Tajuddin), 287
Systolic time intervals—continued
utilizing ear densitography. Advantages and reliability for stress testing (Lance and Spodick), 62

T

T wave vectors, precordial, in the detection of coronary heart disease. The Framingham Study (Schneider, Thomas, and Kannel), 568
TAC (Truncus Arteriosus Communis), and aorticopulmonary septal defect (Tandon), 670 (Letter to Editor)
Reply (Van Praagh), 671
Tachycardia, effect of on atrial transport in mitral stenosis (Thompson, Shaver, and Leon), 297
ventricular, spontaneous heart rate, and the response to procainamide during acute ischemia (Nathan et al.), 627
termination of by a chest thump over the area of paradoxical pulsation (Befeler and Aranda), 773
Technocrats or doctors? (Burch), 1
Temporal and spatial heterogeneity of left ventricular perfusion in awake dogs (Marcus et al.), 748
Test site on ventricular fibrillation threshold, influence of (Burgess, Williams, and Ershler), 55
Testing, treadmill, maximal, ventricular arrhythmia 24 hours before and after (Kennedy et al.), 718
Thallium-201 myocardial scanning, post-exercise: a clinical appraisal (Rosenblatt et al.), 463
Theophylline ethylenediamine and bumetanide in congestive heart failure, the supra-additive natriuretic effect addition of. Permutation trial tests in patients in long-term treatment with bumetanide (Sigurd and Olesen), 168
Thomas M. McMillan, Jr., M.D.—Obituary (Vander Veer), 679
Thoracic windows for electrical ventricular defibrillation current, the (Geddes et al.), 67
Threshold, atrial fibrillation, effect of lidocaine on the (Kostis et al.), 764
of cardiac stimulation. Cardiac pacing and pacemakers IV (Furman, Hurzeler, and Mehra), 115
safety, of ultrasound in medical use? (Galperin-Lemaître and Levi), 260 (Annot.)
ventricular fibrillation, influence of test site on (Burgess, Williams, and Ershler), 55
Thromboembolism, arterial, prevention of with acetylsalicylic acid. A controlled clinical study in patients with aortic ball valves (Dale et al.), 101
Thrombosis, coronary, and acute myocardial infarction: cause or consequence? (Penther), 392 (Letter to Editor)
Reply (Baroldi), 392
deep vein, preoperative, in patients with gastrointestinal disease (Heatley and Hughes), 127 (Annot.)
Time intervals, systolic, utilizing ear densitography. Advantages and reliability for stress testing (Lance and Spodick), 62
Tortuosity and caliber of normal human coronary arteries, correlation of age and heart weight with (Hutchins et al.), 196
Toxicity, clinical, of furosemide in hospitalized patients. A report from the Boston Collaborative Drug Surveillance Program (Greenblatt et al.), 6
ouabain, influence of nonsteroidal anti-inflammatory drugs on (Wilkerson and Glenn), 454
Trauma, mechanical, and adenosine diphosphate, relation to reduced platelet adhesiveness in patients with prosthetic ball valves (Dale), 562
Treadmill exercise, maximal, of asymptomatic men with left bundle branch block, electrocardiographic response to (Whinnery et al.), 316
now the! (Bassler), 673 (Letter to Editor)
re-examined, the (Cooper), 811 (Letter to Editor)
testing, maximal, ventricular arrhythmia 24 hours before and after (Kennedy et al.), 718
Truncus Arteriosus Communis (Bharati and Lev), 669 (Letter to Editor)
Reply (Van Praagh), 670
Twins, mitral valve prolapse-click syndrome in (Girard and Girard), 813 (Letter to Editor)

U

Ultrasonic detection of a right-to-left intracardiac shunt in the early postoperative patient, use of saline or blood for (Duff and Gutgesell), 402
Ultrasound in medical use, safety threshold of? (Galperin-Lemaître and Levi), 260 (Annot.)

V

Valve(s), aortic ball, a controlled clinical study of prevention of arterial thromboembolism with acetylsalicylic acid in patients with (Dale et al.), 101
platelet functions in patients with (Dale and Myhre), 359
endocarditis, prosthetic in 22 patients, a clinicopathologic study of: morphologic basis for diagnosis and therapy (Anderson, Bulkley, and Hutchins), 325
fluttering, pulmonary, in subpulmonic ventricular septal defect (Glasser and Baucum), 3
mitral, prolapse-click syndrome in twins (Girard and Girard), 813 (Letter to Editor)
prosthetic ball, reduced platelet adhesiveness in patients with; relation to adenosine diphosphate and mechanical trauma (Dale), 562
replacement patients, survival of (McGoon), 130 (Letter to Editor)
with the Lillehei-Kaster disc prosthesis, results of (Forman, Beck, and Barnard), 282
vegetations, mitral, the value and limitations of echocardiography in recording (Boucher et al.), 37
Valvular heart disease in osteogenesis imperfecta (Stein and Kloster), 637
pulmonic stenosis, congenital, echocardiographic correlate of presystolic pulmonary ejection sound in (Flanagan and Shah), 633
Valvulopathy, calcific aortic, echocardiographic features of combined membranous subaortic stenosis and acquired (Hess et al.), 349
Variability of early lidocaine levels in patients (Zito, Reid, and Longstreth), 292
Vasopressin in hypertension (Padfield), 531 (Annot.)
Vectors, precordial T wave, in the detection of coronary heart disease. The Framingham Study (Schneider, Thomas and Kannel), 568
Vectorcardiographic and electrocardiographic analysis of effect of respiration on normal and abnormal Q waves (Mimbs, deMello, and Roberts), 579
electrocardiographic, and echocardiographic findings in patients with left ventricular overload, correlations between (Toshima, Koga, and Kimura), 547
Vegetations, mitral valve, the value and limitations of echocardiography in recording (Boucher et al.), 37
Vein(s), saphenous, used as aortocoronary bypass grafts, changes in (Spray and Roberts), 500
thrombosis, deep, preoperative, in patients with gastrointestinal disease (Heatley and Hugnes), 127 (Annot.)
Vena cava, superior, left, impingement of on the developing left atrium: a proposed pathogenesis of cor triatriatum (Gharagozloo, Bulkley, and Hutchins), 618
Veno-occlusive disease of the liver (Srivastava and Mohabbat), 665 (Annot.)
Venous connection, pulmonary, partial anomalous (intact atrial septum) associated with mitral regurgitation (Pritchard et al.), 209
pressure, central, of (Burch), 391 (Annot.)
pulse, jugular, effects of cardiopulmonary bypass on the (Wann, Morris, and Tavel), 262 (Annot.)
Ventricle, double outlet left, associated with situs inversus and atrioventricular concordance (Urban, Anderson, and Stark), 91
left, normally developed, conal anatomy in aortic atresia, and ventricular septal defect (Freedom, Dische, and Rowe), 689
Ventricle—continued
pre-excitation of, associated with total intra His bundle block (Probst et al.), 96
Ventricular arrhythmia 24 hours before and after maximal treadmill testing (Kennedy et al.), 718
asynergy, abolished compensation of cardiac performance after nitroglycerin in patients with (Schwarz et al.), 421
defibrillation current, electrical, the thoracic windows for (Geddes et al.), 67
fibrillation, postmortem diagnosis of by K and Na distribution in the myocardium and skeletal muscle in out-of-hospital sudden death from acute ischemic heart disease (Raiskina et al.), 154
threshold in dogs, effect of stimulation of somatic nerves on the (Maytham, Kline, and Calaresu), 731
in infarcted and non-infarcted myocardium after acute coronary ligation, time course of (Roland et al.), 336
influence of test site on (Burgess, Williams, and Ershler), 55
infarction, right, diagnosis of: experimental study through the use of body surface isopotential maps (Sugiyama et al.), 445
myocardium, left, in mitral stenosis, the state of the (Ahmed et al.), 28
overload, left, correlations between electrocardiographic, vectorcardiographic, and echocardiographic findings in patients with (Toshima, Koga, and Kimura), 547
perfusion, left, in awake dogs, spatial and temporal heterogeneity of (Marcus et al.), 748
septal defect and mitral insufficiency after myocardial infarction, simultaneous occurrence of a (Zaidi), 538 (Letter to Editor)
Reply (Gowda and Roberts), 539
conal anatomy in aortic atresia, and normally developed left ventricle (Freedom, Dische, and Rowe), 689
subpulmonic, pulmonary valve fluttering in (Glasser and Baucum), 3
tachycardia, spontaneous heart rate, and the response to procainamide during acute ischemia (Nathan et al.), 627
termination of by a chest thump over the area of paradoxical pulsation (Befeler and Aranda), 773
volumes, right, measurements of in man from single plane cineangiograms. A comparison to the biplane approach (Ferlinz), 87
vulnerability to fibrillation, role of local disparity in conduction and recovery time on (Merx, Yoon, and Han), 603
Verapamil, intravenous, on hemodynamics in patients with heart disease, effects of (Singh and Roche), 593
Viruses in Balkan nephritis (Georgescu et al.), 805 (Annot.)

W

Waves, "A" (atrial waves) in impedance cardiograms, clinical study of (Takada et al.), 710
Waveform, diastolic impedance, an abnormal early: a predictor of poor prognosis in the cardiac patient? (Ramos), 274
Wedensky effect in man, absence of (Engel, Meister, and Frankl), 435
What kind of evidence? (Seely), 538 (Letter to Editor)
Reply (Eskwith), 538
Windows, thoracic, for electrical ventricular defibrillation current, the (Geddes et al.), 67

Y

Youth, Lenegre's disease in (Dianzumba et al.), 479